Monthly

A Reference for Buyers

HITCHCOCKS

MACHINE TOOL BLUE BOOK

25,000 Controlled Circulation

Published By

508 So.DEARBORN ST. CHICAGO



Reliance Motors in installations of one to over 2000 have been giving dependable service in metal-working plants for over 20 years.

Reliance Electric & Engineering Co. 1050 Ivanhoe Road, Cleveland, Ohio

Branches:

Boston New York Cincinnati Detroit Philadelphia Chicago Pittsburgh Birmingham, Ala

We specialize in motors, sizes 1/2 to 250 h. p. constant and adjustable special D. C.; squirrel cage and slip ring A. C.

RELIANCE MOTORS



The A-B-C of Good Drilling Practice!

Thousands of copies of this booklet are mailed out annually all over the world, to men and boys interested in knowing the "why" as well as the "how" of twist drills and drilling.

May we send you a copy? It costs you nothing but a postcard and puts you under no obligation.

Just ask for the "Handbook for Drillers."



TWIST DRILL COMPANY CLEVE LAND

Manufacturers, also, of


Carbon and High Speed Drills for every purpose; "Mezzo" Super-Carbon Drills; Hand, Jobbers" and Shell Reamers; "Peerless" High Speed Reamers; "Paradox" Adjustable Reamers: "Quick-Set" Reamers; Chucking Reamers for Turret Lathes; Counterbores; Countersinks; Sockets; End Mills; and the "Exy-Out" Screw Extractors.

CLE*FORGE

TRADE MARK REG. U.S. PAT. OFF.

High Production **Features**


Selective Dial Feed Rail Clamping Device Instantaneous Rail Lift Rapid Power Traverse Forced Lubrication Combination Steel Herring Bone and Spur Gear Drive Long Inverted Dovetail Down-Slide



The Cincinnati Planer Co.

Cincinnati, Ohio

It Pays to Know What the Gridley Can Do



Many are the concerns, using parts from bar stock, that have saved thousands of dollars a year through investing a few thousands in Model G Gridley Multiple Spindle Automatic Screw Machines.

We are not asking you to buy. We want you only to find out definitely what the Gridley can do for you. Send B/P or Samples of your bar stock parts for definite production figures—no obligation whatsoever.

Write Dept. C. S.

The National Acme Co.

Cleveland, Ohio

New York

Detroit


Chicago

The Ideal Lathe

FOR

Railroad or Jobbing Shops

Here is a lathe that is always ready for practically every job, without tearing down and setting up, and it is a real lathe on all of them. It is so sturdy in construction that it absorbs the vibration of the heaviest cuts.



RAHN-LARMON 18"/36" Extension Bed Gap Lathe


There is nothing else quite so satisfactory as the Rahn-Larmon Extension Gap where there is a variety of lathe work to be done.

It reduces to a minimum the amount of equipment required, saving in investment cost; it saves in operating time, reducing labor cost; and there's hardly a reasonable limit to the work you can call upon it to do.

Made in sizes 18"/36", 22"/40" and 28"/50" for belt or a. c. or d. c. motor drive.

Let's compare notes. This may be just what you need. If not, there's no harm done.

The Rahn-Larmon Co.



"This is Production"

2800 Pointed and Threaded
1/2" Bolts Per Hour—
One Operator!

WHEN USING

Four Economy Automatic Combined Pointing and Threading Machines.

Capacity 1/4"x1" to 3/4"x51/2" Bolt and Cap Screws.

The Economy Engineering Company WILLOUGHBY, OHIO

LeBLOND Patent Belt Shifter



A necessary safety factor and a valuable production increasing feature. It is applicable to any cone pulley driven machine tool,

Write for our descriptive booklet and prices

THE R. K. LeBLOND MACHINE TOOL COMPANY

CINCINNATI

OHIO

You Can Rely on Every Fosdick to

Keep Production Up—Costs Down



Uprights

21" to 30", cap. 3/16" to 3".

Ball Bearing Sensitive 13" to 24", I to 6 spindle, capacity to 1\%".

Radials

All Geared, high speed to heavy duty, 2 to 6 ft., cap. 3/16" to 4" drills.

Balanced Arm, motor driven, 4 to 6 ft.

High Speed Sensitive, 3, 3½ and 4 ft., for drilling and tapping, capacity to 1".

Pictured

to the left is our 16⁸ High Speed Sensitive. It's an ahead-of-date machine in which we take a great deal of pride, and as an owner you would take a great deal of satisfaction.

In design all our line is well in advance of general practice, and meets the modern demand for speed, accuracy and lasting dependability.


You are sure to find something of interest in our illustrated Catalog—write for a copy today

The Fosdick Machine Tool Co.

1638 Blue Rock St., Cincinnati, Ohio



Send for the new book on drilling



Ball bearings throughout; high speed with low power consumption enable you to derive full benefit of high-speed drilling with low upkeep cost, rapid set-up of odd shapes and quick speed adjustments. Rate of cutting and great increase in "holes per grind" with Avey machines will surprise you.



Representatives in principal cities



A Single Spindle Footburt Sipp Sensitive Drill

Made in three sizes of single and multiple spindle models

More holes with this machine

Why? Because you can change speeds in two seconds or belts in ten seconds—because the automatic idlers keep the belt pulling to capacity at all times—because the full ball bearing equipment and accurate machining gives a smooth, fast cut.

Write for No. 650 Folders

The Foote-Burt Company, Cleveland, O.



Threading at 3000 R. P. M.

These rods are being threaded with a No. 8-32 thread 5-16" long, at an average production of 1400 pieces per hour on our Standard High Speed Tapping Machine.

How about your threaded work?

Leland-Gifford Co. Worcester, Mass., U. S. A.

BRANCH OFFICES:

Boston Cleveland Chicago Detroit New York Rochester



The Cisco Machine Tool Co. has recently purchased the Mueller Machine Tool Co., and will continue to make their well known line of Radial Drills and furnish repairs



THE CISCO-MUELLER Heavy Duty Radial is a tool of great accuracy and all-around efficiency. Its patented stationary column; its combination positive and friction feed; its effective, yet simple control; its combination low and high speed reverse for backing out taps—these are only some of the features that have made it so deservedly popular. If you want a good radial, at a price you can afford to pay, let use quote you on a CISCO-MUELLER.

The Cisco Machine Tool Co. 1700 Elmore Street, Cincinnati, Ohio



New All Hardened Drill Chuck



To keep pace with the demands for Increased Production and Lower Maintenance Costs, Etto Drill Chucks are now being made with All Hardened Steel Parts. They are stronger and better.

- 1. Lighter in Weight.
- 2. All Hardened Parts.
- 3. Keyless.
- 4. Hand Operated.
- 5. Ball Bearing.
- 6. Continuous Grip.
 7. Simple Construction.

Seven good reasons for using the new Ettco.

Cash in on your old Drill Chucks. Send them to us and we will allow 15% on the exchange from the following list prices:

> No. 1A Ettco-0 to ¼ in.....\$ 5.50 No. 2 Ettco-0 to ½ in..... 6.50 No. 3A Ettco-0 to ½ in..... 9.00 No. 3½A Ettco-½ to ½ in..... 11.00

> Ettco Chucks increase the value of electric drills


Eastern Tube & Tool Company
600 Johnson Ave., Brooklyn, N. Y.

Let AIR do it-!!

Increase your Tapping 100 to 300% Used in many big motor plants of U. S.



W. GATERMAN MFG. CO., Manitowoc, Wis., U.S.A.



Style C-6-A, Direct Motor Driven

Grand Rapids Drill Grinder

This is a self-contained unit, with the motor built in as an integral part of the machine, eliminating all overhead work.

Like all Grand Rapids Drill Grinders, this machine is scientifically designed to give equal lengths and correct angles to cutting lips, with proper clearance, etc., so that every drill may give capacity output.

The use of Grand Rapids Drill Grinders insures the maximum number of accurate holes drilled per day or per dollar of cost. That, combined with our "Safety First" features, is the "hole" question.


Write for your copy of our Drill Grinder Book

Gallmeyer & Livingston Co.

342 Straight Ave., S. W., Grand Rapids, Mich.

Cutter and Tool Grinders

For All Classes of Work



The Nos. 10, 11 and 12 give a range of sizes that will take care of any kind of cutter and tool work as well as light cylindrical grinding.

Let us recommend the proper sizes for your work

LANDIS TOOL COMPANY

Waynesboro, Pa.

New York Office: 30 Church Street Detroit Office: 5928 Second Blvd. Chicago Office: 618 W. Washington Blvd.

HARDINGE

Milling Economy!

With All Conveniences and a Wide Range of Feeds, This Miller Affords You Real Savings




Cataract Bench Milling Machine

Many years of practical experience taught the designers and builders of this Bench Miller just what ought to go into a machine of this sort. You will find it unusually useful, doing its work with precision accuracy, and having available a wide range of feeds for practically all jobs that come within its range.

Complete data and the interesting price gladly sent you on request

Hardinge Bros. Inc.



No. 52—Built in Seven Sizes BELOIT Combined Power Punches and Shears Series 51 to 56

The Beloit Combined Power Punches and Shears offer an unequalled combination of simplicity of design, construction, range of capacity, and moderate initial cost.

Invaluable in any plant for punching, shearing and fabricating steel bars or structurals.

An indispensable equipment for the manufacture of automobile springs and bumpers.

Tell us about your Punching and Shearing requirements.
Our line is extensive, and we have a Beloit Machine for your work.

Send for our new catalogue No. 11 which describes the Beloit line of Punches, Shears and Bending Rolls.


Hendley & Whittemore Co.

100 S. State St.,

-1- -1-

BELOIT, WIS.

The Marvel Metal Band Saw Takes the Lead



UNIVERSAL in its adaptation to every variety of metal sawing. It saws bars, beams, channels, tubes, etc., rapidly and accurately, and does the finest tool room work. Saws at an angle either way without swinging the bar around the shop. Has big capacity up to 18 in. The large bed gives lots of room for material and tools. A saw for every need.

Write for Circular or the Complete Catalog of MARVEL Saws

Armstrong-Blum Mfg. Co. 341 N. Francisco Ave., CHICAGO, ILL.



Nothing Better For Light Shaping and Slotting



3½ in. Slotter Stroke

The Rhodes Shaper and Slotter


Accuracy is insured by the use of templets, gauges and jigs; by hand scraping and fitting; by proper adjustments for taking up wear, and by careful testing.

Convenience is another "Rhodes" attribute. Equipped with every modern feature for quick manipulation and a wide range of usefulness, it is unexcelled on die, tool and model making, keyseating, and all light shaping and slotting. And the price, of course, is less than that of larger machines of similar quality.

Ask your dealer or write for CATALOG H22

The Rhodes Mfg. Company 984 Park Road, -:- Hartford, Conn.





REZNOR QUICK-ACTING SAFETY BELT SHIFTER

as applied to a Lathe



For forty years a mark of excellent product

Nero Fiddled While Rome Burned!

Are YOU fiddling with petty economies while the belts on your lathes and other cone pulley machines are still shifted by hand or by hit-and-miss devices?

The REZNOR QUICK ACTING SAFETY BELT SHIFTER is an indispensable equipment on such machines in the progressively managed plant. The gain in productive time is such that you cannot afford to delay a single day in learning what you are now losing annually—and what you can save. Prove it by 30 days' trial on an important lathe!

THE REZNOR

OUICK-ACTING SAFETY BELT SHIFTER

is today in use in many Nationally prominent plants. It is fast and efficient. It is dependable and durable. It is safe, positive and cannot damage belt. It will pay for itself many times in your plant. It requires no other guard on a lathe in the State of Pennsylvania.

> WRITE US TODAY for descriptive circular and our 30 DAY TRIAL proposition

REZNOR MFG. CO., Mercer, Pa.

Spring Press

(UNIFORM BLOW)

Foot or Power Single and Double Action

These new dependable Presses are used in large numbers by manufacturers of —

Electric Devices, Toys,
Jewelry, Clocks, Cutlery,
Hardware, Radio Sets,
Instruments, Etc.

The Uniform Blow is a very special feature—it increases production and eliminates costly inspection. Investigate.

The Taylor & Fenn Co. Hartford, Connecticut, U. S. A.



There's a Danly Die Set for every need—12 types and 97 sizes, completely assembled or in the "knock down."

with
Danly
Die
Sets

Punch holder and die shoe of semi-steel make Danly Die Sets practically unbreakable. Leader pins and bushings without "perceptible shake" and with lubricated "glass-hard" wearing surfaces assure accuracy at all times—eliminating shearing of dies and assuring accurate stampings.

This is only one of the many refinements of Danly Die Sets. Protect your dies and save 20-50% in first cost.

Write, wire or 'phone nearest warehouse for 34-page catalogue.

Danly Machine Specialties, Inc.

4913 Lincoln Ave., CHICAGO

Detroit, Mich. 1537 Temple Ave.



Long Island City, N. Y. 35 Wilbur Ave.

Monarch Jr. Lathes




are the smallest members of the Monarch lathe family. Yet they are the "biggest little lathes" built.

The Monarch line of lathes includes all sizes and types from the little 9-inch Junior lathe to the big, massive 30-in. lathe. In this line there is a lathe to fill your requirements at the price you want to pay.

Sand for Catalog

The Monarch Machine Tool Co. 206 Oak Street, Sidney, Ohio

CINCINNATI LATHES



are furnished either Cone Type or Geared Head, sizes 16° to 30° inclusive. Our single pulley belt drive lathes can be converted over to motor drive any time after installation. If you want longest guaranteed service and a lathe that covers every practical requirements always most conveniently, our latest catalog and prices will interest you.

THE CINCINNATI LATHE & TOOL CO. 3207-3211 North St., Oakley, Cincinnati, O.

Two Real Cost Reducers-

A Four-Post ScrewPress For Die Makers

Capacity, 80 tons Table, 20"x36"

This extremely rigid press is made for a heavier class of work than our three smaller sizes.

They all save hours of time in fitting dies. One man does the work.

Affords perfect alignment between punch and die.

Type BB

And the other—a Surface Grinder

Powerful—rigid—accurate—no vibration—no noise—a revelation in quiet efficiency. Graduated feeds.

Details and prices for a postal

JARECKI MACHINE AND TOOL CO.

Successor to Manhattan Machine & Tool Works Dopt. A. GRAND RAPIDS, MICH.



Sent on trial



The Cincinnate

Portable Electrics Stay on the job.

Hand and Screw Feed Drills ¼ 1 to 2½ 2 cap. Portable Soatch Radial Drills 1¼ 10 2 cap. Feol-Post Grinders ... ¼ to 3 H. P. Bench and Pedestal Grinders ... ¼ to 5 H. P. Hand and Suspended Grinders ¼ to 3 H. P. Polishing and Buffing Lathes. ½ to 7½ H. P.

Write for Catalog

The


Cincinnati Electrical Tool Co. 2678 Madison Road Cincinnati, Ohio



For grinding and polishing metal, wood, fibre, etc., this Belt Grinder quickly secures flat surfaces, straight sharp edges and saves hand filing. Motor driven from lamp socket. Two sizes.

Ask about its novel features.

PORTER-CABLE MACHINE CO., Salina St., SYRACUSE, N.Y.



ADILLAC'S endorsement by those it serves is a precious thing. So Cadillac's production is necessarily safeguarded by the most exacting standards. That Dumore grinders are to be found among the precision tools directly responsible for the famed close limits of Cadillac production is a splendid endorsement of their worth.

Unlike Cadillac, perhaps, your requirements do not call for limits as close as .0001. Nevertheless, if you make jigs, dies, gages and other hardened tools, you can use Dumore grinders to advantage. Six styles and sizes—with individual speed ranges—provide a grinder with the correct cutting speed for any grinding need. Dynamic balance and smooth operation of Dumore grinder motors eliminate vibration. Ability to operate on alternating or direct current assures constant usage even in shops supplied with two varieties of power current. Portable, they can easily be taken to the job—saving the cost of tearing down expensive set-ups.

A word to us will bring further facts that show why these sturdy tools are and desirable to own. Why not send for this data and our new catalog today?

Wisconsin Electric Co., 43 Sixteenth St., Racine, Wis.

DUMORE HIGH GRINDERS

"D & W" Demagnetizers



Simple and Dependable

Built in two separate types, for use on alternating or direct current



Their construction is unique. A rigid continuous "U" shaped core made of the highest grade laminated electrical steel is energized by two stationary coils, thru which alternating current is passed. Construction is similar for d. c. machine, only in addition it contains a small converter. Write for the circular.

J. & H. Electric Co., Providence, R. I.

Make It Easy For your workmen to keep their tools sharp




A BODINE Portable Electric TOOL GRINDER

placed in every department of your plant is a big aid in keeping production at its maximum.

"BODINES" are highly specialized machines for putting the keenest cutting edge on tools in the shortest time. When placed in handy locations throughout the plant, it always results in sharper tools and better production.

"BODINES" are equipped with "SKF" ball bearings, heavy wheel guards, tool rests adjustable to any position, an ideal oiling system, etc., etc. Write for a copy of "Eight Outoiling system, etc., etc. standing Advantages.

The Bodine Electric Company 2256 West Ohio St., Chicago, Ill.



The Smallest Piece can be Ground Between Centers

The most Precision Grinder And it's Flexible For Internal and External Grinding

It has the sturdy construction to meet every demand, yet is light enough to be portable and usable on the various machine tools in your plant.

Built on a precision basis, it is particularly valuable where the allowable limits are held inside of tens of thousandths of an inch.

Those who are using this highly developed grinder, find it a most valuable addition to their tool room or machine shop equipment.

Write for our Booklet, which describes many new features and illustrates several operations in internal, external and surface grinding.

Manufactured by

J. E. GILBERT GRINDER CO.

214-16-18 Greenbush St.,

MILWAUKEE, WIS.

SERVICE TOOL DIE & MFG. CO.

2256-58 W. Walnut St.,

CHICAGO, ILLINOIS

Distributors for-ILLINOIS, OHIO, INDIANA, MICHIGAN

Improved Universal Grinder

Self-contained and motor driven, this standard Grinder combines efficient means for the rapid and accurate production of every grinding operation required in a machine shop.

Capacity 10"x36"

Illustrated folder gives you full details

The Thompson Grinder Co. Springfield, Ohio



The Whirlwind Buffer and Grinder

Will cut the cost on any unhandy grinding or polishing job



Send for our latest bulletin

Stow Flexible Shaft Co., 3454 Ludlow St., Philadelphia, Pa.

The Best Since 1876

PEERLESS

SURFACING MACHINES

for

Grinding and Finishing
Flat Work



Larger Machines in Both Horizontal and Vertical Styles

SEND FOR FOLDER


PEERLESS SURFACING MACHINE CO., Inc.

SHAPERS

12", 14", 16" Plain Crenk, 16", 20", 25" B. G. Crank, either Cone Driven or through Speed Box.

Belt Shifter Regular Equipment All Cone Driven Shapers.

32* Back Geared Crank, Single Pulley Drive,



The Smith & Mills Co., Cincinnati, O., U.S.A.

Write for catalog and prices on the complete line of Sidney Lathes. Address Dept. 1801

The Sidney Machine Tool Co. Sidney, Ohio

Another Sidney Lathe

Our 11° x 4' Medium Pattern, all geared head type. It is up to the minute with built-in features which insure accuracy and economical service.



Our Pipe Benders Meet The Demand



Ever since their invention our hand Pipe Benders have had a steady sale and have given universal satisfaction.

Recently, we have made some improved attachments that permit of a wider range of work and open up a new field in the kind of bending the machine will accomplish.

If you do pipe bending you will find our machine an economical, simple and very efficient appliance in reducing costs and doing better work. For 2* and under.

We have a Bulletin waiting for you. Send for it now

Pedrick Tool & Machine Co. 3644 N. Lawrence St., Philadelphia, Pa.

Manufacturers of Cylinder Boring Bars, Portable Millers, Crank Pin Turning Machines, etc.

IN PLACES

WHERE OTHER

KEYSEATING MACHINES CAN'T REACH

This miller is a valuable tool, especially on some of the troublesome jobs of keyseating. It pays to have one only for that tiresome old job. Your bothersome work can then be done in the drill press.

Why wait any longer to get Catalog O?

National Machine Tool Co. 2268 Spring Grove Ave.,

Cincinnati, O.

Keyseats Shafting In Place



The BURR Portable Keyseater

Cuts accurate keyways up to 12" long anywhere in any position, in shafts up to 5* diameter.

DON'T WAIT until you need it, when you would gladly pay 10 times its cost to have one—ORDER NOW.

Over 9,000 in use. Will you be the next to play safe?

JOHN T. BURR & SON

422 Kent Ave., Brooklyn, N. Y.

You Need a "Davis"

No matter whether you have just a few or many

Keyways

like this to cut—





No. 1 Keyseater

-you need a "DAVIS" for such work, because it will give you the same satisfactory service it gives users everywhere.

Nothing better for cutting keyways in pulleys, gear blanks, bell cranks, crank handles, etc., and for oil grooving and similar work.

Made in two sizs -

No. 1, Cap. 1/16 to 1 in.

No. 2, Cap. 16 to 16 in.

Write for complete illustrated description, including interesting table of cutting time

Davis Keyseater Company

2551/2 Mill St., Rochester, N. Y., U.S. A.

Just-Rite Lathes

Made in Sizes from 10-in. to 20-in.



JUST-RITE

for turning. boring, milling and drilling (not screw cutting).

Order one by express. Weight, 230 lbs.

A. V. Carroll Machine Tool Co., Cincinnati, O.

Cleveland Open Side Planers

26' to 72'

High production at minimum cost. Simplicity of construction makes ease of operation.

Over 1060 installations.

Send for descriptive circular

Single Turn Rail Clamp; Automatic Trip to Rail Raising Mechanism; Improved Head Clamp, Self Oiling Bearings throughout Drive: Rapid Power Traverse: Box Tables.



3148 Superior Avenue, The Cleveland Planer Co., CLEVELAND, OHIO

Established in 1900

Simplicity—

Keynote of the Catlin Keyseater

With less than half the number of parts of other keyseaters, Catlins are proportionately simpler machines to operate. Any average mechanic can produce top-notch results with a Catlin.

They have been found thoroly successful in automobile plants, government shops, navy yards and many big factories, both at home and abroad.



The machine shown here takes care of the needs of most machine shops. The stroke is adjustable up to 13*, and it cuts keyseats from 1/16* to 1½*. Our other sizes will do all the keyseating that may come up in any shop or ship yard.

Economy

On some classes of work it is possible to keyseat piece after piece without clamping down the work, or stopping the machine.

Catlins are making new records right along—why not have them save time and money in your shop?

Let us mail you the interesting folder, describing the various sizes, including their capacities

Chattanooga Machinery Company

Wasting Oil Is Costly—



Use a CURT

Most of your cutting oil is taken away on chips, and unless re-claimed, it is a total loss. A Curtis will save about 90% of this oil, thereby stopping a costly leak.

The Curtis is made with capacity for all requirements, belt or motor drive. The illustration shows our No. 400, with a capacity of 20 bushels per hour.

One man runs two, easily turning out 40 bushels per hour.

> A Curtis always pays big dividends. Write us today for complete data and prices.

The Leon J. Barrett Company

Grafton St., Worcester, Mass.



lead and handle three or four loads an hour.

Tolhurst Machine Works

Troy, New York

Easy Precision Readings

The New 1926 Model Active Comparator

Accuracy can no longer be a point of conjecture when you use the new 1926 model "Active Comparator." It can be used in either the shop or inspection department.

The large indicating dial relieves eye strain and at the same time shows how much the work is off and which way. The operator can test more rapidly and with less fatigue because he can use both hands.

The sensitive parts are not subjected to any inaccuracies, caused by expanding from the heat of the hand, as they need never be touched in the process of inspection.



We will gladly send you complete information concerning this precision instrument and the many attachments that make it adaptable to a great variety of work.

The Active Machine & Tool Co.

1221 West 6th Street, Cleveland, Ohio

HEDERAL



PRECISION DIAL INDICATORS

for every conceivable measurement

Send for bulletin

PROVIDENCE R.I.

Speed — Uniformity — Finish In Riveting



Speed: One rivet per second.

Uniformity: Each rivet headed with same degree of tightness or looseness as desired.

Finish: Perfectly formed, highly polished heads—no hammer or tool marks.


Grant Noiseless

Rotary Rivet Spinners are the only machines built which will accomplish the above, and they may be operated by cheap help.

Ask for Catalog, showing several styles Also send samples of work for riveting

The Grant Mfg. & Machine Co. C. E. Station, Bridgeport, Conn.

Send for This FREE Text Book



Please send me a free copy of the DIAL GAUGE INSTRUCTION BOOK

NAME	
ADDRESS	

Makes Old and New Cranes Safe!



Canton New Safety Friction Load Brake

Furnished at small extra cost on all "Canton" Portable Cranes, Houts and Trucks, and easily applied to those already in service.

This Brake holds the load at any point, making it impossible for the load to get away, and insuring safety to both operator and work.

"CANTON" CRANES are made in several sizes. Write for Booklet E.-8.

CANTON FOUNDRY & MACHINE CO., Canton, Ohio

New York Office: 203 East 15th Street, Second Floor

Towsley Trucks PAY 500%



Glad to tell

TOWSLEY

repay their cost every two to three months.

Every style for every need.

Write for facts and figures-you'll be glad you did

John T. Towsley Mfg. Co., Cincinnati, Ohio



Think of this when buying chain hoists



Triblec 1/4 to 2 tons

PROVIDING Triblocs for handling loads accomplishes two worthwhile objectives—it speeds up the work of highly paid mechanics and promotes a better spirit of cooperation among the men—both of which show tangible results on the work sheet.

Large industrial plants, railroads and public utilities do not purchase Tribloc Chain Hoists merely because they have a "well-groomed" appearance—it is their performance under the shocks and strains of shop work that has won the recognition of these buyers.

We shall be glad to tell you how and why some type of Ford Hoist can pay its way in your shop. Ask for Catalog 7-B.

FORD CHAIN BLOCK CO.

2nd and Diamond Streets, Philadelphia, Pa.

We also manufacture

"THE MOTORBLOC"

an electrically driven chain hoist



MACHINE Shops can get along without tools like expanding mandrels and high speed drills, but they get out work much Write us about mandrels. faster with them.

W. H. Nicholson & Co., 117 Oregon St., Wilkes-Barre, Pa.

Sigourney Sensitive Drills



The Quality Tools That Reduce Costs

SIGOURNEY DRILLS are designed for those who realize that the best tools pay the largest returns on the investment.

Made with one to four spindles, plain or ball bearing, belt or motor drive. All parts interchangeable.

The illustration shows our motordriven, all-ball-bearing No. 0 High Speed-Bench Drill, which may be operated up to 10,000 R. P. M.

> Full data and prices sent you on request.

Sigourney Tool Co. Hartford, Conn., U.S. A.



TITAN QUICK CHUCK

Its driving ability, quick change and safety features we believe make the "Titan" the nearest to drill chuck perfection ever designed.

Simply strike end of drill, and it is removed from collet with speed and safety, without key, hammer or special device. A one-armed man can do it.

The broken tang collet gives a positive drive to drills with broken tangs.

Sizes No. 0 to No. 5 for any taper shank drill, counterbore, reamer, etc. Let us help you save some money.

Write for descriptive price list

Titan Tool Company

Thors

Electric Drills –

Save Much Time, Labor and Money



THOR Drills are built of easy running, rugged parts that insure durability and economy. They are all equipped with a ground wire for safety—shocks are impossible! Jacobs Chucks, ball and roller bearings, double-ailk wound coils, and other high grade parts are standard equipment.

Get a copy of our new, illustrated catalog. It pictures and describes the complete THOR Lane. Write for it today.

Independent Pneumatic Tool Co. 600 W. Jackson Blvd., Chicago, Ill.

14" Sensitive Drill

Accurate-Convenient


You will find the U.S. a reliable, rigid tool for the rapid and economical drilling of holes 1/2" and smaller.

Price with motor, \$115

Or with Counter- \$70

Built in a machine tool shop, according to the best engineering practises. Steel spindle, ground to size, with ball thrust bearing; vertical adjustment to head; tables for long and short work; three speeds. Further details upon request.

The U.S. Machine Tool Co.



JUST 1 SET OF 12

Champion Expanding Mandrels

Will fill by thousandths any inside diameter from ½" to 6½"



So Simple-only two parts.

So Handy-always ready for any job.

So Efficient—dependable for precision accuracy.

They are suitable fo all classes of work, large or small, in all kinds of metal. They hold work of any length of bore and do not chatter. They are lighter, more easily handled, and keep truer than common mandrels. They release work easily. And the grinding of all parts after hardening insures the greatest accuracy. The cost is only about one-fifth that of solid arbors of equal range graduated by sixteenths.

Our Catalog also describes

Champion Tool Holders, Champion Emery Wheel Dressers, Machinists' Vises and Clamps, etc., and our large line of practical, hard-to-beat Shop Furniture. Copy upon request.

The Western Tool & Mfg. Co. SPRINGFIELD, OHIO






Milling. Salvages al Cold,

Slitting and Screw HE WARDWELL MFG. CO.

Cleveland, Ohio Specialty Manufacturers of the largest line of Saw Filers made in the U. S. A.

08 Hamilton Ave.,

USE the CHICAGO No. 2 POWER PIPE THREADING MACHINE



Production and Precision Threading

PORTABLE

Capacity: 1/4" to 2" Pipe 1/2" to 11/2" Bolt

Featuring:

- 1. Quick Die Change
- 2. Automatic Die Head
- 4. Perfected Oil Control

Send for Catalog Chicago Pipethread

Machine Co. Office and Factory: 1623 Racine St., Racine, Wis.

A Positive Quick-Acting Lock

For Adjustable Quickly-Opened Dies

Instead of Clamps, Levers, Screws or Nuts that must be strained or pounded to make them hold threading dies in position.



Dies adjust for variations and open quickly for removal.

That is one great difference between the "DUPLEX" DIE STOCK for pipe and others of the same type; but there are several more points of difference and value.

THE HART MFG. CO., 2319 E. 20th St., CLEVELAND. O.

Over 100 Shapes and Sizes of

Armstrong Tool Holders

SAVE h. s. Steel, 90%; Grinding, 70%; Forging, 100%





We also make-all of Armstrong quality-

Ratchet Drills Drilling Posts Drill Drifts Drill Vises Lathe Dogs Clamps Wrenches Planer Jacks Bolt Drivers Tool Posts Drill Sleeves and Sockets

Glad to mail you the Catalogs; write for them

Armstrong Bros. Tool Co.

308 N. Francisco Ave., Chicago

R & G Adjustable Boring Tool

Invaluable in the Tool Room and on Production Work
on Turret Lathes, Horizontal Mills, Etc.



It saves time and insures accuracy in boring iis plates, dies, etc., on milling machine table and drill press, that cannot be handled on the lathe. It readily trues to size holes drilled on turret lathe.

lastently adaptable to universal chucks. Straight or taper shank holders easily fitted for mounting to any machine spindle.

Send us your order or write for complete description of this handy, time-saving outfit.

Ribbe & Grey



Shaft held on the angle plate for drilling holes at any degree. Also short shaft held in the V in vise. This converts Vise to a handy jig for duplicate parts.



Work is held in V's with the ald of special clamp—quick to set up and remove—ap blucks, straps or bolts are necessary.



Long shaft can be held in the overhanging jaws. Here the V serves as a jig for centering shafts, etc.

The G-S Combination Vise



Without a proper vise more time is lost in setting up many jobs than to do the machining.

Any practical machinist can quickly see the many advantages of the G-S Combination Vise.

Order one on 30 days' trial.

3

Tools for the Cost of

1

VISE, V-BLOCKS AND ANGLE PLATE

The most practical Vise for general Machine Shop use

A GREAT TIME AND LABOR SAVER

For holding work on Drill Press, Milling Machine, Shaper or Planer. PATENTED

NO.1	Dimensions.	No. Z
	Jawa Open	
	Depth of Jaws	
8-in	Width of Jaws	956-in.
156-in	Jaws Overhand	2-in.
65-lbs	Weight	105-lba.
	PRICES	
915 On	Complete Vise	950.00
200.00	F. O. B. Factory	
	F. V. D. Pactory	

GERMANOW-SIMON MACHINE CO. 547 West Ave., Rochester, N.Y.



IDEAL Electric Automatic Air Compressor and Exhaust Pump

The single cylinder pump delivers two cubic feet of free air at 300 R. P. M. Quarter H. P. motor required for 200 lbs. pressure.

Price, pump only, \$22.50

SINGLE CYLINDER

TWIN CYLINDER -

The twin cylinder pump delivers four cubic feet of free air at 300 R. P. M. Half H. P. motor required for 200 lbs, pressure.

Price, pump only, \$32.50

Our Pumps are used for Spray Guns, Glass Blowing and general commercial and laboratory blowing and suction purposes.

PETRICK BROTHERS 2226 Belmont Ave., Chicago, Ill.





The "GUSHER"

The Last Word in Machine Tool Coolant Pumps—

Of highest efficiency, requires the least power, and stands the wear and tear of modern shops almost indefinitely.

"GUSHERS" are ball bearing, have no gears, no foot or relief valves, no packing nuts, need no priming, and are not injured by grit or small chips.

Capacities, 3 to 30 gallons per minute. Furnished with individual motors for any current, also for belt drive.

Get the Catalog and prices

The Ruthman Mchy. Co. 528-534 E. Front St. CINCINNATI. OHIO

SAVES

Time, Temper and Money



IT COSTS LESS TO USE AN E.Z SET BORING TOOL. Tool or production work on Milling Machine, Boring Mill, Drill Press, Screw Machine or Lathe. Large boring capacity. Rigid, positive adjustment, actuated by a worm; made in three sizes.



WITH THE M-P THREE TOOL TURRET you can convert your bench lathe, engine lathe or speed lathe into a screw machine, or, you may need an auxiliary turret in your screw machine.

Send for a circular

We want live wire mechanical salesmen.

Manufactured by

The Maxwell Products Co.
Ottawa & Indiana Ave., Cleveland, Ohio

E-Z THREAD DIAL

This device on your lathes will lower the cost of, and increase the efficiency of, thread cutting.

Can be attached to all size lather.

E-Z to

E.Z to use.



Eliminates stopping or reversing the lathe. Saves cost of backing belt. Saves power to drive same

Saves power to drive same. Fast growing in popularity. A large corporation ordered mine at one time. Another five. Sent on thirty days' trial.

Send for folder

today.

JAMES M. COLVEN, 20 Wolffe Street, Yonkers, N. Y.

"The Acme of Convenience"



Invaluable in the

tool room, also for straightening crank and cam shafts and other automobile parts.

A GREAT LABOR SAVER, as you will find the arrangement of this Press makes it the acme of convenience.

Any work within the range of centers may be tested and straightened without unnecessary walking from press to lathe each time in straightening rough or finished work. Any length, however, may be operated upon. Of "Springfield quality" thruout.

Write for folder illustrating many of its uses

The Springfield Machine Tool Co., Springfield OHIO

We also manufacture Engine Lathes and Shapers

Saves Your Buying Many New Tools



Genesee Adjustable Hollow Mill—has adjustable, replaceable blades, which can be replaced at small cost, and this saves you buying many a new tool. They are ideal for finishing forgings, castings, etc. You can adjust them to the 1000th of an inch in a few minutes, and are designed to utilize machines to their full capacity.

Genesees can be fitted with drills and reamers, have formed blades, etc. Blades can be ground any angle to point work and turn short tapers. They cut up to 15* a minute in steel, are stronger than solid tools, and cannot change in size.

> Seven sizes cover work from 1/6" to 2". The Genesee is now made in six different styles, from the heavy roughing Style" B" to the accurate finishing Style" F." We also make Style "N" Mills for all Brown & Sharpe Automatics. W site us about your needs—our tools reduce costs.

Genesee Manufacturing Co., Inc.

Established 1908

Rochester, N. Y., U. S. A.

Manufacturers of Geneses Rapid Production Tools

How would you like—

to tap small holes as easily as you drill them; to tap them 2 or 3 times faster than usual; to wear out the small taps you are now breaking?

The Ettco High Speed Tapping Attachment usually increases output 100%. When a Gun Tap is used the increase is as high as 300%.

Try one for 10 days if you can then spare
it, send it back.

Steo

Try one for 10 days

Eastern Tube & Tool Co.

No. 2 ALTO Three Speed Tapping Machine

SAVES—time. SAVES—taps. SAVES—in the first cost and in the long run.

Its main points are -

Motor driven, 3 speed, double speed reverse, quick change, back geared multiple disc clutch. Sensitive for small tapping and powerful enough to drive % taps through steel.

We also make smaller high speed tappers.

Write for descriptive literature and attractive prices



The Alto Mfg. Co., 1647-51 Wolfram St. Chicago, Ill.



Drills to the center of a 10" circle. Capacity, 3/8" diameter. Up and down run of spindle, 21/2".

4.00

110 volt, 60 cycle, single phase. Other voltages on application.

Ready for the Job

Another Original Canedy-Otto Feature

That of first offering an electric bench drill completely equipped and ready for the job, the improved design eliminating the use of all gears and placing the cone pulley in exact alignment, enabling the belt to be run at its maximum speed. It also eliminates all twists and turns of the belt, meaning both a saving of belts and time, giving a greater speed of spindle, a feature of great advantage when using drill for small diameter.

Regular equipment consists of vertical type ball-bearing motor, toggle type switch, extension cord, socket, belting and chuck.

Canedy-Otto Manufacturing Company

Main Offices and Factory-Chicago Heights, Illinois

New York Branch 407 Broome St.

Complete stock carried at branches San Francisco Branch 955 Folsom St.



Several Holes— At Cost of One

A U. S. Multiple Spindle Drill Head transforms your single-spindle drill into a multiple spindle.

You can drill two or more holes with the same speeds and feeds you use for drilling one.

Patented double adjustment permits drilling in any pattern. Special heads to order, with adjustable or fixed spindles.

Let us help you reduce your drilling costs

The United States Drill Head Co., 1952 W. Sixth St.,
Michigan Agents—National Sales Engineering Corp., Detroit, Mich.

"Bridgebilt" Factory Seating and Tool Racks

A diversified line to meet requirements of every branch of industry.

> The Bridgebilt line will give long and satisfactory service


For illustrated price list and discounts write-

The Chicago Wire Chair Co.

619 No. LaSalle St., Chicago, Ill.



No. 1010-SWS



Increasing Profits by Reducing Finishing Costs

will likely cause you less embarrassment than raising your prices. One man, operating a burnishing barrel, can average finishing eight times as much work as an expert hand operator, and do it better. The Abbott Method is used by practically all leading manufacturers. It will pay you to investigate its efficiency and economy. Send us samples; we'll burnish and make complete report without obligating you in any way.

The Abbott Ball Company

"Originators of Commercial Ball Burnishing"

1043 New Britain Ave., Hartford, Conn.


Whitney Bearing Punch No. 40

Made of 45 50 point O. H. Steel, drop forged, Very rigid—no springing in operation. Now provided with movable handle, to meet user's needs.

Capacity %" thru %" iron Depth of throat, 3" Height of throat, 20 Weight complete, 87 lbs.

The elimination of friction insures more work at less cost in all Whitney Punches.

Write for Catalog and Price List



Whitney Metal Tool Co. Rockford, Ill.

95 Forbes Street.

We've Made Punches Over 35 Years

Anyone who has made punches for over 35 years knows how, and T. H. L. Punches are as good as we know how to make them. As a result they give satisfactory, continuous and profitable service.



Send us a trial order and you'll come again. We carry a large stock of regular sizes for immediate delivery. Special sizes quickly made. Don't you need a few now? Let us hear from you.

T. H. Lewthwaite Machine Co. 311 East 47th St., (Est. 1890) New York City



Husky, Powerful

speedy Punch Presses deliberately designed for High Production work.

All Types and Sizes

Write for Catalog

Rockford Iron Works
Rockford, Ill.



···· Verson

Mark

"Lowest cost per 1000 Pieces"

Verson Bench Presses are specially designed for a wide vaniety of light work—blanking, forming, bending, riveting, printing—to replace the heavier, bulkier, more coally presses. They will cut stamping costs, save floor space and lower power consumption. Verson No. 1, O. B. I. Bench Press, shown here, requires only 16x17 in. bench space; has 6-in. die space, weighs only 400 lb. and can be equipped with table and legs when desired. Equipped with Verson patented Safety Clutch that positively prevents accidents due to repeating.

Send for full details and prices.
Representatives in principal cities

LaSalle Machine Wks.

Specializing in Small Presses and Angle Shears

Is Your Bar Stock Kept Handy?

It IS if Kept Piled in "The Handiest Racks"



It's a big economy to have your bar stock, pipe and shafting piled neatly right where it's needed, and in such a way that your men can "grab it quick."

Besides, when piled in "The Handiest Racks," you can know at a glance how much of the various sizes you have on hand.

They save steps, save time, save delays. Glad to ship you a set on trial. Write to

Wm. S. Yohe Supply Co.

-PEERLESS-UNIVERSAL SHAPING SAW



Different Principles Greater Efficiency

Give The Most Of -

Speed Accuracy Blade Economy

SIZES: 6"x6"--9"x9"--13"x13"

PEERLESS
HIGH SPEED HACK-SAWS
6"x6" 9"x9" 13"x16"
Sturdy--Efficient--Reliable

Peerless Machine Co. 1609 Racine St. Racine, Wisconsin

Write for Details



DUST-

from

- -Sand Blasts
- -Emery Wheels
- -Tumbling Mills
- -Polishing Wheels

etc., etc., etc.,

-and including all kinds of heavy, flinty, gritty, grinding and cutting dust, is

Removed Most Efficiently

and economically with the old reliable "Rarefied" Dust Collector. Operated on the "rarefied" or partial vacuum principle, the air is drawn thru the Collector, and the dust is removed before the air reaches the fan.

The "Knickerbocker Way"

not only collects practically all of the dust, but it often uses 40% less power, and keeps repairs down to next to nothing. How's that for economy?

> Let us send you a copy right now of our explanatory booklet, and a partial list of prominent, satisfied users.

The Knickerbocker Company Jackson, Michigan





BOSTON GEARS

BOSTON GEAR WORKS SALES CO. Norfolk Downs, Mass.

BOSTON NEW YORK PHILADELPHIA CLEVELAND CHICAGO


Edgemont Friction Clutches For All Purposes

This Clutch has an improved patented expanding type friction with metal to metal contact, with simple adjustments for wear. The value of "Edge-

The value of "Edgemont" Friction Clutches on line shaft has been so universally acknowledged

acknowledged by mill operators that the old system of tight and loose pulleys and belt shifting is becoming quite obsolete.

Tell us what you need in Friction Clutches; we have it




Edgemont Machine Co., Inc., DAYTON.

The Sturdy CONWAY Combines

Convenient Compactness

And Dependable Strength



The Conway CMT Close Coupled Clutch

It's a type specially designed for cramped and crowded installations where the clearance is in fractions, and where transmission of power must be effected in a minimum amount of space. None of the standard Conway features is sacrificed in this design except the full length shaft bearing.

Applications of the close coupled type are usually of heavy duty character, where the clutch's ruggedness and capability for punishment are essential for the successful functioning of the operating machine.

The double type is pictured above; we also make the single type. We shall be glad to mail you prices, and to give you a list of the many kinds of machinery in which the ever dependable Conway Clutches have already made good.

Measures up to the severest requirements; what are yours?

WRITE FOR BULLETIN No. 26

The Conway Clutch Company

1951 Riverside, Cincinnati, Ohio



5-Spindle Drilling Machin

The particular province of this machine is the drilling of small holes in small pieces.

In its adaptation to this class of work, the Detroit Semi-Automatic is designed for precision, speed and quick handling. The material is handled with simple fixtures, in which the work is located without removing fixture or risking interference by the drill. The chips fall away automatically. The loading and unloading may be taken care of by women or girls, seated in front of machine. The fixtures for that purpose are simple and quick-acting, reducing loading time to a minimum. The reliability and usefulness of this machine is increased by the use of Jacobs Chucks as regular equipment.

For complete illustrated description, write to-

DETROIT MACHINE TOOL CO.,

This advertisement is interests of good Delli by the makers of the Jo

Modern



Winterhoff Portable Production Drills

No. 0 JUNIOR DRILL 101/2" Swing, 0 to 3/4" Capacity



Equipped with ½ h. p. motor, two step cone pulley giving speeds of 1100 and 2300 r. p. m., horizontal drive gives full power to the 1½ endless belt furnished with machine. Driven cone has bearing support at each end, all parts accurately machined and interchangeable. Positively the greatest value ever offered in a machine of this kind.

Drills, Grinders, Disc Grinders, Saws, Sanders. All motor driven.

> Send for circulars describing these machines or see your Dealer.

\$55, F. O. B. Elkhart

Winterhoff Tool & Machine Co.

109 South Elkhart Ave.. Elkhart, Ind., U. S. A.

The "Utility" Counterbore and Spot Facer Saves Time, Money

It has the Pilot that *cannot* twist off.

Write for Catalog Eliminates

-broken pilote.
-broken cuttere.

-trouble in removing cutters from holders. -trouble with set screws coming loose.

Cutter drive is simple and powerful, and the cutter is easily removed.

Counterbore and spot facer troubles practically done away with.

The J. C. Glenzer Company



Atlas Arbor Presses

For All Forcing Operations


Illustration shows our No. 55 Power Drive Press, which is adaptable for fast production work and capable of supplying ten tons pressure.

Write for our Bulletinshowing 30 different sizes

Atlas Press Co.

Department B, Kalamazoo, Michigan

Used in the Biggest Plants Lourie Hydraulic Presses



We have, or can make for you, just what you need in Hydraulic, Power or Arbor Presses.

They are quick acting, powerful, moneyeaving equip-ment-built from

Let us help you reduce those costs.

LOURIE HYDRAULIC CO., SPRINGFIELD, ILL



Strand Rotary Files

Used with Strand Flexible Shaft Machines. Are giving excellent service.

Write for Catalog

N. A. Strand & Co. 5001 No. Lincoln St. CHICAGO

HIGH SPEED HAND CUT ROTARY FILES





When Taps Break-

Use a Walton!

This handy little device saves time and labor out of all proportion to its small cost. The Walton Tap Extractor soon earns its cost several times over.

You insert the "fingers" into the work, give a few twists, and the tap backs out easily and safely. Sizes No. 8 to 11/4".

Shipped on 60 days' approval. Did you say "ship"?

The Walton Company Hartford, Conn. Made in six sizes, for balancing anything that turns on a shaft, up to 24,000 lbs. weight



Anderson Improved Balancing Ways

Spindles are hardened, glass hard, so they do not become indented or lose accuracy. Chilled iron discs; especially sensitive bearings.

"Swing"	20°	40*	60°	72*	96°	72"
Greatest distance bet, standards Capacity in lbs Approx. shipping weight Code	20° 1000 45	30" 2000 90	30° 2000 150	66* 5000 350	88" 10000 650	201 24000

Any of above can be furnished with longer shafts

Anderson Bros. Mfg. Co.

For Sure Balance--

an absolutely level and solid "Way" is necessary

Bowsher "Balancing Ways"



are brought to an absolute level in ten seconds.
No revolving parts.

The edges or "knives" upon which the work is tested are ground frue, and are mounted upon the planed "ways" of a heavy bed or frame.

Standards adjustable to suit length of arbor.

Three sizes for floor—one for bench use

Send for Catalog "F"

The N. P. Bowsher Co., South Bend, Ind.



Non-Poisonous

Non-Inflammable

Non-Explosive

KASENIT No. 1

For Fine Work and Very Rapid Hardening

Sold in 1/2 lb., 1 lb., 3 lb., 5 lb. and 10 lb. tins

KASENIT No. 2

For General Hardening

Sold in 25 lb. and 50 lb. kegs

Write for Booklet on hardening. Ask your dealer or write-

KASENIT COMPANY, 122 Liberty St., NEW YORK, N. Y.



Gravity Feed-Bushes

the bearing Wire Wick Feed-gives desired prolonged feed. Wire Wick-replaces

Write for Catalog No. 21

Showing 255 full size illustrations with detail

waste or felt. Made in Standard sizes. GITS OIL CUPS



Style "KV"

Oil cups for every lubricating need. State style and size in which you are interested, and we will send free samples and catalog.

GITS BROS, MFG, CO 1940 SO. KILBOURN AVE., CHICAGO



Style "T

Burke Bench Millers

FOR Accuracy

Convenience

On small milling operations, where accuracy as well as production must be had, are the places to use Burke Bench Milling Machines.

Built in various sizes, both hand and power feed, and at prices ranging from \$125 to \$220.



The Burke Machine Tool Co., Conneaut, Ohio

The BARKER GENERAL VISE

For Planers, Shapers, Drilling and Milling Machines



Steel faced jaws

Graduated to swivel

Extra heavy for hard usage

The screw runs through entire length of vise, with bearing on each end. Nut at rear equalizes strain. Sizes 8" and 12" General Purpose and 16" Mold Makers' Vise. Sturdily built, and so exceptionally handy that users would not part with them. Be sure to get our literature and prices before buying.

WM. BARKER & CO.

Manufacturer of Machine Tools,

COVINGTON, KY.





New "AUTEX" Extension Reel

Don't Forget the Swivel Joint Feature

Permits of carrying the lamp in any direction.

Type 6 Rapidly finding a place in large Industrial Plants, Machine Shops and Service Stations.

Now equipped with Belden Rubber Cord Approved by the Underwriters

Write for descriptive circular

The Cincinnati Specialty Mfg. Co., Inc. 1903 Powers St., Cincinnati, Ohio

Save Time Setting Gang Milling Cutters

Eliminate Thin Washers



Hardened Ground

PATENTED

"Wear-Ever" Adjustable Spacing Collars permit setting cutters to the thousandth part of an inch without removing from the arbor.

Stock sizes for 3/4" to 21/2" arbors, sent on approval They are adjustable in 12 steps of 2/1000 inches

SCULLY-JONES & CO. 13th and Robey Streets

TOOL DIVISION CHICAGO, ILL.

Steel Spacing Washers

Made of a good grade of Cold Rolled Strip Steel, also known as Shim Steel



Stock sizes for arbors of following diameters: %. 14, 36, 34, 76, 1, 116, 114, 136, 134, 136, 134, 136, 134, 136, 2, 244, 242, 3, 342 and 4 in, and larger.

Stock thicknesses: .002, .003, .004, .005, .006, .007, .008, .010, .012, .015, .020, .025, .032, .047, .063, .093 and .125 inch.

Other thicknesses up to 3.000" made to order, with keyways if so ordered.

Ask us to send samples; you'll like them

Detroit Stamping Company 3443 West Fort St.,

Detroit, Mich.

Vanderbeek Universal Joints



represent the practical refinements of 25 years experience in manufacturing Universal Joints. All parts are generous sized fully protected against dirt, and are practically self-oiling. Exceptionally strong, they trans

strong, they transmit full power up to 70°.

Vanderbeek Joints are in daily use on thousands of machines.

Write today for our Descriptive Catalog.

American Tool Works, Inc. Hartford, Conn., U. S. A.



High Quality-Right Prices-Good Service

Hollow Bored Forgings and Steel Shafts



Piston Rods
Clutch Shafts
Lathe Spindles

Rams Steel Pipe Etc., Etc.

Send blueprints with trial order or for quotation

American Hollow Boring Co. Erie, Penna.



"Borgeson Universal Joints"

Are you a user of Universal Joints?

If so!

Remember well and bear in mind that a good Universal Joint is hard to find. But if you want one tried and true, you will want the "Borgeson" before you are through.

You will become not only a "Buyer" but a "Booster" for "Borgeson."

SIZES: %, ½, %, ¾, %, 1, 1%, 1¼, 1½, 1½, 1¾, 2, 2½, 2%.

Should you require Special Universal Joints, be sure to write for quotation.

Complete description gladly furnished upon request

The Borgeson Mfg. Co., Inc.



THE BENCH MACHINE TOOL CO.

Makers of "THE BENCH" Tapping Machines
222 N. 13th Street, Philadelphia, Pa

"X-L" Adjustable Inserted Spiral Blade Shell and Machine Reamer



Reamers made with Left Hand Angle

Speed Steel

Blades.

Cutting Blades do not dig in, and all chatter is eliminated. This means free, clean cutting, smooth holes, and increased production. The range of expansion is from . 100° in the smaller sizes to .150" in the larger sizes. Made real production reamer. with High The left hand helical flutes cut fast and clean. Made only in high with speed steel. Made

This is a

Catalog on Request

straight and tapered shanks. All sizes carried in stock.

The Schellenbach-Hunt Tool Co.

118 Opera Place, Cincinnati, Ohio

Agents: Gropler Bros., 105 Hudson St., New York, N. Y. E. E. Fletcher, 6007 Euclid Ave., Cleveland, Ohio

Second-Hand Machinery

Lists of Second-Hand Machinery, either For Sale, Wanted or For Exchange, set in uniform style, will be published under this heading at the rate of 50 cents a line, across the page, each issue, plus \$2.50 for name and address. Minimum charge, \$5.00. No display permitted in this department.

Write directly to those offering the machines for sale for prices and full descriptions. If what you seek is not listed, use the blank enclosed to make known your wants to the publisher, who will pass them along to all Machine Tool Blue Book advertisers.

Circulation of Machine Tool Blue Book, 25,000.

FOR SALE BY

Botwinik Brothers, Inc., 67 Water St., New Haven, Conn. MILLING MACHINES.

10—Brown & Sharpe No. I plain cone drive milling machines, with counter-shafts. Price \$275 each net, f.o.b. New Haven, Com. Many other bargains. Wire, write or phone.

FOR SALE BY

Surplus Material & Machinery Co., 8735 Kercheval, Detroit, Mich.

Beader, No. 0 Niagara.

Hammer, 18 lb. Bradley.
Riveter, 3A High Speed.
Riveter, Grant spinning.

Riveter, Grant spinning.

FOR SALE BY

J. P. Rentschler & Co., . 6722 N. Maplewood Ave., Chicago

| PRESSES. | PRESSES. | 18 Bliss, toggle. | 18 Bliss, toggle. | 18 Bliss, toggle. | 18 Bliss, toggle. | 19 Bliss, toggle. | 19

MISCELLANEOUS.
Annealing gas furnace, National, 11"x19"x36" deep.
Grinder, No 1 Cincinnati universal tool and cutter.
Shear, No. 30 Niagara, power square, capacity 20 ga.

FOR SALE BY

Edward L. Klauber, - 320 South Third St., St. Louis, Mo.

Bolt cutter, Little Giant, 1" cap, Bolt cutter, National, \$\frac{1}{2}\$ cap, Bolt cutter, National, \$\frac{1}{2}\$ cap, Bolt cutter, National, \$\frac{2}{2}\$ cap, Bolt cutter, Landis, 2" cap, Die head, Landis, cap, 2", Drill press, 34" b, g., s. h., t. a. Drill press, 34" Aurora, b, g., s. h. Grinder, No. 2 Cinti univ. 12x38. Grinder, No. 1 Cint cutter & tool. Grinder, No. 1 Cint cutter & tool. Grinder, No. 1 Brown & S. plain. Grinder, No. 10 Besty disc, ring wh.

Lathe, 16".86 Monarch, d.b.g., q.c.g., Lathe, 16".88 Monarch, d.b.g., q.c.g., Lathe, 16".88 South Bend, plain chge. Lathe, 16".88 Lodge S., q.c.g., d.b.g., Miller, No. 2 Le Blond, q.c.g., d.b.g., Miller, No. 2 Le Blond universal. Planer, American 30".330".88". Punch press, No. 2 Toledo, o. b.i., Punch press, No. 2 Toledo, o. b.i., Punch press, No. 3 Toledo, o. b.i. Roll, Hilles & Jones, 8".8" (ap. Shaper, 30" Smith & Mills, b. g.

FOR SALE BY

A. F. Strafer. 30 Church St., New York City BORING MILLS, VERTICAL.

12' Betts, standard type, belt driven.

12. netts, sandard type, oet driven.

12. netts, sandard type, oet driven.

13. lickford, widened type, belt driven.

15. lickford, widened type, belt driven.

15. lickford, widened type, belt driven.

15. lickford, widened type, belt driven.

12. lickford, widened type, belt driven.

12. Niles, friction feed, belt driven.

12. Niles, friction feed, heavy, modern, arranged for d. c. motor drive.

72" Niles-Bement-Fond, neavy, modern, arranged for d. c. motor drive with push-button starter and dynamic brakes.
42" Bullard V. T. L., New Era type, rapid traverse, side hd., sgl. pulley dr. dr. Bullard, one turret and one side head, qk. ch. rapid traverse, motor dr. BORING MILLS, HORIZONTAL.

" bar. Bement Miles, floor type; floor plate 20'x10'; column traverse, 10'; naximum distance floor plate to center of bar, \$6", belt drive.

5" bar, Sellers, floor type, floor plate, 14" 220" modern, belted motor drive.

3" bar, Betts, knee type, cross table 36" x86".

6" bar, Barrett horizontal cylinder boring machine. 34" bar Beaman Smith, table type, quick change feeds, etc. CRANES.

50-ton, 86' span, Pawling & Harnischfeger, with a 10 ton auxiliary hoist,

d. c. motors. 15 ton Northern, 47' span, 3 motors, d. c.

Tell me your requirements and I may have something that will fill them.
COMPRESSORS. 1200' Chicago Pneumatic, 2 stage, cylinders 20"x14" and 12"x14", belted motor drive, with 200 h. p., a. c. motor and starter.

Ingersoll-Rand, 2 stage cylinders, 16"x14" and 10"x14", belted motor drive. 160 h. p., a. c., 2200 volt, synchronized motor.

DRILL PRESSES.

7' Baush late type, tapping attachment, box table, belt drive, 6' Reed Prentice, latest type, self-contained, a. c. motor drive, 6' Niles-Bement-Pond, semi-universal, d. c. motor drive.

5' Western, tapping attachment, single pulley drive.

3' Carlton, radial, belt driven.

3 Carton, raum, best driven.
No. 310 Baker, high duty, capacity 2\frac{1}{2}", single pulley drive.
28" Mechanics, sliding head, upright, belt drive.
49 jundle, 20" Barnes gang dilli, power feeds.
Style "\(\text{Superior} \) beavy pattern Baker upright.

Send your requirements for cluster type and multi-spindle drills. GEAR CUTTERS.

No. 5 Brown & Sharne automatic, for spur gears. Gould & Eberhardt, 24"—38"x8", vert type, auto, for spur and bevel gears. Gould & Kberhardt 36" automatic, for spur gears. No. 24 Bilton automatic gear cutter.
GRINDERS FOR CYLINDRICAL WORK.

18"x96" Norton pl., arr. for motor dr. 10"x72" Norton plain, overhead, belt 6"x32" Norton plain. No. 11 Brown & S. plain, 6"x32" drive, complete equip. 12"x48" Modern pl., standard equip. 10"x36" Norton plain, belt drive No. 1 Landis univ , 10"x20", belt dr. 12"x60" Landis universal, belt drive.

No 2 Landis univ., 12"x32", belt dr. GRINDERS, SURFACE AND TOOL. 84" Diamond surface, motor drive. Diamond grinder stand, for wheels, 14"x14"-\$25.

84 Damond Strace, much 14"x14"-425.
No. 3 Brown & S., cutter and tool.
Cincinnati electric floor type.
HAMMERS AND FORGING MACHINERY.

3000 lb. Bell double leg steam forging hammer. 1500 lb. Niles-Bement-Pond single frame steam hammer.

1400 lb. Chambersburg single frame steam hammer. 600 lb. Frie single frame steam:hammer.

500 lb. upright helve belt driven hammer. No. 4 type "I" Nazel hammer, with 10 h. p., 230 v., d. c. motor drive.

No. 4-B Nazel hammer, arranged for motor drive (Continued on Next Two Pages)

A. F. Strafer.

30 Church St., New York City

Davis 24"x10", very low price, 14"x18" American engine lathe, hand

36"x16' N.-B.-P., new, triple geared.

36 x16 N.-15.-2*, new, triple geared, q.c., heavy duty, belt drive, 36 x23* Fitchburg taper att., belt dr. 32*x32* Fitchburg taper att., belt dr. 32*x32* Pond, belt drive, 32*x32* Pond, belt drive, 26*x16* Prentice, geared head, q. c. 24*x25* Fitchburg, taper att., belt dr. 21*x 8* R. K. LeBlond, heavy duty.

q. c., latest type, with 5 h, p., d c ... 220 volt motors mounted on head-

17"x6' LeBlond, rapid production,

Steinle 24", new.

stock, (8)

3-step cone type.

feed, turret on bed. Bardons & O., 14" turret lathes, fric. fds., with and without wire fd., (6).

(Continued from Preceding Page)

HAMMERS AND FORGING MACHINERY-Continued.

No. 3-B Nazel hammer, arranged for motor drive.

500 lb. No. 5 Standard Machine Company automatic drop hammer.

300 lb. Standard Machine Company automatic drop hammer.

600 lb. Miner & Peck poppet drop hammer.
350 lb. Miner & Peck poppet drop hammer.
400 lb. model "B" Billings & Spencer board drop hammer.

Ajax 2" upsetter and forging machine.

Anvils, bending plates, blacksmith tools,

TURRET LATHES.

Gisholt 24" modern, motor drive. Gisholt 28", modern, belt drive. Jones & Lamson, 34"x36" bar equip-

ment, serial No. 15084.

J. & L. 22"x24", chuck equipment.

Greenlee 22"x26", chuck equip.

ENGINE LATHES

100"x50' N .- B .- P .. with raising blocks to 140", latest geared head, motor drive, 2 carriages. drive, 2 carriages. belt dr. 52"x24" Putnam, triple grd., belt dr. 50"x30" Pittsburgh, q. c., latest type,

belt drive.

50"x36' Bement M., tr. grd. belt dr. 50"x16' Fifield, belt drive. 44"x21' N.-B. P., triple grd. belt dr. 42"x42' Fitchburg, triple geared, belt

drive taper. 38"x22" Pittsburgh, triple geared,

belt drive. 36"x33' Putnam, triple grd., mtr. dr.

MILLING MACHINES.

No. 4 Cincinnati plain, cone type. No. 3-B Brown & S. hvy, plain, grd. hd., with constant spd., 220 v., d. c. mtr.

No. 3 LeBlond universal, cone type, double back gears. No. 3 Kempsmith universal, complete equipment, cone type.

No. 2-R Brown & Sharpe heavy, geared head, motor drive, with motor. No. 2-Y Brown & Sharpe plain, cone belt drive

Duplex miller, No. 8 Becker single pulley drive quick change. Planer type. Beaman & Smith No. 2, with one rail and one side head, table

24"x8', motor drive. Manufacturers' type, Brown & Sharpe No. 13-B, 34"x8\frac{1}{2}".

Manufacturers' type, 28" Cincinuati, semi-automatic.

U. S. Manufacturing Company hand Miller.

PLANERS.

120"x144"x25' Wm. Sellers, 4 heads, belted motor drive.
120"x120"x25' Niles, tour heads, belted motor drive.
14"s' x25' planer specially built, belted drive.
14"s' x25' planer specially built, belt drive.
15"x12"x24' Detrick & Harvey, open side, 3 heads, belt drive.
15"x12"x12"x15' Pond, 3 heads, belt drive.
15"x16"x16"x15' Pond, 4 heads, latest electric reversing drive.
15"x16"x16"x15' Villes Remember Doud, 4 heads, latest electric reversing drive.
15"x16"x16"x15' Villes Remember Doud, 4 heads, latest electric reversing drive.

50"xa6"x22" Niles Bement-Pond, 4 heads, latest electric reversing drive, (5), 42"x48"x18" Niles Bement-Pond, 4 heads, latest electric reversing drive, (5), 42"x42"x30", siles Bement-Pond, 4 heads, box table, all steel gearing, 42"x42"x30", Niles Bement-Pond, 4 heads, electric reversing drive, 36"xa6"x16", Niles Bement-Pond, new, box table, steel gearing, etc. 36"xa6"x16", Niles Bement-Pond, heads, electric reversing drive, 36"xa6"x16", Niles Bement-Pond, heads, electric reversing drive, 48"x46"x10" Gleason, two heads, belt drive, 48"x48"x10" Pond, three heads, electric reversing drive,

(Continued on Next Page)

A. F. Strafer.

30 Church St., New York City

(Continued from Two Preceding Pages)

PLANERS-Continued.

36" x36" x10' Gray type, 2 rail heads, belt drive, 30" x30" x 8" Detrick & Harvey (Bethlehem Steel), 2 heads, 24" x34" x 6" G. A. Gray, one head, belt drive, PUNCHES AND SHEARS AND FLATE MACHINERY, Alligator No. 4 Doelger & Kursten, cap, 5" round, 14" x36" plates, high knife,

Alligator No. 4 Doelger & Kursten.cap. 5" round, 14"x38" plates, high knife, 38" blade, arranged for motor drive.

Gate shears, Hillis & Jones, 74", with 84" blades, 38" gap, 14" capacity, (2).

Multiple punch, Long & Allistatter, 104" between housings, 250-ton pressure.

Triple armor plate combination Schatz punch, 14", shear 12" "1" beams, 6"86"x4" angles.

Size D. Long & Allistatter, double, capacity 3"x14", motor drive.

No. 5 Hillis & Jones, single end, 69" throat, a. c. motor drive.

No. 54 Hillis & Jones, single end, 72" throat, motor drive.

No. 13 Williams & White, 72" throat, motor drive.

No. 6 Ouickwork rotary, 48" throat, motor drive.

No. 4 Hillis & Jones, double, 48" throat, bett drive.

Angle shear, No. 3 Hillis & Jones, double, capacity \$x\$&1, belt dr.

No. 3 Hillis & Jones, double, 48" throat, bett drive.

Angle shear, No. 3 Hillis & Jones, double, 68" throat, bett drive.

No. 3 Hillis & Jones, double, 36" throats, belt drive. No. 3 Hillis & Jones, single, 12" throat, belt drive. No. 2 Hillis & Jones, single, 50" throat, belt drive.

No. 2 Hillis & Jones, single, 50" throat, belt drive.
Cleveland Bat, 40" throat, single, belt drive.
Rotary Lennos, 44" throat, b" capacity.
Rotary Lennos, 44" throat, b" capacity.
Rotary Hillis & Jones, No. 2, rotary bevel, cap. 4", arranged for motor drive.
Cleveland No. 4 B-A, single, 24" throats, cap. 1"x\bar{8}" belt drive.
Aligators, five small alligator shears, 2" capacity, b" & 10" knives.
Horizontal punch, Long & Allstatter, 9" throat, cap. 1xt, belt drive.
Plate planers, Hillis & Jones No. 6, 25', belt drive.
Combination punch and angle bender, Hillis & Jones, motor drive.

Diversible machine and blinks of 2" from edge, moter drive.

Plate joggling machine, cap. \ plate, 42" from edge, moter drive.

ROLLS. Wickes bending rolls, 20', top roll 18", lower roll 14", drop end housings 50

h. p., a. c. motor drive. Bertsch rolls, pinch type, top roll 18", lower roll 14", drop end housings, m. d. 10' 6" Southwork bending rolls, top roll 11\frac{1}{2}", lower roll 9\frac{2}{2}", solid housings.

arranged for motor drive.

7 William Sellers, top r. 12", lower r. 10", pinch type, drop end housing, beltdr. Straightening rolls, No. 2 Hillis & J., 6 rolls dia. 10", 6" 10" bet, hous, belt dr. Straightening rolls, Hillis & Jones, 51", six rolls, 8" diameter.

SHAPERS

16" Smith & M., s. g., crank, belt dr. 16" Milwaukee, bk. grd., cr., belt dr. 20" Gould & E., bk. grd. cone type. 16" Hendey, fric. type, vise & c. s. SLOTTERS

18" Newton, cir. table, 48" dia., belt dr. 18" Betts, cone type, belt drive, 12" Putnam, table 33" dia., belt drive 24" Bement Miles, belt drive.

MISCELLANEOUS EQUIPMENT.

Broaching machines, LaPointe Nos. 1, 2 & 3

Conveyor, Jeffreys, for coal or sand, 37 buckets, 40' lift on portable truck, 3 ph., 60 cy. 220 v. motor drive. Core wire straightener, 1/6" to \(\frac{2}{3} \) capacity, new.

Cranes, 5-ton to 50-ton capacities.

Knife grinder, 30" and 40

Locomotive crane, Brown hoist, 15-ton, 8 wheel, 50' boom, magnet & gener. Moulding machines. (1) Tabor, (3) Champion.

Pipe machines and bolt cutters.

Rivet spinner, \(\) capacity, Grant. Steam shovel, No. 3 Thew.

Surface plates, Brown & Sharpe, 12"x18", (2).
Tapping attachment, Errington, 1" capacity.

Miscellaneous Equipment from a large ship and engine company, consisting of machine shop, forge shop, pipe shop, brass foundry, office, etc.

FOR SALE BY

McMullen Machinery Company, Grand Rapids, Mich. Automatic, J" Cleveland. Automatics, No. 00 B. & S. Pipe machine, 6" Merrill No. 64.

Band saw, No. 4 N. & B. Cut-off saw, No. 4 N. & B. Drill, 31" Barnes, sliding head. Grinder, No. 6-A Bryant. Grinder, No. 2-A Bryant,
Lathe, 21x26 Greenlee, flat turret.
Miller, No. 2-H Becker vertical.

Ask for Complete List.

Press, Chicago scrap baler. Press, No 3 Manville, d. a. Presses, No 5 Manville, d. a. Presses, No. 6 Manville, pillar, (3). Presses, No. 6B Manville, pillar, (2). Shear, No. 14 Pettingell, rotary. Shear, No. 2 W. F. Co. 36" gang. Welders, No. 10-A Thomson vert. (7)

FOR SALE BY

D. E. Rowlingson, Box 265, Utica, N. Y.

\$10. to \$85. Buffing stands, new and used, also emery stands..... Drill presses, 10" to 20" bench and floor.

Engine lathes, Hendey, Smith, Flather, Seneca Falls 12" to 18". Miller, Cwen universal, with d v head, vise and chucks.

Presses, Bliss make, one inclinable.
Radial drill, Bickford, Cincinnati, Ohio, q. c. gears, angle and chuck.
Shaper, American, 15" vise, almost new, bargain.

Many other tools not listed, also hangers, belting, motors, pulleys.

FOR SALE BY

Faster Machinery Company. 10203 Quincy Ave., Cleveland, O.

Angle shear, No. 2 Cleveland, 4x4x4" angle. Boring mill, vertical, 42" Bullard. Grinder, No. 60 Heald, cylinder. Grinder, Greenerd, tool & cutter. Grinder stand, Western No. 4, two

14" wheels.
Lathe, 16"x6' Monarch.
Lathe, 18"x8' Lodge & Shipley. Miller, No. 00 Brown & S., hand. Miller, No. 00 Owen, Fox type. Press, No. 1 Consolidated. Riveter, Hanna, 24" throat, 15" gap. I" rivet.

Rivet hammers, No. 2-A, No. 4-A. Shear, alligator, Canton, capacity 14" square. Squaring shears, No. 210-A Pexto.

power. Trolleys, I-beam, 1 & 2 ton.

FOR SALE BY

Taylor-Hall Welding Corporation, 5 May St., Worcester, Mass.

SPOT AND BUTT WELDERS.

SPOT AND BUTT WELDERS.

We offer rebuilt and fully guaranteed spot, and butt welders as listed below: One No. 6 Toledo butt welder, capacity \(^4\) "round stock.
One No. 14 Thomson butt welder, capacity \(^4\)" round stock.
One No. 2A Thomson butt welder, capacity \(^4\)" round stock.
One No. 7C Thomson butt welder, capacity \(^4\)" round stock, or flats \(^2\)\" \(^4\)" \(^4\).
One No. 16 A-8 Thomson butt welder, capacity \(^4\)" round, or flats \(^2\)\" \(^4\)" \(^4\).
One No. 3 Thomson butt welder, capacity \(^4\)" round, or flats \(^2\)\" \(^4\)" \(^4\).
One No. 20-A-10 Thomson butt welder, capacity \(^4\)" round or \(^2\)" round pipe.
One No. 10 Thomson butt welder, capacity \(^4\)" round or \(^2\)" round pipe.
One No. 33 Thomson butt welder, capacity \(^4\)" round or \(^2\)" pipe.
One No. 40 A-2 Thomson butt welder, capacity \(^2\)" round solid stock.
Two No. 140 Toledo spot welders, \(^2\) b, w.
Two No. 140 Thomson spot welders, \(^2\) b, w.

One No. 240 Thomson spot welder, 20 k. w. One Thomson electric riveter, for rivets #'x4" long to #'x3" long. One Thomson No. 21 automatic butt welder. This can weld 1,000 3/16" barrel hoops per hour, other work at similar speed.

Every machine demonstrated and fully guaranteed before selling. Offered for immediate delivery and subject to prior sale.

FOR SALE BY

Cyril J. Bath & Co., E. 70th & Mchy. Ave., N. E., Cleveland, O.

BORING MILLS-VERTICAL. 60" Niles, 2 swivel heads and one internal boring head. 42" Baush, 2 swivel heads, 75%. 44" Bullard maxi-mill.

100" Niles, 2 heads

BORING MILLS-HORIZONTAL. No 36 Landis, floor type, 31" bar, 80%. Morton floor type boring, drilling 5" bar Beaman & Smith. and slotting machine. DRAW BENCHES.

15,000 lbs. to 25,000 lbs. Waterbury-Farrel, United Engineering and Standard; 20" draw, with 18' extensions for mandrels, heavy cast iron; 85% DRILLS-MULTI-SPINDLE

4-spindle Barr sensitive, 85%.
DRILLS—RADIAL,
No. I. 8' wall radial.
DRILLS—UPRIGHT. 4-spindle 20" Barnes, 85%.

5' & 6' Bickford.

DRILLSnati, slid. bd., fric. bk. grs. | 32" Cincinnati, with tap. att., 75%.
tati, sliding head, 80%. | 24" No. 25 Foote-Burt, 90%.
FORGING MACHINES AND BULLDOZERS. 24" Cincinnati, slid. hd., fric. bk. grs. 28" Cincinnati, sliding head, 80%. 250-ton Mesta steam hydraulic, 854.

4. 5. & 25 Bulldozers. 1" & 2" Forging machines. GRINDERS.

Mammoth shear blade grinder, capa-city 100" long. 10x36" Modern univ., and parts, 70%. 84" Diamond surface, 88%. 18x96" Norton plain, 75%. HAMMERS.

100-lb. Bradley, helve, 75%—90% (3). 350 lb. to 8000 lb. steam forging. 800 lb. to 4000 lb. board and steam drops.

LATHES 32"x18' Schumacher, cone head, 60%. 32"x32' Bridgford, comp. rest, m. d 48"x26' Bridgeford, grd. hd., t. a., 85%. 16" to 20" tool room, various lengths.

25"x12" LeBlond heavy duty. 27"x22' Bridgeford, pl. turning, m.d. 30"x16' Lodge & Shipley selective geared head, arranged m. d. x22' Bridgeford, pl. turning, m.d. MILLING MACHINES

Style"B"Gooley & Edlund, 80%. (2).

54"x34' Houston, Stanwood & Ganible, geared head, motor drive.

Becker miller, model "C," table 14"x54", motor drive, 854. No. 4 Cincinnati high power miller. Style" B GOORS AND SHAPERS AND SHAPERS AND SHAPERS, pl. heavy, 80%. No. 4 Cincinnau man No. 3B Brown & S., pl. heavy, 80%. No. 4 Cincinnau man No. 3B Brown & S., pl. heavy, 80%. No. 4 Cincinnau man No. 4 Ci

20" American crank shaper.

72"x72"x16' Betts, four heads, 90%. PIPE MACHINES.

No. 9 Merrill. capacity 2 to 8".
2" & 4" Jarecki, with dies and countershaft, late models, 85%. BENDING ROLLS.

10'-4" capacity Niles-Bement-Pond, drop end, pyramid type. PUNCHES AND SHEARS.

6x6 Hillis & Jones angle shear. No. 26 Whitmore slitting shear.

St gap American ship punch, capacity 1" thru 1", 704.

\$4" throat, Long & Alistatter capacity about \$4" thru \$1".

Kling Bros. horn press, 60" horn, flywheel \$0" dia., 64" face.

\$8" throat No. 4 Southwark, capacity [\$1"].

\$0" throat No. 5 Southwark, capacity [\$7 1\$".

No. 6 Quickwork rotary shear, capacity up to 14" plate. 36" throat Lennox rotary shear, capacity about 1" plate. No. 2 Garrison alligator shear.
TUMBLING BARRELS.
TUMBLING BARRELS.

Several sets 18"x48" chill lined square, with roller bearings and exhaust.
TURRET LATHES AND SCREW MACHINES. 21" Gisholt, standard model, 70%. No. 3A Warner & Swasey. "x36" Jones & Lamson.

Cyril J. Bath & Co.-Continued

	MISCELLANEOUS.
cetylene generator.	
lower, No. 4 Root, moto	r drive.
Blower, American, 9' fan,	

Boring machine, for cylinders, portable, 4" bar, 7" feed, arranged for motor or engine drive, 75%. Cold saw, 48" Newton. Gear cutter, 36" Gould & Eberhardt, 60%. Press, No. 66 Consolidated, 4" stroke.

Pyrometer, Brown. Slotter, 48" Niles-Bement-Pond, motor drive.

FOR SALE BY

156 Oliver St., Boston 9, Mass. Hill, Clarke & Co., Inc.,

BENCH LATHES. American W. T. Co., 7" swing, 32" bed, (3).
AUTOMATICS.

RADIALS. Brown & S. No. 2, cap. 1"x21"

Wm. E. Gang Co., 21 arm. Prentice, 5' arm. KEYSEATER.

Mitts & Merrill No. 5 well equipped.

Gray 24"x6', one head. Whitcomb-Blaisdell 30"x8', 2 heads. Gray 24"x6", one neau.
Cincinnati 24"x6", one head.
Whitcomb-Blaisdeil 24"x8", 2 heads.
MILLING MACHINES.
MILLING MACHINES. D. W. Pond 36"x16', 2 heads.

Milwaukee No. 1-A mfg., single overarm. Milwaukee No. 1-B pl. sgl. overarm. Brown & Sharpe No. 14 plain. Brown & Sharpe No. 2B plain.

Milwaukee No. 3B pl., sgl. overarm. Brown & Sharpe No. 3B plain. Brown & Sharpe No. 5 heavy plain. Garvin No. 1 universal.

VERTICAL SURFACE GRINDER.
Pratt & Whitney, 24" feed. PIPE MACHINE.

Bignall & Keeler, 8" capacity.

FOR SALE BY	
Brown Machinery Co., - 2323 N. 9th St., St. Louis,	Mo
Buffing lathe, Hisey 3 h. p. electric, a. c	100
Buffing lathe, U. S. 3 h. p. electric, a, c	125
Drill, 24" Aurora, sliding head, tapping attachment	275
Drill, Baush No. 3 multiple, cap. 30 spdls., rectangular hd. 20x40". Price	
Drill, radial, horizontal, No. 1 Barnes, d. e	300
Gear shaper, 36" Fellows	500
Grinder, cylinder, No. 60 Heald	850
Grinder, No. 14 Gardner, b. b., disk, dry, 20" disks, good cond. Price	410
Grinder, No. 6 Besly two-spindle disk, 29" disks. Price	300.
Grinder, LaSalle pattern, automatic surface, good condition. Price	275
Grinder, No. 1 Brown & Sharpe universal, 10x24; good condition. Price	375.
Grinder, No. 14 Besly single spindle ring wheel. Price	400.
Grinders, emery, St. Louis and Western.	
Hammer, size A United, motor driven	450.
Lathes, 16"x6' Monarch, heavy duty, each	375.
Lathe, 20"x8' Reed,	300.
Miller, No. 1B Fox, hand & pwr. fd., 18x6x14; new, never used. Price.	400.
Motors, (40); I to 40 h. p., 3 phase, 60 cycle.	
Planer, 60"x60"x20' Niles, 3 heads.	
Polishers and buffers, drop head, New Britain, each	50.
Press, geared, No. 5 Stiles & Parker, weight about 9000 lbs.	
Shear, Marshalltown No. 134 rotary splitting, cap. 4" plate; 4' throat;	
arranged for motor drive. Like new. Price	750.

FOR SALE BY

Bennett Machinery Co., Brake, 8' Chicago, 10 gauge.

Cold saw, 6" Gleim.
Drills, 20" & 24" Rockford.
Keyseater, No. 4 Mitts & Merrill.
Lathe, 16"x8" Hudson.

30 Church St., New York City

Lathe, 18"x8' Bell. Miller, univ., No. 3 Hendey, cone. Planer, 84"x12" Pond, 4 head, belt. Plate planer, 18" Niles. Radial, 4" Dreses, cone drive.

FOR SALE BY

D. C. Oviatt & Co., 2170 Lakeside Ave., Cleveland, O. PRESSES.

Bliss Nos. 12 & 34B, toggle. Bliss No. 2 double crank. Bliss No. 2-W wiring press. Bliss 60 rack and pinion, Bliss 68-C & 68-N double action. Bliss Nos. 73‡, 77‡ & 78‡ s. s. Consolidated No. 56 trimming. Consolidated No. 65 grd., straight s.

Consolidated No. 165 dbl. crank.

Automatics. Gridley I", II", II", II", Seamer, Fulldozers. W. & W. 2, 4, 6, 30. Shears, Forging machine, 4" Acme. Gear cutter, No. 3 R. 2 S. 2 S. Gear cutter, No. 3 B. & S. 26" Gear cutter, No. 3 B. & S. 36" Gerinder, Pratt & Whitney 14"

Grinder, Pratt & Whitney 14". Rivet hammers, 2-A, 3-A, 4-A & 5A. Rolls, N-B-P, 10', capacity \$'. Saws, Ryerson friction No. 3. Screw slotter, No. 2 W-F., cap. \$x3". Seamer, dbl., No.22 Max Ams irreg.

5.8.3.
Toledo No. 666 knuckle joint.
Toledo 35-P flywheel press.
Toledo No. 76 flywheel.
Toledo 54 & 55¢, straight side.
Toledo No. 165¢ toggle drawing.
Ferracute EG-6 embossing press. Ferracute D-66 s. s. reducing.
Michigan No. 5 inclinable flywheel.

Niagara No. 44 inclinable, flywheel.

NEOUS.
Seamer, dbl., Niagara No. 10-S.
Shears, Bertsch 8', 21" thrt., 3/16".
Shear, alligator, Canton No. 5.
Shear, Aligator, Catton No. 5.
Shear, Niagara 416-C alltting.
Shear, Toledo 36"/18 ga. power.
Shear, Toledo 36"/18 ga. power.
Shear, Quickwork rotary No. 49.
Tumbling barrels, 18"/380"/48".
Turret lathes, W. & S. 4 and 6.
Turret lathes, A. 6. 4 and 6.
Turret lathes, A. 6. 48"/48".
Turret lathes, A. 6. 48"/48".

yerson traction No. 3.
otter, No. 2 W-F., cap. \$x3".
dbl., No. 22 Max Ams irreg.
Over 400 Machine Tools in stock. Send us your inquiries.

24"x12' American, l. c. g., \$475. 30"x12' LeBlond heavy duty, q. c. 36"x14' Fay Scott, l. c. g.

No. 2 Brown & Sharpe, sgl. p. d. No. 4 Brown & Sharpe, sgl. p. d.

7"x30 Greenfield, for general and

FOR SALE BY

Cincinnati Machinery & Supply Co., 215 E. Pearl St., Cincinnati, O. LATHES

GRINDERS

14"x8' Hendey tool room, q. c. 16"x8' Hendey tool room, q. c. 20"x8' Hendey tool room, q. c. 20"x12' Hendey tool room, q. c.

MILLING MACHINES. No. 1 U. S. hand millers, \$125.

No. 6 Whitney hand millers. No. 2 Cincinnati, \$285.

No. 60 Heald cylinder, No. 70 Heald grinder. 10"x30 Landis.

PLANERS AND SHAPERS. 72"x60"x30' Hamilton, 5 heads. 30"x32"x12' Gray, 1 head, \$600.

3' Prentice, single p. d.

4' Bickford universal.

24"x24" Gray, 1 head. 19"x18"x48" Hendey, 1 head.

RADIALS 6' Bickford, single p. d. 5' American, cone drive. MISCELLANEOUS.

piston work, \$200.

20" Columbia crank shaper.

12" Hendey friction, \$125.

Chain hoists, half-ton Tribloc, \$22; one ton, \$27. Write for complete machinery and small tool lists.

FOR SALE BY

The Strong, Carlisle & Hammond Co., Cleveland, O., Detroit, Mich. ENGINE LATHES

14"x 6' LeBlond, l. c. g. and chuck. 14"x 6' Hamilton. 14"x 6' American, c. r. and t. a. 14"x 6' Porter, c. r. and t. a. l. c. g. 14"x 6' Monarch, cr., stand. pattern. 16"x 6' South Bend, c. r., complete. 16"x 6' Lodge & Shipley, old style,

c, r., q, c, g. 18"x 8' Prentice c. r., l. c. g., chuck. 18"x 8' American, 3-step cone, d. b.

g., q. c. g

TURRET LATHES AND SCREW MACHINES.
No. 2-A W. & S. g. h. tur. lathes.
No. 3-A W. & S. g. h. turret lathe.
No. 4 W. & S. g. f. h. universal tur.
No. 35 Nat'l Acme 4-spdl. ret screw machine.

ret screw machine.
2" Gisholt heavy duty turret lathe.
2" Alf Jones & L. g. h. flat turret.
No. 90 Brown & Sharpe auto. (3).
No. 9 Brown & Sharpe auto. (2).
No. 4 W. & S., p. h., a. c. & b. f.
No. 2 W. & S., p. h., a. c. and b. f. No. 4 Warner & S., g. f. h., a.c. and b. f.

20" Barnes geared, camel back. 224" Cincinnati, sliding head, friction back geared, power feed

"W. F. & J. Barnes, sliding head, back geared and power feed. 6" Aurora, slid. hd., b. g. and p. f. arm Fosdick & Holloway plain radial, with t. a.

Baker heavy duty.

No. 0 Bickett, hand, bench type (3). Toledo hand milling machines No. 13-B B. & S. mfg. type, (2). No. 1-B K. & T. "Milwaukee" plain, constant speed drive.

No. 1 B. & S. universal. No. 3 B. & S. universal. No. 2 B. & S. surface, (2). No. 10 B. & S. plain.

No. 6-A Bryant internal SHAPERS AND PLANERS. 36" (widened to 48) x 16' Gray heavy

pattern spur geared planer, with two rail heads and side head on front housing, arranged for motor

METAL CUTTING TOOLS AND SQUARING SHEARS. Higley cold saw.

26" & 36" No. 3 Brown & S. auto. No.18 G. & E. vert., for spur & spiral. Boring mill, 54" Bullard vertical,

2 swivel hds., rapid traverse, ar-ranged for belted motor drive. Centering mchs., sgl. sp. Cadillac.(2)

18"x 8' Schumacher-Boye & Emmes, c. r., 5-step cone, s.b g., q.c.g. 18"x10' Star, 4-s. c., s. g., with 16"

4-jaw ind. chuck 24"x12' Lodge & Shipley, patent hd .

compound rest, q. c. g., arranged for constant speed motor grive. 27"x12' Lodge & Shipley, patent hd. compound rest, q. c. g., arranged for constant speed motor drive.

No. 3 Foster g.f h turret screw mch .. with p. f. carriage and turret. No. 55 Nat'l Acme 4-spdl. auto , (3). 24" Cleveland model "A" auto.

screw mch., with 5-hole turret.

14" Cleveland model "A" auto.
screw mch., with 5-hole turret.
No. 6 W. & S. g.f.h. screw machine,

with p. f. turret.

18" Libby, factory rebuilt. No. 2-G B, & S. automatics (2). No. 2 B. & S. turret forming (2).

DRILLING MACHINES. No 2-D Minster heavy duty, with compound table. 7° No. 1 Allen sgl. spdl. ball b., (4).
12" Mechanics, friction driven.
14" 4-sp. Leland-G. h. s., b. b. (2).
14" 2-spdle. Avey, h.s., b.b., (2).
14" 3-spdl. Henry & W., h. s., b. b.
14" 4-spdl. Henry & W., h. s., b. b.

MILLING MACHINES.

No. 3 Brown & Sharpe vertical. No. 1 Brown & Sharpe vertical. No. 22 Garvin vertical, with circular milling attachment. No. I-Y Brown & Sharpe plain.

GRINDERS.

No. 1 Le Blond cutter grinder. Type "DE" Hisey-Wolf internal. No. 11 B. & S. plain grinders. Plain emery wh'l stand with column.

dr. with 15 h.p., 220 v., 3 ph., 60 cy. 16" Hendey friction, (2). 22"x22"x 8 Putnam planers (2).

3" new Davis cutting-off machine.

GEAR CUTTERS AND HOBBERS No. 13 Brown & Sharpe auto. No. 12 B. & S., bevel.

MISCELLANEOUS. Cock grinder, 4-spindle No. 2 Tur-

ner automatic. Hammer, Quickwork body hammer. Tapper, No. 2-X Garvin vertical.

FOR SALE BY

McDonald Machinery Co., 1531-33 N. Broadway, St. Louis, Mo.

Clock, electric time system. Demagnetizer, Walker, Drills, Leland-Giff'd 2-3 sp., h.s.,b.b. Drill, Detroit 5-spindle horizontal.

Drill, Gardam 12-spoll, adjustable.
Drill, Gardam 12-spoll, adjustable.
Drills, Demco, H. & W., Kokomo
1-spoll., Sipp 2-spoll., h. s., b. b.
Drills, 20° 24°, 34° b. g., & tapping.
Furnace, Holcroft 92 k.w. annealing. Gear hobbers, Schuchardt & S. 24". Gear shaper, Fellows 36". Grinders, P. & W. 14" vertical surface; 4 Ort 5"x18"; Landis 12"x48".

lace; 4 Ott 5 xl8": Landis 12 x48". Hack saw, 4xi, 6x8 and 6x8 h. s. Lathes, Davis 22"xl0", Bridgeford 27x9, Waloott 18x8, q. c.; Porter-C. Pipe mche. Jarecki 6" dies & cut-off. Planers, Pond 42" x21", 2 heads. Punch presses. Blias No. 24, double crank; Rockford No. 3, o. b. i.; Bliss Nos. 18 & 20; Niagara No. 3. Milling machines, Kempsmith No. 2; Ohio No. 29 pl'; Knight No. 14 vert. Ohio No. 20 pl; Knight No. 19 vert. mill & drill; Becker "SD" vertical, rotary table, 17200 lbs.; Ciri i No. 3 pl; Amer. No. 14 univ.: Rockford 14 universal; B. & S. 14; Ohio 34. Punches, Felber 1" in 1", and slitt, shear; Scully, 20" throat, 1" in 1".

Screw machine, Gridlog 1-spdl. 24" auto.; Cleveland 14" auto.; P. & W. No, 24 hand; Foster No. 3 hand; Woods No. 2 tilted turret head;

Bardons & Oliver No. 7.

Shapers, 26" open side planing; 15' Smith & Mills; 15" Kelly; 16' Milwaukee; 24" Walcott; 16' Kelly; 16" Milwaukee: 24" Walcott; 16" Steptoe: 24" Barker. Shears, 60" thrt. rotary slitting, (2). Tapping mche., Garvin No. 2 auto.

Welders, 20 k. w. spot. Toledo, (2). Welders, butt, Federal, J" rds.

FOR SALE BY

The O'Brien Machinery Co.,

Boring machine, 36" Bullard, turret head, vertical.

Die sinker, No. 2 Pratt & Whitney. Die sinker, No. 3 Pratt & Whitney. Die sinker, No. 4 Pratt & Whitney. Drill, 32" Aurora, motor driven, tapping attachment.

Drill, 28" Cincinnati Bickford, geared

box drive.

Drills, 28" Cincinnati, tap. att. (2). Drill press, D-l Colburn heavy duty. Grinders. foundry, Norton heavy duty, (2). Hammer, 4000 lbs. Chambersburg

steam drop

Hammer, 2500 lbs. Chambersburg steam drop. Hammer, 1800 lbs. Chambersburg

steam drop. Hammer, 1000 lbs. Chambersburg steam drop.

Hammer, 600 lbs. Cham'burg st. d. Hammer, 1500 lbs. Erie sgl.frame st. Hammer, 1000 lbs. Niles-Bement-Pond, double frame.

Hammer, 1000 lbs, Billings & Spencer board drop.

Ocard Grop.
Hammer. Hement-Miles, 300 lbs.
Lathe, 23"x11" Lehmann, geared
head, taper attachment.
Lathe, 24"x10" American, taper att.
Lathe, 28"x25" Pond.
Lathe, 28"x30" Harrington.
Lathe, 29"x30" Rahn-Larmon ex-

tension bed gap. Milling machine, Newton combi-nation circular milling machine

and saw for structural work.

113 N. Third St., Philadelphia, Pa.

Lathe, 27"x10' LeBlond, with turret attachment.

Milling machine, No. 3 Becker univ.
Milling mche., No. 4B Becker vert.
Pipe machines, 2", 4", 6", 8" & 12"
Oster, Cox, Williams, Eaton-Cole

& Burnham and Jarecki makes, belt or motor driven, comp. stock. Planer, 36"x36"x12" Woodward & Powell, motor driven, 3 heads. Planer, 36"x36"x24', Bement, 4 hds. Press, No. 54 Toledo gr. str. side. Press, No. 73# Blisstrimming press,

with side shear. Presses, Nos. 18, 19 and 20 Bliss. Press, Chambersburg motor driven

trimming.

Punch and shear, No. 3 Hilles & J., Punch and shear, No. 3 Hilles & J., dbl, end, motor dr.; punch end, 42° thrt, cap. 14° thru 1"; shearing end, 36° thrt, cap. 1; plate, 31° round, "x18" flat, 5° x5° x5° angle. Punch and shear, Pels combination; purching cap. punch and shear, Pels combination; purching cap. Endial drill, 5° Pond, motor driven, Radial drill, 5° Pond, motor driven, Radial drill, 5° Bicklord universal. Saw, Newton No. 2 cold saw.

Saw, Newton No. 2 cold saw Saw, Espen Lucas No. 10 cold saw. Shaper, 24" American. Shaper, 24" Steptoe, back geared. Shapers, 12", 14", 16", 21" and 24"

stroke, assorted makes.

Shaper, 3 Bement - Miles massive

heavy duty, traveling head.
Turret lathe, No. 64 Bardons & Oliver, 21" w. f. cap., cabinet base,

FOR SALE BY

Marr-Galbreath Machinery Co., Air compressor 4"x5" Caldwell, 2 cyl. Air compressor 4 to Cataweii, 2 cyt. Angle & bar bender, No. 9 Buffalo. Angle rolls, K. & R., 646xg."
Arbor presses, Nos. 00 & 1 Atlas (5). Blowers, pos. pressure, 5" outlet, Bolt cutters, 1, 19", 2", 3" & 4. Bolt cutter, 10", Reliance, dbl. head. Borng mills, 51" Haush: 59" Pond, 2h. Boring mills, 42" Colburn 2 hds., mtr. Boring mills, Rockford, 2" & 3" bar. Brake, 10'x16 ga. Chicago, steel, hd. Brake, 8'x20 ga. Robinson, hand. Brake or press, 10' Robinson, toggle, Bulldozers, Nos. 1, 4, 5 & 7 W. W. Bulldozer, No. 7 Ajax.
Compressor, 10x10" Sulliyan, belted. Comp'r, 2500 cu.ft. L. D.G., a. c. mtr. Crane, 40-ton Morgan, 67' span, 4 motors, 330 volts, d. c., new. Cutting-off mch., 6"Newton,int m.d. Drill, radial, 5" Prentice, t. a., m. d. Drill, radial, 5" Western, hy., d.c. mtr. Drill, radial, 5' Western, hy, d.c. mtr. Drill, radial, 4' American, gear box. Drills, radial, 3', 4' & 5' Bickford. Drill, 8-sp. Baush, rd. hd., belted. Drill, 8-sp. Baush, rd. hd., belted. Drills, 36' Hoeler: 24' Aurora, s. h. Drill, 30' Barnes, sliding hd., b. g. Drill, 22'' Aurora upright. Exhausters, No. 8 Buffalo. Forging mch., 12" Acme, iron bed. Forging machine, 3" Acme, steel bed. Forging machine. 3° Acme, steel bed. Gear cutter, No. 11 universal Dwight Gear cutter, No. 3 S. & C., auto.lx1". Gear hobber, No. 4 Farwell, A-l. Generator, 100 k.w., 240 v., d. c., connected to horiz. steam engine. Gen'r, 500 k. w., 3/60/2300 to turbine. Generator, 85 k. w., 240 v., d. c., connected to horiz, steam engine. Grinder, No. 60 Heald internal.

Grinder, No. 89 Heat Internal Grinder, Jain cyl., No. 12 Modern. Grindera, No. 1 Cinti univ., c. & t. Grinder, 20° Taylor & Fenn, wet tool. Grinder, Yankee drill, style. Alex as well as the state of t

58 Water St., Pittsburgh, Pa.
Lathe, 13"x6' South Bend, m. d.
Lathe, 13"x8' Reed-P., g., h., s. p. d.
Lathe, speed, 11"x4' Prentiss, t-rest,
Miller, No. 32 Fox, hand, 23"x6"x144"
Miller, No. 32 Fox, hand, 23"x6"x144"
Miller, No. 32 Fox, hand, pl. ind. hd.
Miller, Kenght dupler, til. 69"x32".
Miller, No. 3 Le Blond, pl. ind. hd.
Miller, Kenght dupler, til. 69"x32".
Miller, No. 0 Kempsmith universal.
Miller, vertical No. 0 & 1 Bickett.
Miller, bench. No. 1 Burke.
Millers, hand, Whoey, 22"
Motor, 2 h. p., 1/69/110/1200.
Pipe machines, 8", 2" Oster.
Plamer, 6"x38"x16", 4 bds., M.d.
Plamer, 36"x38"x16", 4 bds., Plamer, 26"x38"x18", 3 hds., Plamer, 26"x38"x18", 3 hds.
Plamer, 26"x28"x8", Niles, 1 head.
Plamer, 34"x24"x 5 New H., 1 hd.
Press, No. 5 Toledo, o. b. i., plain.
Press, No. 5 Toledo, o. b. i., plain.
Press, No. 10 Plerkins, pl. trim, 4"str.
Press, No. 6-A Bliss, dbl. crank, tie
rod, with side shear, new.

Press, No. 9-4 Bliss, dbl. crank, repress, No. 9-6 Bliss, dbl. crank, repress, No. 25 Clevel'd, horning, pl. Press, No. 25 Clevel'd, horning, pl. Press, No. 25 Consolidated horning, Punch & shear, No. 51 Beloit. Punch & shear, No. 51 Beloit. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Punch & sh. arch, d. e., 10" tht 24. Riveter, 50-A Grant, cap. 4" rivets, Riveter, 50-A Grant, cap. 4" Saw, total, R. 12" blade. Saw, Burke, 12" blade. Saw, Burke, 12" blade. Saw, Cold, No. 18 Wagner, 16" saw, Surke, cold, No. 18 Higley, 14" saw, Saw, cold, No. 18 Higley, 14" saw, Saw, cold, No. 18 Higley, 14" saw, Saw, Cold, No. 18 Wagner, 16" Saw, Surke, No. 2 W. & S., pl. hd. Shaper, 28" Smith & Mills, b. g.

Shaper, 29' Smith & Mills, b. g. Shapers, 24' G. & E. did style, good. Shaper, 18" Cincinnati, b. g. Shapers, 24' G. & E. did style, good. Shaper, 18" Cincinnati, b. g. Shear, single end, 9" throat, cap. 34" round, motor drive, new.

10" throat of the control o

FOR SALE BY

Kemp Machinery Co., 215 N. Calvert St., Baltimore, Md.

Air compressor, National, 3 cylinder vertical, 100 cu. ft. Broaching machines, two No. 1 and one No. 0 Lapointe. Cut-off saw machine, Greeniee, power feed, heavy. Grinder, edge or guide bar, 80" Springfield, practically new. Grinder, edge or guide oar, ou Springinera, pactage Grinder, Blanchard No. 16, floor, motor drive type. Grinder, plain, No. 5 Brown & Sharpe, cone type. Millera 12" Cincinnati plain manufacturing, (2). Also 200 other Machine Tools of various types,

Send us your inquiries.

FOR SALE BY

A. M. Stochr Machinery Co.,

Bolt cutters, 3 & 6-spindle Acme, Boring mills, 42" Baush; 54 & 60" Niles; all have 2 heads; and others. Compressors, 12 different sizes

Drill presses, single spdl., L. & G.; 2-spindle H. & W.; 4-spdl. Foote-Bur; 4-spdl. Barnes; 22" Rockford, Gear hobbers, cutters; No.12 Barber-C., 48" & 60" G. & E.; 36" Fellows

gear shaper, and others. Grinders, No. 3 LaSalle plain and surface; 3x18" Norton, and others. Lathes, 18x8 Barnes, hvy. duty. 19x8 LeBlond, q. c. g.: 16x8 Flather; 15 & 24 spinning, and others. Milling mchs., No. 25 Becker plain;

No.6 Whitney; No. 0 Rockford pl.; No. 3 Thurston dieing, & others. Oil extractors, centrifugal, (8).

560 W. Adams St., Chicago, Ill.

Pipe machines, 6" Jarecki. Punch presses, No. 16 Bliss horning;

and others. d.e., 4" thru 1"; No. 14 W., d.e., 15" throat. No. 1-C New Doty,

and others

Riveters, No. 4-A & No. 3-A High Speed; No. 1 Townsend; No. 1 L. & A., 4" capacity; and others. Saws, 9x9 Sterling high speed; 12"

band, and eight others.
Screw machines, Nos. 2 & 3 Foster
(12); Nos. 52 & 53 Acme, others

plain and automatic Shears, Rock River alligator, 1\(\frac{1}{2}\)".
Tapper, R. & S., \(\frac{1}{2}\)" capacity. Welders, both spot and butt. Wire straightening machines, (5).

FOR SALE BY

McCoy-Brandt Machinery Co.,

McCoy-Brandt Machinery Co., Bending roll, 6'xg", drop end. Bending rolls, 16'xg" Wickes, m. d. Bolt cutter, 2" Acme. Bolt cutter, 3" Acme. Boring mill, 36" Bullard, rapid prod. Boring mill, 36" Bullard, rapid prod. Boring mill, 6" bar, Niles horiz, Bulidosera, Nos. 28 & 30 W.-W. Drills, radial, 5" Prentice, s. p. d. Forging machine, 3" Acm. reecl. Hammer, 1000 lb. Niles, sgl. fr. stm. Hammer, 1800 lb. Chambersburg

steam drop steam drop.
Lathe, No 8 Rivett precision, tur., etc.
Lathe, 14"x6" Hendey, grd. hd., m.d.
Lathe, 14"x10" L. & S., cone, taper.
Lathe, 18"x12" Hollingworth, q.c.g.
Lathe, 24"x12" Hollingworth, q.c.g.
Lathe, 24"x12" Hollingworth, q.c.g.
Lathe, 26"x12" Putnam. h. d.
Lathe, 36"x12" By Lathe, M. d., t.a.
Lathe, 36"x20" Sidney, h. d., q.c. g.
Lathe, 86"x20" Sidney, h. d., q.c. g.
Lathe, 86"x20" Sidney, h. d., q.c. g.
Lathe, 86"x20" Sidney, h. d., q.c. g.
Millers, horiz, Nos, 1 & 8 Cincinnati,
Millers, Nos, 1 & 2 Cleve, pl. s. p. d. Millers, Nos. 1 & 2 Cleve. pl., s.p.d.

210-14 Penn Ave., Pittsburgh, Pa. 10-14 Penn Ave., Pittsburgh, Pa.
Miller, vertical, No. 2 B. & S., m. d.
Miller, S. Was, b. ig. 2 & 3 plain, cone.
Millers, Nos. 6; 2 ad 5 glain, cone.
Millers, Nos. 6; 2 ad 5 glain, cone.
Millers, No. 6 Whitney, hand
Nut tappers, 16 stell. Natl., cap. 1g.
Pipe machines, 12" 10" 8", 4" 2".
Planer, 30" 30" 8" N. B. P., 1 head,
Planer, openside, 98" x72" x24" D. &H.
Purch, multiple, 72" bet. housings.
Rolling mills, 12" bar & 16" reduct.
Screw machines, No. 9 Brown & S.
Shaper, 24" Hollingwith, b.g., crank.
Shr., angle, H. & J., cap. 90xg" plate.
Shears, gult, cap. 2g" and 3" and 1".
Shear, splitting, 32" tht., Ryerson, 4".
Shear, splitting, 32" tht., Ryerson, 4".
Shear, tarny bevel, Lennox, cap.
4" plate.
Straightener, No. 2 Abramson, 2.

Straightener, No. 2 Abramson Straighteners, Nos. 3 & 4 K. & R. Straighteners, No. 1 K. & R. Testing mche., 200,000 lb. Richle. Testing mche., 100,000 lb. Richle. Turret lathe, 3"x36" J. & L. Turret lathe, 24" Gisholt 6\frac{1}{2}", h. s. Turret screw mches., No. 0 Foster.

FOR SALE BY

A. D. White Machinery Co., 108-114 N. Jefferson St., Chicago, Ill.

10-16' Pond extension mill, 2 heads, motor drive. motor drive.
6' Pond, 2 heads, motor drive.
51" Niles, 2 hds., belt drive, rebuilt.
DRILL PRESSES.

36" Cincinnati, tapping attachment. 36" Aurora, b. g., sliding head. 28" Hamilton, b. g., sliding head. 28" Aurora, b. g., sliding head.

24" Cincinnati, comp. table.

6"x32" Norton, excellent condition. 14"x72" Norton, rebuilt. 16"x48" Landis crank pio. 16"x96" Landis plain.

No. 75 Heald internal, (2)

No. 3H LeBlond, vertical attach. No. 3 Kempsmith pl., excell't cond. No. 3 Cincinnati plain, rebuilt. No. 2 Cincinnati plain, rebuilt.

No. 20 Ohio plain, rebuilt No. I Newton slab, 65" table feed Nos. 211 and 2B heavy Brown & Sharpe, single pulley drive, plain.

14"x 6' Whitcomb-Blaisdell, c. rest. 18"x 7' Chard dbl. b. g., rebuilt. 20"x 8' Lodge & Shipley, grd. hd. 20"x 8' Hamilton, dbl. b. g.

No. 1 Consolidated inc., 11" stroke. No. 2 Consolidated inc., 21" stroke, and extra high die space.
No. 2 Amer. Can, inc., 24" stroke.
No. 22 Consolidated inc., 2" stroke.

No. 6 American Can combination geared, 6" stroke, 94" die space. SCKEW MACHINES.

1-1" Cleveland auto., serial 30000, double cross slides, (5) double cross situes, vo...
2" Cleveland auto., serial 28892.
No. 1 Garvin hand, # cap.
No. 3 Superior hand, 1 5/16" cap.
No. 4 Milholland hand, # TURRET LATHES.

3"x36" Jones & Lamson, 21" Gisholt, late type, 24" Gisholt, 64" hole in spindle, 20" Fay & Scott universal turret.

No. 3 Pratt & Whitney turret lathe, 3" hole in spindle.

Bolt cutters, 2", 3\fmathfrake, 6' Robinson, 16 ga.

Brake, 6 Kodiuson, 16 ga. Gear shapers, No. 6 Fellows. Hammer, 80 lb. Bradley, helve. Keyseater, No. 0 Mitts & Merrill. Pipe machine, 4" Saunders. Planer, 30"x8 Ohio, heavy pattern. Planer, 36"x36"x15" Betts, 2 heads.

BORING MILLS. 36" Niles, 2 heads, belt drive. 30" Builard, I swivel turret head.

24" Builard vertical turret lathe. 24" bar Binsse horizontal mill.

20" Barnes, b. g., tapping attach. 24" Barnes all geared, 2-spindle. 36" American sensitive radial drill. 60" Prentice radial drill.

No. 2 Foote-Burt gang, 4-spindle.

GRINDERS. No. 24 Bath universal grinder.

Pratt & Whitney vertical surface. No. 34 Van Norman auto, ball race. 18" disc grinder, pl. & univ. tables. Several tool and cutter grinders. MILLING MACHINES

No. 32 Pratt & Whitney duplex. No. 3 Cincinnati high power vert. No. 5B Becker vertical. No. 6 Becker vertical, 60" feed.

No. 25 Becker plain (3). No. 0 Rockford No. 3 Pratt & Whitney die sinker. No. 6 Whitney haud (3).

20"x10' American geared hd., q. c. 22"x10' Davis dbl. b. g., quick chge. 34"x10' Putnam heavy lathe. 38"x14' Fifield, rebuilt.

PRESSES. No. 69 Stoll st. side, grd., 8" stroke.

No. 55 Adviance dbl. crank, 2" str. No. 42 Robinson, geared, 2" stroke. No. 666 Toledo embossing press, 1000 ton pressure. No. 1694 Toledo toggle drawing

press, used 8 months.

Kent Owen hand, If" cap. "Hartford auto., cheap.
"Cleveland auto., cheap.
14"x18" Pratt & Whitney hand,

No. 3 Warner & Swasey Fox lathe, 18" Springfield Fox lathe.

16" Dreses Fox lathe. 18" Amer. Tool & Mch. Co. Fox lathe.
22" Reed turret lathe.
54"x10" Potter & Johnston.

MISCELLANEOUS. | Planer, 58"x56"x14' Gorton, rev. motor, 4 heads, new

motor, 4 neads, new.

Punch, double end, Queen City, 4"
in 4", 15" throats.

Shear, No. 16A Niagara, ring & circle.
Slitter, gang, No. 1 American Can.
Surface plate, 24" x8t.

Thread roller, No. 119 BEss, screw c.

Send for latest list.

FOR SALE BY

J. L. Lucas & Son, Inc., 3 Fox St., Bridgeport, Conn. Surplus stock of large manufacturing plant. All in excellent condition.
59—No. 61 Bliss, 4" stroke
FOR SALE BY
Wm. C. Johnson & Sons Machinery Co., St. Louis, Me. 1211-1223 N. 12th St., PRECISION TOOLS. 14—No. 3—7" swing Stark Bench Lathes. 1—No. 4—9" swing Stark Bench Lathes. 1—No. 3—Laugelier Swazing Machine.

1-No. 3 -Laugelier Swaging Mach		
1-No. 31-Langelier Swaging Mac		
1-No. I -Dayton Swaging Machin		
4-G. W. Heath Automatic Chasing	Machines.	
LA'	THES.	
15"x 7' Carroll-Jamieson.	1 26"x12' Putnam.	
15"x 6' Monarch, q. c. g.	26"x12' Bridgeford.	
20"x10" Raim & Mayer.	26"x16' Whitcomb-Blaisdell.	
20"x10' Lodge & Shipley.	32"x16' F. E. Reed.	
17"x 7' Oliver heavy duty.	44"x24' Pond, triple geared.	
DI A	NERS.	
24"x24"x 6' Powell.	36"x36"x10' Flather, 2 heads.	
	10"-10"-10" Danie, a heads.	
30"x30"x 8' Cleveland open side.	42"x42"x16' Powell, 3 heads.	
32"x32"x10' Cincinnati, 2 heads.	48"x48"x14' Gray, 2 heads.	
	ILLS.	
20" Champion.	4-spindle Henry & Wright.	
22" W. F. & John Barnes.	4-spindle Avey.	
24" Aurora, sliding head.	4' arm Bickford radial,	
3' Canedy-Otto post drill,	5' arm Pond radial.	
MILLING	MACHINES	

3' Canedy-Otto post drill.

No. 1‡ Rockford plain.

No. 1 Brown & Sharpe.

No. 1 Knight vertical.

No. 3 Oesterlein plain.

No. 10 Knight vertical.

No. 10 Knight vertical.

No. 10 Knight vertical.

Schmidt auto. cylinder.
5°x18" Ott.
No. 1 Fraser, surface.
30"x84" Diamond, face.
No. 60 Heald, cylinder.

MSC ELL ANEOUS.
Acetylene generator, 100 c.u ft. cap.
Air compressors, (12).
Belt lacer, Peerless, dard.
Boring mehe, hort, No. 2 P. & H.
Buffing lathe. 5 h. p. Reliance, motor driven, 3 ph., 60 cy., 220 v.
Bulldozer, 75-ton Lourie hydraulic.
Gear hobber, No. 1 Setwichart & S.
Gear hobber, No. 1 Farwell-Adams.
Hammer. No. 2-A High Speed
Keyseater, No. 2 Mitts & Merrill.
Pipe machine. 18" Bignall & Keeler.
Post hammer. Pettingell.
Punch, No. 5 Long & A., 5" throat.
Wheel press, 69", 600-ton.
Wheel press, 69", 600-ton.

OJ

FOR SALE BY

Reliance Machinery Sales Company N. S. Plittsburgh, Pa. 1405 Brighton Road,

Arbor press, No. 24 Atlas. Blower, No. 5 Champion, 64" outlet. Blower, Amer. pressure, 461 cu. ft. Boring mill, No. 44 D. & H., floor type, 34" bar. Boring mill, No. 108 D. & H., floor type, 4" bar.

Boring mill, Binsse horiz., 4" bar. Boring mill, Niles horiz., 4" bar. Boring mill, 34" Colburn, 1 head. Boring mill, 34" Colburn, I head. Boring mill, 35" Bullard, vert., 2 hds. Boring mill, 42" Bullard, vert., 2 hds. Boring mill, 36" Bullard Wert., 2 hds. Boring mill, 36" Bullard vert., 2 hds. Brake, 80" D. & K., 14 gauge, m. d. Broach, Nos. 384 La Pointet H udson) Buffer, 2 h.p. U. S. Elec., 220-3-80. Centering meh., 4"Whiton, S. H.2-8p. Drill, 12" Leland-G. 6-spdl, m. d. Drill, 18" Fosdick, 6-spdl, m. d. Drill, 16" Fosdick, 6-spdl, m. d. Drill, 18" Fosdick, 6-spdl, m. d. Drill, Reed 4-spindle, cap. priit, Reed 4-spindle, Cap. § ... Drill, Baush 8-spindle, No. 3 taper. Drill, No. 13 Natco, 16-sp., No. 1 tap'r. Drill, 21" Cincinnati, siding head. Drill, 24" Hoefer, sliding head. Drill, 36" Snyder, sliding head. Drill, No. 310 Baker heavy duty. Drill, Model F Turner auto, turret. Drills, 20" & 24" Foote-Burt, h. d. Gear cutter, 36"x10" G. & E., s. p. d. Generator set, 250 k. w. G. E., 230 v.,

d. c. connected 400 h. p. Erie-Ball. Generator set, 50 k. w., 230 v., d. c. generator, connected 90 h. p. Bruce-MacBeth gas engine. Bruce-MacBeth gas engine.
Grinder, Oliver drill, m. d., cap. 1".
Grinder, No. 79 Heald Internal.
Grinder, No. 5 Bridgeport wet tool.
Grinder, No. 5 Brown & S. univ.
Grinder, No. 3 Brown & S. univ.
Grinder, No. 3 Brown & S. univ.
Grinder, 12"x30" Modern plain.
Grinder, 12"x30" Modern plain.
Grinder, Resly No. 8-30-L, dbl. disc.
Grinder, WPL, New Yankee.cap.21". Grinder, W.P.L. New Yankee, cap. 24". Hammer, 80 lb. Bradley cush. helve. Lathe, 12"x, 16 Seneca Falls. Lathe, 12"x, 10" Davis tool 1" m. q. c.g. Lathe, 12"x, 10" Hendey, tie bar. Lathe, 14"x, 6" Hendey, g. h., m. d. Lathe, 14"x, 6" Seneca Falls. q. c. g. Lathe, 14"x, 6" Whitcomb-Blaisdell. Lathe. 16"x, 8" Whitcomb-Blaisdell. Lathe. 16"x, 8" Sindlord, q. c. g. Lathe, 14"x, 8" Sidney, hvy, duty, q. c. g. Lathe, 10" x8" Sidney, hvy, duty, q. c. g. t. m. d. Lathe, 14"0, 10" Chromb-Falls, 30", c. g. m. d. Lathe, 14"0, 10" Chromb-Falls, 30", a. s. m. s. p. d. Lathe, 24"x8' Hendey, tie bar. Lathe, 24"x10' Boye & E., g. h., m.d. Lathe, 24x10 Whitcomb-B.,g. h., m.d. Lathe, 24x12 Boye & E.,d.b.g.,q.c.g. Lathe, 24"x22' American, g. h., m. d. Lathe, 24"x20' Lodge & S., m. d. Lathe, 26"x12' Bridgeford hvy. duty.

N. S. Pittsburgh, Pa.
Lathe, 27", x62 Schumacher B., q. c. g.
Lathe, 89", x12' B. & E., d.b. g., q. c. g.
Lathe, 89", x12' Johnson, triple grd.
Lathe, 80", x16' New Haven, p. c. g.
Lathe, 30", x16' New Haven, p. c. g.
Lathe, 38", x22' Pittsburgh, t. g.
Lathe, 42", x31' Fond, triple geared,
Miller, No. 1 C., hd., complete,
Miller, No. 1 C., hd., complete,
Miller, No. 2 Cincinnati, plain, v. a.
Miller, No. 3 Hendey plain,
Miller, model "C" Becker, vert.
Millers, model "C" Becker, vert.
Millers, model "H" Becker, trig, type.
Pinion rougher, 38-BM Gould & E.,
Pinion rougher, 38-BM Gould & E. Miller, model" H" Becker Inig, type, Pinion rougher, 38-BM Gould & E. Pipe machine, B. & K., # to 2" m. d. Pipe machine, Mertill, H" to 6".
Pipe machine, Mertill, H" to 6".
Pipe machine, Mertill, H" to 6".
Pipe machine, Mertill, 24" to 12".
Pipe machine, Cox, cap. 24" to 12".
Pipe machine, Cox, cap. 4" to 12".
Pipe machine, Cox, cap. 6" to 16".
Pipe machine, Mertill, 2" to 16".
Pip

Press, No. 2 Sidney, o.b.i., 2" stroke, Press, No. 2 Sidney, o.b.i., 2" stroke, Press, No. 4 Willard, o.b.i., 14" str. Press, No. 19 Bliss, o.b.i., 2" str. Press, No. 87 Niagara, screw, Presse, No. 61 & G2 Bliss, o.b., f.w. Presses, No. 61 & G2 Bliss, o.b., f.w. Press, Ferracute DD2, o. b. i., cam. Press, No. 10 Bliss, reducing, 4" str. Press, No. 762 Bliss straight sided. Press, No. 305 Bliss geared, 8" str. Press, 14 Bliss toggle drawing. Punch. Royersford d. e., cap. 1"x4",

Punch, Koyerstord d. e., cap. I "X#", arch, jaw, 18" throat. Punch, EF Cleveland. 48" thrt., m.d. Punch, Wicken, 48" thrt., cap. 1½"x1". Radial drill, 4" Mueller pl., t. a., s.p.d. Radial drill, 4" Mueller pl., t. a., s.p.d. Radial drill, 4" American plain, t. a.

motor drive. Radial drill, 6' American pl., belt dr. Reduction gear, Foote, 50 to 1. Saw, Williamson metal band. Saws, American metal swing, m. d. Shaper, 16" Hollingworth b. g. cr. Shaper, 20" Steptoe b. g. crank. Shaper, 24" Milwaukee b. g. crank. Shaper, 24" Cincinnati b. g. crank. Our warehouse is full of bargains. What have you for sale?

FOR SALE BY

The Reeve-Fritts Co., 558-560 W. Washington Blvd., Chicago, Ill.

Band saw, 14" Racine motor drive. Band saw, 14" Racine motor drive. Drill. 4-spindle Barr, 8" cap. Drill, 34" Milwaukee, b. g., p. f. Drill, 2 & 3 spindle Sigourney. Grinder, 8"x16" Greenfield plain. Lathe, 14"x8" Carroll-1, q. c. g. Lathe, 14"x8" Hendey, q.c.g., taper. Lathe, 16"x6" Bradford, c. r. Lathe, 16"x6" Flather, q. c. g., taper. Wilser, No. 9 Le Blond plain, p. f. Planer, 32° 24° 76° Rockford, Press, No. 37 B Bliss, s. s., 4° st. Rivet spinner, §° Grand, Riveter, No. 4A H. S. Hammer, Screw mche., No. 4 Poster, 9/16° cap. Screw mche., §×4 F. & W., pl. hd. Shaper, 12° Smith & Mills, crank.

FOR SALE BY

Herman L. Winterer. 943-53 N. Front St., Philadelphia, Pa.

43"x17' 44" Bement-Miles.
374"x14' Johnson d. b. g., q. c. f., t. a.
37"x12' Pittsburgh, heavy duty, q. c. g.
27"x12' Bullard.
28"x11' Wickes, q. c. g.
28"x14' Hendey, q. c. g.,
23"x14' Hendey, q. c. g., taper attach-

ment, oil pan, (2). TURRET LATHES 34x28" Pond, triangle. 3x36" Pratt & Whitney, hollow hex.

20x7' 6" Pratt & Whitney, hollow nex. 20x7' 6" Pratt & Whitney, back grd. 20x7' Faidgeport, 20" h. s. 19"x7' Fay & Scott, back grd. No. 224 Garvin Monitor.

42" Gang radial, s. p. speed box. 40" Barnes horizontal radials, (2). 24" Bickford radial, circular base, motor driven.

28" Rockford, q. c. g. feed, No. 5 Cincinnati, table 9\$x50\$". No. 15 Garvin, table 12x42". No. 3 Becker-Brainard, new model,

q. c. g., vertical attachment 12'x10'x25' Sellers planer, 4 heads. 48"x37"x9' Sellers, 2 heads. 48" Morton draw-cut shaper.

16" Potter & Johnston crank shaper MISCELLANEOUS. Boring mill, car wheel, 60" Newton. Boring drilling and milling machine, 17# Bement Nilea horizontal. Boring mill, No. 1 Sellers, horizon-

Boring mill, No. 3 Binsse, horizon-tal, 24" bar. Grinder. 124"x5' Landis universal. Grinder, disc. No. 17 Besly

Hammer, 15 lb. Bradley helve. Hammer, 40 lb. Bradley, helve. Hammer, 60 lb. Hotchkiss. Hammers, 60 lb Bellefonteupright; 2

Hammers, 500 beliefonte upright, 2 Hammer, 750 lb. Merrill board drop, Keyseater, 18" stroke Morton. Pipe machine, 4" Cox. Large assortment of General Machinery,

24'x14' Porter.
214'x8' LeBlond.
20'x8' Walcott, d. b. g., c. g., (2).
19'x10' Draper, patent head.
19'x 10' Drays, q. c., d. b. g.,
18'x x' Chard, d. b. g., semi q. c. g.
18'x x' E althes, (6). And many others.

No. 3 Kempsmith, 14"x 6" Warner & Swasey. 16"x6" Johnson, back grd. No. 3 Bardons & Oliver back grd. 14\"x5" 3" Pratt & Whitney, (2). No. 3 Foster Kimball.

DRILL PRESSES. " Barnes, s. h., geared face, comp. 34 table.
24" Sibley & Ware, sliding head.
4-sp. type C, Taylor & Fenn, pwr. id.

ed, (2). Drill presses, assorted sizes. MILLING MACHINES.

No. 3 Hendey-Norton, q. c. g. No. 5-C Becker vert., rotary table. No. 1 Milwaukee plain. PLANERS AND SHAPERS

15" Lodge & Davis shaper. 15" Potter & Johnston shaper. 14" Warren shaper.

Molding machine, 24" Taber, with roll over. Punch presses, all sizes, (55). Punch, multiple, No. 3 H. & J.,

gate pat., 86

gate pat., 86".
Punch & shear, No. 2 H. & J., dbl., end, 29" th. cap., 14" in 1"
Punch, No. 2 H. & J., 18" in 1"
Punch, No. 2 H. & J., 18" th., arch., jaw, 14" in 1"
Punch, horiz., L. V., grd., cap. 1".
Punch & shear. Industrial Wiss, d.e., capacity 4" in 4"; shearing 4 "kd".
Riveter, air, 6" gap Allen, cap. 14".
Stotter, 14" Miles.

Tooth rounding mche., Schuchardt & Schutte. Send for complete Price List.

FOR SALE BY

M. A. Wertman, 505 Superior Bldg., Cleveland, Ohio

Bench centers, 8"x36" B. & S. improved type, 99% new. Blower, No. 4 Sturtevant, 8" outlet. Buildozer, No. 28 W. & W., steel frame, excellent condition, Disc grinder, No. 120 Gardner combination, No. A-1 condition. Dill, National-Acme 8-spindle, 99% new. Screw slotter, No. 1 Garvin rapid. Turret lathe, No. 6 Brown & Sharpe, wire feed, complete, Turret lathe, No. 2 Milholland, g. f. h.

FOR SALE BY

Tubor, Velick & Co., Inc., - 628-630 W. Lake St., Chicago, III. Telephones: Monroe 4199-6813. No Branches

PUNCH PRESSES.

No. 4 LeBlond univ., sgl. pulley dr. No. 1 Cincinnati universal.

Brown & Sharpe No. 2 automatic. Lockers, steel, single, '1,000). No. 2 Smith, hand,

Shapers, Advance dbl. spdl., 5 h. p.,

a. c. motor in base, (6).

No. 4 American Can. No. 5 American Can (2). No. 15 Torris Wold.

Perkius punch presses, ‡" str. (20). 14" Excelsior.

12"x5' Hendey. 13"x 5' South Bend. 16"x 6' Hamilton, q. c., (2). 16"x 6' Sidney, q. c., (2). 16"x 8' Canedy-Otto. 17"x 9' Chard, q. c., (9).

14" Excessior. 20" b. g., p. f., new, \$130. 20" drill presses (40), each \$40. 26" Weigel.

30" Reed-Prentice. Nos. 2 & 4 LeBlond plain.

Redrier.

all sizes.

Long & A. horn punch, cap. laxl. Swaine geared. (2). No. 5 Rockford. (2).

Bliss bench presses, (5). PRESSES

Demco high-speed drills. Bench type drills. 3' American radial. 3' Hilbert radial.

MILLING MACHINES.

No. 2 Cincinnati universal. No. 2 Cleveland universal, s. p. dr.

A number of hand miliers. LATHES

18'x 6' Lehmann, q, c,, (2). 24"x10' Canadian, q, c,, d, b, g,, (3). 22"x10' Cisco, q, c, 26"x12' Prentice. 10", 12" and 14" Shepard screw cut-

ting, quick change. PLANERS. heads. | 36"x36"x T' Flather, 2 heads. SCREW MACHINES. 59"x38"x12' Niles-B,-P., 2 heads

Pratt & Whitney, hand, (3). Nos. 1, 2, 3 and 4 Foster screw mchs.

GRINDERS.

No. 14 Besly, disc. Bath universal, with magnetic chk. La Salle surface, with magnetic ck. Emery grinders, \$2 and up.

Gardner No. 6 disc grinder. WOOD-WORKING MACHINERY. Band ripsaw, West Side. Boring mills. Andrew, (3). Moulders, 8" Yates C-4, (2).

Saw tenoners, Pettingell. Shapers, double spindle, Whitney and Fay. Swing saws, Porter. (4).

Saw table and jointer combined,

ortable. MISCELLANEOUS

Pressed steel stools, with backs. Punch press, No. 3 Thomas. Punch press, No. 4 V. & K. Buffers, U. S. and Westinghouse, 5 h. p., b. b. Hack saws Saw mandrels. 83. Shaper. 18" Niles. Thread hobber, Pratt & Whitney. Motors, 75 h. p. G. E., a. c., slip ring, 600 r. p. m., (2), Motors, a. c. and d. c. Pressed steel bench legs, (1,000).

Time clocks, International. Woodworking machines. Pressed steel hangers and bearings,

Leather belting. Pulleys, shafting and hangers,

FOR SALE BY

FOR SA	ALE BY
	4 W. Fayette St., Syracuse, N. Y. a original crates at prices below list: Grinders, Diamond wet tool.
Crucible, FD-104 Hoskins.	Lathe, 10"x5' Monarch,
Drills, 21" Canedy-Otto (2).	Lathe, 14"x6' Monarch.
Drills, 20" Buffalo (4).	Lathe, 14"x8' Monarch.
Drills, 36" Aurora sliding head (4).	Lathe, 16"x6' Monarch.
Drills, No. 11 Pratt & Whitney	Lathe, 3x60 Fitchburg lo-swing.
multiple, 16 spindles.	Pipe machine, No. 70 Forbes.
Drills, No. 11 Pratt & Whitney multiple, 8 spindles.	Screwmchs., No. 4 W. & S., g.f.h., (3). Straightener, No. 24 Corey.
Grinders, No. 60 Heald (2).	Straightener, No. 23 Corey.
Exceptional values	in USED TOOLS:
Automatic, 13" model B., Cleveland.	Miller, No. 5 Becker vertical.
Automatic, 14" model A., Cleveland.	Miller, No. 2 Brown & S., rebuilt.
Bolt threader, 2-spindle Acme.	Millers, No. 3H LeBlond plain (2).
Cylinder borers, 6-spindle Moline	Millers, No. 4 LeBlond plain (2).
adjustable No. 5, 36".	Planer, 30"x30"x16' L. W. Pond.
Drill press, 25"W. F.& John Barnes. Drill press, 4-spindle Barr sensitive.	Planer, 60"x60"x22' Niles. Radial, 5' Pond.
Drill press, 2-spindle Barr sensitive.	Thread miller, 10" Lees-Bradner.
Lathe 14"x 8' American.	Tilted turret, No. 6 Wood.
Lathe, 14"x 6' Monarch,	Turret lathes, No. 4 Foster (2).
Lathe, 14"x 6' Monarch. Lathe, 16"x 6' Hendey, rebuilt.	Turret lathe, No. 2 Warner & S.,
Lathe, 16"x 8' American, geared	hollow hex.
head, rebuilt.	Turret lathe, 2 x26 Pratt & Whitney.
Lathe, 16"x 8' Monarch.	Turret lathe, No. 21 s. g. Garvin.
Lathe, 16"x10' American.	Turret lathes, 3x36 Jones & L. (3).
Lathe, 8x60 Fitchburg lo-swing. Millers, 34 Bilton automatic (4).	Turret lathe, 2x24 Jones & Lamson. Turret lathe, 21" Gisholt.
Miller, 12 Bilton automatic.	Turret lathe, No. 3 Cincinnati-Acme.
manifer of everyour automaties	warren minel war a Cimenimum Memer

SALE BY

FOR SA	ALE BY
Jones Machine Tool Co., 52	28-532 E. Front St., Cincinnati, O.
LAT	HES.
16"x 6' LeBlond, q. c. g \$ 375.	20"x10' Lodge & Shipley, q.c.g.\$ 850.
16"x 8' Hendey, q. c. g. & t. a. 975.	30"x12' Houston Stam., q. c.g. 750.
18"x10' Reed Prentice, grd. hd. 775.	26"x12' Reed, l. c., t. a 500.
20"x14' American	30"x16' Lodge & Davis 850.
	IACHINES.
No. 12 Valley City universal \$ 500.	No. 3 Brown & S. pl., (2), ea. \$ 800.
No. 3 Cincinnati plain 950.	No. 3 LeBlond plain 900.
No. 2 Cleveland, s. p. drive 750.	No. 3 B. & S. vert., s. p. drive 1250.
RADIALS AND I	
48" American, s. p. drive \$1200.	24" Hoefer, sta. head \$ 175.
48" Bickford, cone drive 475.	24" Rockford, sliding head 225.
72" Niles, cone drive 750.	30" Cincinnati, sliding hd., t. a. 325.
72" Dreses, motor drive 1500.	42" Bickford, stationary head. 225.
PUNCH PRESSE	
No. 2 Niagara \$ 1.0.	No. 6 Whiting, single end \$ 475.
No. 3 Consolidated, o. b. inc 350.	No. 4-Verdin, b. g 675.
No. 18 Bliss, o. b. inc	No. 85 Bliss, d. b. g
PLANERS AN	
24"x 6' Powell 1 head \$ 600.	16" Smith & Mills shaper \$ 325.
30"x 6' Gray, 2 heads 850.	25" Smith & Mills, b g 875.
48"x36"x12 Cincinnati, 2 hds 2300.	21" American b. g. shaper 775.
MISCELL	
Bolt cutters, 1" & 2" Acme.	Gear hobber. Barber-C. No.12\$1075.
Boring mill, 42" Bullard, two	Grinder, 10x50 Norton 475.
heads	Hammer, steam, 800 lb. Niles 800.
Chain hoists, various sizes, (50).	Keyseater, No. 2 Baker 475.
Gear cutter, 48" B. & S. No. 4. 750.	Mill, 36" Bullard vertical 1500.
Gear hobber, 24" S. & S 550.	Slotter, 10" Niles vertical 500,
Write for our la	

FOR SALE BY

Clark Machinery Co., 1235-45 St. Clair Ave., Cleveland, O.

Bolt threader, 2-spindle Acme, 12". Boring mill, No. 2 Rockford. Chucking grinders, No. 6 Bryant, Lathes, 14" to 24".

Millers, vertical, Becker Nos. 2-3-5. Machine tools for every purpose. Send us your inquiries.

Planer, 42"x42"x10' Gray, 2 heads. Planer, 28"x28"x 7' Gray, 1 head. Planer, 28"x28"x 8' Gray, 1 head. Press, No. 69 Bliss, d. act., inc., grd. Turrets, Warner & S. Nos. 4 & 6.

FOR SALE BY

Chas. Molitor Machinery Co., 118-124 S. Clinton St., Chicago, Ill. LATHES.

24 x10 Loage & Shipley, grd. nd. 24 x10 Carroll-Jamieson. 18"x10', 18"x6' Sidney, q.c.g., taper. 18"x 8' Morris, q.c.g., db. g., (2), 18"x 8' Walcott, q. c.g., d. b. g. 16"x10' & 16"x6' Pratt & Whitney,

taper, draw, collets, relieving att

24" Bullard vert. rapid production.

No. 2 Kempsmith universal. No. 2 Cincinnati universal. No. 2A Brown & Sharpe universal. No. 2 Cincinnati plain.

Nos. 3, 5, 5B Becker vertical. Gooley & Edl No. 4 Oesterlein rapid production. 2# Twin spli PLANERS AND SHAPERS.

22"x5' Gray planer. 24" Stockbridge, sgl. pulley, crank. 16" Kelly crank.

Hilbert 3' radial, motor attached. 24" Baker Bros. heavy duty, (3). 24", 26" Aurora, Cincinnati, etc. Sipp's, with comp. tilting table, (2).

Bryant internal and chucking, (6). No. 1 Brown & Sharpe universal No. 13 Brown & Sharpe universal. No. 2 Brown & Sharpe surface. Cincinnati universal, 4"x57" table, No. 2 Oakley universal.
No. 1 & No. 2 Norton universal.
SCREW MACHINES AND TURRET LATHES.

Jones & Lamson, single spindle. No. 2 Warner & Swasey pl. hand. No. 2 Brown & Sharpe semi-auto. No. 6 Foster, power long. & cross. No. 4 Warner & Swasey universal. & 14" cap. Acme, b. g., frict, h.
PUNCH PRESSES

100-ton Lourie hydraulic. 21" Bliss, 34" stroke. No. 920 Toledo double crank GEAR CU

No. 12 Barber-Comman. No. 13 Brown & S., bevel & spur. MISCELI No. 12 Barber-Colman,

Bolt cutter, 1" Landis.
Bolt cutter, 1" Geometric.
Bolt cutter, 2" Acme, double head.

H"x 6' and 16"x5' Hendey, with taper and draw attachment, (4).
24"x16' Volge & Shipley, grd. hd.
24"x16' Lodge & Shipley, grd. hd.
24"x16' Lodge & Shipley, grd. hd.
24"x16' Lodge & Shipley, grd. hg.
24"x16' Lodge & Shipley, grd. hg.
25' x 6' Morris, q. c. g., db. g., (2).
16"x 6' E Blond, q. c. g., taper.
16"x 6' E Blond, q. c. g., taper. 12" Lancaster engine lathe.

No. 4 Cincinnati vert., sgl. pulley. No. 2B Milwaukee universal. 24" Bullard vertical turret.

24" Colburn vertical.

No. 3 Kempsmith, gr. box fd., plain. Gooley & Edlund, production. 21" Twin spline miller, P. & W.

16" Niles-Bement crank. 20" Gould & Eberhardt, b. g. 16" 20 Smith & Mills, sgl. pulley. DRILL PRESSES

1, 2, 3, 6 sp. Leland-Gifford. I" cap. 6-spindle Leland-Gifford, \"capacity, l spindle has tapping attachment. Large variety 14", 16", 20" & 24". GRINDERS 4"x20" Norton cylindrical.

20" Besly and Gardner disc. 40" Besly and Gardner disc. No. 65 Heald cylinder. No. 120 Gardner, 4 bearings.

D'IURRE! LAITHES.
14" Gisholt, motor drive.
Nos. 0, 1, 2, 3 Foster and B. & O
4" 4", 14", 2" Cleveland auto.
34" capacity Acme universal. 16"-18" Fox turret lathes, fric. hd. New Britain auto. chucking mch.

AND SHEARS. No. 3 Black & Johnson. 10' Niagara square shears, 20 ga. capacity slitting shear.

No. 1 Standard auto., (6). Waltham automatic, (4). ANEOUS

Centering mchs., single and double. Keyseater, No. 1 Baker. Reducing or straight, rolls, 6"x36".

FOR SALE BY

Oliver Building, Boston, Mass. Beaudry Company, Inc., Grinder, portable electric, floor,

Boring bar, 3\(\frac{3}{2}\)" Pedrick.
Boring lathe, 2\(\frac{2}{2}\)" Reed special.
Boring mill, 72" Niles vertical. Grinder, tap & die cutter, Greenfield.

Motors, 15 h. p., 550 volt, a. c., (2). Motor, 25 h. p., 550 volt, a. c. Planer, 60" Gray, 4 heads.

FOR SALE BY

Vandyck Churchill Co., 52 Vesey St., New York City

HORIZONTAL BORING MILL. One No. 2 Barrett horizontal boring mill; distance from center of bar 25"; length of feed 84"; has two facing heads; platen 44" wide, 33" long; universal table 31" wide, 48" long, 9" thick; belt drive with countershaft; 99% new; weight 18,000 lbs.

FOR SALE BY

150 Pine St., Providence, R. I. Brownell Machinery Co.,

BORING MILLS.

No. 14 Beaman & Smith horiz, drilling, tapping, boring and milling mche., 34". Bullard rapid production vertical turret lathe. DRILLS

25" Weigel sliding head. Prentice plain radial, s. p. d. 5' Reed-Prentice pl. radial, s. 3-spindle Cincinnati,

s. p. d. Sayana. GEAR CUTTERS r. 26x8. No. 3-Heavy Brown & S. spur. 24x6 No 3 Brown & Sharpe, spur, 26x8. No. 13 Brown & Sharpe spur and No. 4 Brown & Sharpe spur, 36x9,

flywheel on cutter arbor. GRINDERS

No. 10 B. & S. plain, 6x20. No. 11 B. & S. plain, 4x30. No. 12 B. & S. plain, 8x36. No. 1 B. & S. automatic surface. Garvin hand feed surface.

bevel, 18x4.

No. 2 B. & S. cutter & reamer. No. 1 Norton tool & cutter. No. 2 Norton tool & cutter. Grand Rapids drill 1 to 14.

HACK SAWS. No. 7-K Atkins kwik-kut 8x8. 13x16 Peerless high speed.

LATHES. 12"x5' Vernon, q. c. g. 14"x6' Reed.

20"x8' Roulsted. 20"x12' Reed. 20"x16' Beaman & Smith. 30"x20' Fitchburg. 14"x6" Reed. 14"-19"x10' Carroll w. c. g., gap. 16"x8' Sidney. 16"x10' Filsmith, with gap.

No. 1 Ames bench precision. MILLING MACHINES

No. 1 B. & S. plain, open belt. No. 2 B. & S. plain, b. g. No. 3 B. & S. plain, b. g. No. 2 heavy B. & S. plain. No. 2 Brown & Sharpe vertical sp. No. 1-H B. & S., vertical attach.

No. 3 B & S., vertical milling att. No. 3 Brown & Sharpe universal No. 14 Brown & Sharpe universal milling attachment. PLANERS.

48"x72"x20' Gray, 4 heads, 26"x30"x14' Whitcomb-Blaisdell. "x30"x8' Detrick & Harvey open 30 isdell. side.

nd. No. 6 B. & S. geared friction head, stant spd. No. 6 P. & J. automatic chucking. wire feed. 3x36 J. & L. flat turret. MISCELLANEOUS. No. 0 B. & S. wire feed hand. No. 2-F B. & S. hand, constant spd. No. 4 B. & S. plain head, wire feed.

Swaging mche., No. 1 Langelier. Swaging mche., No. 2 Standard. Tapper, No. 2 Garvin vertical. Broaching mche., No. 2 Lapointe. Marking mche., No. 6 Martin, hand. Shaper, 15" Potter & Johnston. Slotter, 12" Bement Miles.

MAGNETIC CHUCKS 59-Brand new Taft-Peirce Rectangular Magnetic Chucks 8x10, for 110 v., d. c., suitable for No. 2 surface grinders.

FOR SALE BY

J. E. Haetten & Co., Inc., - 50 Church St., New York, N. Y
Automatics, 11" Cleveland model B, (40), each
Boring mill, 42" Bullard, motor attached
Drill, 3' American sensitive radial
Drill, 4' Bickford, gear box drive
Drill, 24" Bickford s. h. drill, tapping
Drill, 22" Barnes, ali-geared tapping and quick return
Drill, No. 25 Foote-Burt, heavy, compound table
Drill, 4' Niles semi-universal radial, scarcely used
Engraver, E-3 Keller die sinker, motor, like new 900
Gear cutter, No. 4 Brown & Sharpe, 48x10, A1,
Generator, 300 k. w., Westinghouse Parsons turbo, jet condenser 1750
Hammer, 200 lb. Gould & Eberhardt, drop
Lathe, 14"x5' LeBlond, automobile type
Lathe, 21"x8' LeBlond, g. h., 220 d. c. motor, taper 750
Lathe, 38"x33' Pond, I. c. g., t. g., 2 carriages
Miller, 30"x20"x16' Ingersoll, 4 heads, A-1
Miller, 48"x30"x20' Ingersoll, 2 vertical heads
Planer, 22"x22"x5' Gray, A-1
Thread miller, No. 12 Lees-Bradner, like new
Turret lathe, 24" Gisholt, 3\(\frac{1}{2}\)" bore chuck
Turret lathe, 2x24 Jones & Lamson, serials 21000
Turrets, No. 6-A Potter & Johnston, serials 15,700, (2), each
Turret, 24" Greenlee, 34" hole, belt drive, 95%
*
FOR SALE BY

Allegheny Gear Co., Blowers, pressure, Amer. Champ. Broaching mche., No. 3 LaPointe. Centering machine, No. 1 Whiton. Crane, locomotive, 5-ton, 35' boom. Drill, 2-D Colburn, 24" swing. Drill, 2-D Colburn, 24" swing. Drill, radial, 5' Reed-Prentice. Forging machine, 2\frac{1}{2}" Ajax. Furnaces, heat treating, annealing. rurnaces, heat treating, annealing. Gear cutter No. 3A Cincinnati. Gear cutter, No. 12 Brown & Sharpe. Gear tester, No. 1 spur gears B. & S. Gear hobber, No. 12 Barber of Man. Gear shapers, "Fellows" 6, 62, 62. Gear generators, Gleason bevel, 11", 15" Gear generators, Gleason Dever 11", 15" Grinder, No. 20 Bryant chucking. Grinder, Landis 12"x66" plain whls. Grinder, No. 70 Heald internal.

Grinders, wet tool, emery, etc. Hammers, steam drop, 3000, 2500, 2000, 1500, 1000 Hammers, steam forging, 2500 double frame 1500, 1100, 800, single frame.

Hoists, portable, Crane. Lathe, 32"x14' Bridgeford, g. h., t a. Lathe, 32"x10' LeBlond, s. b. g., c. r., t. a Lathe, 26"x16' 6" Gleason, d. b. g.

C. F., t. A. Lathe. 26"x10' Walcott, d. b. g., q. Lathe, 26 Av.
C. g., C. r., t. a.,
Lathe, 26 % Bridgeford, rev. gr hd.
Lathe, 26 % I LeBlond, b. g., c. r.
Turret lathe,
Will quote special low prices.

1011 Empire Bldg., Pittsburgh, Pa.

Lathe, 18"x10' Lelslond, b. g., c. r. Lathe, 16"x8' Hendey, s. b. g., q. c., c r., t. Lathe, 14"x6' American b. g., q. c.,

c. r., t. a.

trimming Presses, No. 74 Bliss, trimming. Sand blast. MacLeod, compl. unit. Saw, cold. Newton 40" blade, motor drive.

Saw sharpener, No 11 Cochrane-Bly. Shapers, 28" G. & E. Invincible. Shaper, 24" G. & E. high duty. Shapers, 20" Niles-Bement. Shear, No. 4 Doelger Kirst

alligator. Shear, No. 0 Hilles-J., guillotine. Shear, No. E Long-Alls., guillotine. Shear, No. 7 Hilles-Jones, comb.

punch & shear. Slotter, crank, cone drive, table 25". Turret lathe, 24" Gisho't.

FOR SALE BY

Keller. 70 Washington St., Breeklyn, N. Y.

TAPPING MACHINE Universal tapping machine, motor driven, new. Quick and accurate. Very handy for tapping up to \(\frac{1}{2} \)". Write for circular.

FOR SALE BY

West 9th & Front Sts., Cleveland, Ohio W. P. Little Co.,

LATHES.
w). | 32"x22' Draper, triple geared.

28"x 9' Bridgeford, d. b. g., (new). 32"x GRINDERS

14" Pratt & Whitney vert. surface. No. 2 Modern universal.

No. 75 Heald internal. PUNCH PRESSES. No. D. G. 5 Ferracute, o. b. i.

No. 76 Toledo open back. No. S. G. 55 Ferracute dble. crank. MISCELLANEOUS.

Beader, No. F-20 Yoder. Boring mill, Lucas horiz., 24" bar. Broach, 3-A La Pointe, Hudson. Cold saw, 20" Burke. Drill, No. 25 Foote-Burt. Hammer, 50 lb. Bradley, compact. Hammer, 250 lb. Morgan steam. Keyseater. No. 0 Mitts & Merrill. Planer, 24"x10' Pratt & Whitney.

No. 24 Gardner disc, vert. spindle. No. 10 Besly disc. No. 6 Bryant chucking internal.

No. 3 Cady, Stiles pattern. No. 18# Holden, inclinable. No. E. G. 22 Ferracute, arch.

NEOUS.

"Riveter, #" Shuster, elastic blow.

Riveter, #" Shuster, elastic blow.

Screw mche, No. I Brown & Sharpe.

Spline miller, 2" Pratt & Whitney.

Tapper, #" Rickert & S., radial.

Tapper, #" R. & S. on column.

Turrets, No. & Warner & Swasey.

Wiring machine, No. I Magec.

Partial list. Send us your inquiries. 180 other tools in stock.

FOR SALE BY

Fitzsimmons & Cole Machinery Company
Pittsburgh, Pa. 1208 House Building,

Air compressor, Ingersoll, 6x6", b. d. Bolt cutters, 1½" 2", 2½", 4" Landis. Boring mill, 62" Bullard, b. d. Boring mill, 94"Bickford, m.d., new, Bulldozer, No. 25 W. & W., m. d. Boring mill. 46" Bickford, m.d., new, buildon, No. 28 W. & W. m. d. Die siuker, No. 38 Y. & W. m. d. Die siuker, No. 38 Pratt & Whitney, Drill, redial, 6" Prentice, m. d. Drill, radial, 6" Prentice, m. d. Grinder, 16" x48" Landis, crankshaft. Grinder, 16" x48" Landis, crankshaft. Grinder, 16" x52" Landis, plain. Grinder, No. 16 Blanchard. Hammers, 50 lb. Mayer, upright. Hammers, 28-13-8.4-8 M. & 4.N Nazel. Latte, 18" x 8" Leftlond, q. c. g., b. d. Latte, 30" x16" L. & S. t. a. q. c. g. Latte, 83" x34" Pittsb'gth, 2 car., m.d. Latte, turte, 8"x36" Bardons & O. Miller, univ., Oesterlein, 25% x74" Ardons & O. Miller, univ., Oesterlein, 25% x74" Ardons & O. Pipe machine, 12" Jarceki, b. d. Pipe machine, 12" Jarceki, b. d. Pipen, x4" x38" x14" Pond, 4 hds., b.d. Planer, 48" x38" x14" Pond, 4 hds., b.d. Planer, 48" x38" x14" Pond, 4 hds., b.d. Planer, 48" x38" x14" Pond, 4 hds., b.d. Planer, 96"x96"x20'Pond, 4 hds., m.d. Planer, 120"x90"x27' Detrick & H. Planer, o. s., Cleveland, 36"x36"x16'. Planer, o. s., Cleveland, 48"x48"x20'. Press, baling hyd. No.12-PLogemann

Press, Ferracute P-1, 1½" stroke. Press, No. 37‡ Bliss, s. s. 6" stroke. Press, wheel, 100 ton Caldwell. Punch & shear, Cleveland 24" thrt., Funch & shear, Cleveland W inrt., If "thu I" arch, jaw. Punch & s., Pels, type RBLUEF-28. Punch, & s., No. 7 Ryerson-Kling, 72" thrt., If "thru I", plain jaw. punch, hor., Cleveland, I" thru I", Punch, multiple, No. 5 H. & J., 10". Riveter, stake, No. 6 Whiting, 48" thrt. Rolls, angle bending, 6 8 6 Mg K. & R. Rolls, bending, 4 6" kg", m. d.

FOR SALE BY

Clinton Machinery Co., 128 So. Clinton St., Chicago, Ill. MILLING MACHINES.

No. 3H LeBlond, univ., fully equipt. No. 3 LeBlond plain.

No 2 Rockford, s. p. d. univ., fully equipt, slotting attach., vert. head. No. 1B Hendey fully equipt, univ.

No. 34 Ohio plain No. 2 LeBlond plain,

No. 1 Standard hand miller. LATH

16"x8" Prentice, q. c. g., complete.

16"x8" American, q.c.g., swings 18#".

14"x8" American, q.c.g., swings 16#".

14"x8" Hendey, q. c. g., complete.

DRILL AND PUNCH PRESSES. 2-sp. Rockford, tapp. att. on 1 sp.

No. 1 Consolidated, o. b. i.

2-sp. Allen. 4-sp. Avey h. s., b. b., No. 2 taper. Single-spdl. H. & W., b. b., h. s., (3) 24" Superior, sliding head, b. g. 20" Milwaukee, wheel & lever feed.

No. 14 Consolidated, o. b. i. No. 3 Walsh, o. b. i. No. 3 Moore, o. b. i. No. 4 American Can, o. b. i. No. 36 Niagara, geared, like new. MISCELLANEOUS

Grinder, No.1 Grand Rapids, compl. Grinders, Dumore electric. Hammer, 2A High Speed.

Screw machine, No. 1 Warner & S. Screw machine, No. 1 Warner & S. Shaper, 20" G. & E., b. g.
Shear, Niagara 30" power sq., 14 ga.

16"x 8' Bradford, l. c. g. 16"x10' Monarch q. c. engine, m. d.,

With motor. 17"x8' LeBlond rapid product'n, m.d. 21"x11' LeBlond, all geared, (2). 21"x12' LeBlond line bearing. 26"x10' LeBlond crankshaft.

Adams short-cut lathe, with taper.

FOR SALE BY

Peninsular Machinery Co., 429-31 E. Jefferson Ave., Detroit, Mich. LATHES

13"x 5' Blount speed lathe.
13"x 5' South Bend. (2).
13"x 6' Willard. (3).
13"x 6' Sebastian, (4).
14"x 6' Carroll-Jameson.
14"x 6' Reed., L. c. g., (3).
14"x 6' Reed. Premice plain turning,

new, (2).
14"x 6' Prentice l. c. g. engine, (2).
18"x 6' South Bend l.c.g. engine, i. a.
DRILLING MACHINES.
DRILLING Barnes (

34x36 Lo-Swing.

with motor.

3-spdl. Henry & Wright, h. s., b. b. 22* Sibley all-geared, p. f. 28* Barnes, s. h., tapper. MILLING MACHINES.

25" Barnes 4-spindle gang. No. 3 Baush multiple.

Briggs type A. No. 32 Kempsmith.

No. 2 Brown & Sharpe plain. No. 9 Rockford plain. No. 32 Kempamith plain.
No. 33 Kempamith plain.
TURRET SCREW MACHINES.
No. 3 Foster f. h. turret lathes, (2).

No. 10 Brown & Sharpe plain.

No. 190 Greenfield universal. No. 50 Heald cylinder. 20" Blount wet grinders No. 15 Bryant, motor drive. No. 26 Besly, double spindle, m. d. No. 5 Oliver m. d. drill grinder

Band saw, 6" Napier. Broaching mche., La Pointe, Hudson make, #" capacity.
Centers, bench, Brown & Sharpe.

Cutting-off mchs., 4"Hurlbut-R.,(2). Gear generator, 18" Gleason, bevel. Gear generator, SA Lees-Bradner automatic.

Gear hobber, No. 4 Farwell auto.

ney, a. c. GRINDERS AND POLISHERS.
GRINDERS AND POLISHERS.
tarpe plain.
universal.
No. 1 Lumsden oscillating, new.
No. 11 Lumsden, b. b., cup wheel.

new, (2). 10x30 Frazer self-contained. 6x32 Norton plain cylinder. No. 23-B Valley City disc, new.

MISCELLANEOUS. Gear shapers, No. 6 Fellows, (3), Hammer, drop, No. 5 Williams-W. Lapping machines, Bethel-Player, new, (2).

Metal cutter, No. 1 Gray. Screw slotter, No. 1 National Acme. Shaper, 7" Rhodes horizontal. Tooth round's, 12" Rochester aut. (2).

Tumbling barrels, No.3-S Globe, (2).

FOR SALE Machinery & Equipment

OF THE

DOWNEY SHIPYARD

Arlington, Staten Island, N. Y.

Priced Low To Move Fast

COMPRISING

Electric Generators—Motors—Centrifugal and Straight Line Pumps—Air Compressors—Punches and Shears—Machine Tools—Bolt and Pipe Cutters—Forging and Bending Machines—Locomotive Cranes and Cars.

All of this equipment can be inspected at the above named plant—Representatives always on premises.

WE ALSO HAVE READY FOR IMMEDIATE SHIPMENT

Barrett Horizontal Boring Mill, 6" bar. 7' Cincinnati-Bickford Pl. Radial Drill, tapping att. 36" Gould & Eberhardt Spur Gear Cutter. 100,000 lb. Tinius Olsen Testing Machine. Number of Double End Polishing Jacks.

Industrial Plants Corporation

Auctioneers
National Liquidators

25 Church Street,

New York City

Like a New Miller!



Here is an opportunity to buy a factory rebuilt Milwaukee Milling Machine that will satisfy both the Production and Purchasing Departments.

Every machine has been completely disassembled, re-scraped, and new parts put in wherever necessary. A K&T rebuilt is thoroughly tested and carries the same accuracy guarantee as a new machine.

1B Plain Double Overarm 1B Plain Single Overarm 11/6 A Mfg. Single Overarm 2BS Plain Double Overarm Double Overarm 2A Mfg. 2B Plain Double Overarm 2B Plain Single Overarm 3B Plain Single Overarm 3B Plain Double Overarm 3B Universal Double Overarm 4B Plain Double Overarm 2B Vertical

Subject to prior sale.

3B Vertical

K & T Factory rebuilt milling machines are sold only through our authorized dealers or branches.

Address: Rebuilding Department

KEARNEY & TRECKE

CORPORATION

5926 National Ave., Milwaukee, Wisconsin

Real Bargains -for Quick Sale

LATHES

14"x 61 Worcester Semi Q. C. 168x 81 Morris Q. C.

16"x 81 Morris Geared Head.

181x 81 Morris Q. C. 18 x 102 Morris Q. C.

21"x 8' LeBlond H.D. 220 V., D.C. 22°x10' Morris Geared Head.

22*x121 Morris Q. C.

32 x 17 Pond Single B. G., Cone. 36"x181 Niles Single B. G., Cone.

60° x261 Niles T. G., Cone.

PLANERS

30"x30"x12" N-B-P Rev. Motor. 32°x32°x10' Niles, 2 Heads. 36"x36"x10" Niles, 4 Heads. 38"x38"x12! Niles, 2 Heads. 38"x38"x16' Niles, 3 Heads. 42*x42*x121 Niles, 4 Heads. 42*x42*x141 Pond, 3 Heads. 48"x48"x201 Pond, 4 Heads, M. D. 60"x60"x24" Niles, 4 Heads, Belt. 968x728x421 N-B-P Rev. Motor.

SHAPERS

16º S. G. Stockbridge.

10'x10'x36' Betts, Motor.

16" B. G. Stockbridge.

20° B. G. Stockbridge.

26" B. G. Niles Acme.

26" Gear Box Stockbridge. 26° Bement Double Traveling Head,

RADIALS

51 Niles Universal Gear Box.

61 Niles Universal, Motor.

6' Pond, Heavy Plain, Motor,

BORING MACHINES

60"-4" Bar Niles Horizontal B & D Machine.

Ridgeway Horizontal Floor B & D Machine. 18º P. & W. Side Head Mill.

30* Colburn Turret Borer. 5" Bar Niles Floor Borer.

CRANE. PUNCHES & SHEARS. AND

MISCELLANEOUS EOUIPMENT

25-Ton Niles 1151 Span, 4-Motor Yard Crane and 610' Runway. 34° Cap. L. & A. Plate Splitting Shear, Motor.

1" x 1" Cap. 48" L. & A. Punch and Shear, Motor.

%" x %" Cap. 12" Throat L. & A. Horizontal Punch.

185 lb. Motor Driven Air Hammer.

2* Cox Lever Grip Pipe Machine, D. C. Motor. No. 4-B Vert. Miller, Rotary, Becker.

No. 3 Greenerd Arbor Press.

The Niles Tool Works Company

Division Niles-Bement-Pond Company

Hamilton, Ohio

New York, 111 Broadway. Birmingham, Brown, Marks Bidg. Chicago, 35 South, Jefferson St. Cincinnati, 338 West Fourth St. Clevaland, 739 Superjor Ave., N. W. Letont, 5936 Casa Ave. Los Angeles, 454 East Third St.

Philadelphia, 2415 Chestnut St. Pittsburgh, 1115 Empire Bidg. Rochester, 552 East Main St. St. Louis, 516 North Third St. San Francisco, 917 Howard St. Jehn Bertram & Sons Company, Dundas, Ontario, Canada London, Eng., 25 Victoria St., S.W.

NUFACTURED Largest stock of high grade machine tools in America. All principal makes and

teed. Save 25 to 60 per cent on prices.

This is only a partial list. Write for price on any tool you need, whether listed below or not.

IMMEDIATE DELIVERY

LATHES

|-56".64"x18' Johnston. |-51"x20' Le Bloud. |-36"x37' Niles Bement Pond. |-36"x37' Niles Bement Pond. |-36"x37' Pittsburgh Geared Hd. |-32"x12' Pittsburgh. |-32"x12' Canada. |5-23"x10' Canada. |5-23"x10' Le Blond. |-24"x15' Chard. |-24"x15' Chard. |-24"x15' Chard. |-24"x16' Cisco. |-24"x16' Le Blond. |-24"x16' Le Blond. |-25"x16' Le Blond. |-20"x16' American. |-20"x16' American. |-20"x16' American.

MILLERS

3-No. 5-C Becker Vertical. 1-No. 4 Cincinnati Vertical. 3-No. 3 Cincinnati Vertical. 2-No. 4-B Becker Vertical.

-No. 4 LeBlond Plain.

4-No. 4 Cincinnati Plain

7-No. 3-B Hvy. Brown & Sharpe.

9-No. 3 Kempsmith Plain

4-No. 2-B Hvy. Brown & Sharpe. 1-No. 28 Ohio Plain.

1-No. 2 Rockford Plain. 1-No. 2 Kempsmith Plain.

PLANERS

1-72"x56"x36' Cincinnati. 2-42"x42"x16' Rockford.

2-42 x42 x18 Coccoods 3-36"x36"x18' Cincinnati. 1-36"x36"x12' Woodward & P. 2-36"x36"x10' Bickett.

1-24"x24"x 6 American.

PRESSES

-%-G Toledo Double Crank.

1-No. 69 Stoll Geared. 2-No. 56 Ferracute.

BORING MILLS-Vertical

6-72" Gisholt.

6-72" Gisholt. 2-72" Cincinnati. 1-62" King. 1-60" Pittsburgh. 1-53" Niles-Bement-Pond.

-52" Gisholt. -42" Gisholt. -24" Bullard "New Era."

BORING MILLS-Horizontal

1-8" Detrich & Harvey Floor Bor.

1-No. 1 Giddings & Lewis.

-Rockford.

1-3" Foote-Burt.

DRILL PRESSES

1-No. 512 Baker. I-No. 310 Baker.

1-No. 24 Foote-Burt.

2-No. D-2 Colburn. 2-20" Barnes all geared. 25-No. 1-K 8" Henry & Wright.

RADIAL DRILLS 2-7' Western. 1-8' Niles-Bement-Pond.

GRINDERS 1-20"x96" Landis.

1-18"-30"x96" Norton Gap. 3-14"x50" Norton.

3-14 x56" Norton. 4-12"x36" Modern. 3-10"x72" Norton. 3-10"x36" Norton.

2-6"x18" Landis.

Our Guarantee: Your money back if you return a machine within thirty days, freight prepaid.

HILL, CLARKE & CO. of CHICAGO. 645 W. Washington Blvd., CHICAGO, ILL.

Telephone Haymarket 7660

He-L-GL1

Cable Address "Remand"

107

Extra Low Priced Rebuilt Machinery

SHAPERS AND PLANERS

" John Steptoe Heavy Duty Back Geared Crank Shaper. 20" Columbia Heavy Duty Back Geared Crank Shaper 26"x26"x 8" American Tool Works, Planer, with one head on rail, 38"x38"x18' Niles Tool Works Planer, with one head on rail.

MILLING MACHINES

No. 14 Rockford Universal, cone pulley drive, complete, No. 2 High Power Cincinnati Universal, single pulley, complete.

No. 3-B Heavy Brown & Sharpe Plain single pulley. No. 3-H R. K. LeBlond Plain cone pulley, latest type, No. 3-Cincinnati Plain, cone pulley drive.

No. 2 R. K. LeBlond Plain, cone pulley drive,

No. 2 Cincinnati Plain, cone pulley drive. No. 0 Cincinnati Plain, cone pulley drive. No. 5 Becker Vertical Milling Machine, cone pulley drive.

Gooley & Edlund (Briggs Type) Manufacturing Milling Machine. **ENGINE LATHES**

16"x 6'

30"xx12' LeBlond hvy. duty. q. c. g. 24"x10' Boye & Emmes. q. c. g. 21"x 8' LeBlond heavy duty. q. c. g. 18"x 8' Lodge & Shipley. q. c. g. 16"x 8' National Machine Tool Co.,

q. c. g

Tool Room Lathe, with taper attach., draw-in attach. and collets, latest type. 14"x 6' Monarch, q. c. g. 14"x 6' Hendey, q. c. g., taper att.

Lodge & Shipley, q. c. g.,

q. c. g. trendey, q. c. g. taper a
TURRET LATHES AND SCREW MACHINES
24" Gisholt Turret Lathe, late type, with § hole in spindle.
3"x36" Jones & Lamson Flat Turret Lathe, all geared head.
24"x26" Pratt & Whitney Flat Turret Lathe, all geared head.
No 6 Warner & Swasey Turret Lathe.
No 4 Brown & Sharpe Flain Head Wire Feed Screw Machine.

No. 2 Warner & Swasey Hand Screw Machine

No. 1 S. P. Garvin Hand Screw Machine-NEW

GRINDERS AND GEAR MACHINERY
No. 55 Heald Machine Co.'s Cylinder Grinder, latest type, complete,
No. 60 Heald Machine Co.'s Cylinder, late type, complete. No. 70 Heald internal Grinder, complete.

705-70 Fraud men Grinder, Competer, 6° x32° Norton Plain Cylindrical Grinder, 10° x50° Norton Plain Cylindrical Grinder, No. 1 and No. 3 Brown & Sharre Universal Cylindrical Grinders, No. 2 Oakley Univer al Tool & Cutter Grinder.

No. 7 Gardner Ball Bearing Disc Grinder, complete with press.

RADIAL AND UPRIGHT DRILLS

3f American Tool Works Co.'s Triple Purpose Plain Radial Drill.

3f American Tool Works Co.'s Triple Gared Plain Radial, speed box drive.

2s Aurora Upright Drill Press, belt drive, with tapping attachment.

2s W. F. & John Barnes Upright Drill Press, with stationary head. 24" Cincinnati-Bickford Upright Drill Press, speed box drive, with tapping.

22' W. F. & John Barnes, Upright Drill Press. Henry & Wright six (6) spindle High Speed Ball Bearing Sensitive Drill. No. 14 Avey High Speed Ball Bearing Sensitive Drill.

AND MANY OTHERS. SEND FOR OUR NEW LIST JUST OFF THE PRESS.

This List is Continued on Next Page

EASTERN MACHINERY CO. No. 412 East Pearl St., Cincinnati, Ohio

Continued from Preceding Page

MISCELLANEOUS

MISCELLANEOUS
Air Compressor, 8"x8" Ingersoll-kand, class N. E. I., horizontal, belt driven.
Air Compressor, 16"x14" Chicago Pneumatic Tool Co. class N. S. B.
Arbor Press and Broach, 15-ton Hercules, power, belt drive.
Bolt Threading Machine, 1" Landis, with lead screw attachment.
Bolt Threading Machine, two (2) spindle 12" Landis, arranged for motor
drive and equipped with lead screw attachment.
Bornig Mill, 34" Colburn vertical, belt drive, with turret head on rail.
Bornig Mill, 34" Colburn vertical, belt drive, with turret head on rail.
Bornig Mill, 34" Colburn vertical, belt drive, all complete, with principle scool for the color of the color

Mill, 24° Bullard rapid production vertical, with turret and side nead, Press, No. 2 Michigan, power, open back inclinable, fly wheel drive. Press, No. 8 Jas. Lefler, power, open back inclinable, fly wheel drive. Riveting Hammers, Nos. 3-A and 4-A High Speed, Rivet Spinning Machine, 5/16° Grant noiseless. Shear, power square, 42° No. 243 Niagara, cap. 14 gauge and lighter. Tapping Machine, No. 2 Garvin automatic, belt drive, complete.

And many others. Send for our new list just off the press

EASTERN MACHINERY CO. No. 412 East Pearl St., Cincinnati, Ohio

All the above carried in our Stock in Cincinnati

POWER PRESSES

EXCLUSIVELY

EMBOSSING PRESSES

- -No. 666 Toledo, 1000 tons.

- 1—No. 24 Bliss, 400 tons. 2-No. EG 54 Ferracute, 400 tons 1—No. 661 Toledo, 150 tons. 1—No. 5 Howard, 75 tons.

STRAIGHT SIDE PRESSES

- -No. 307 (761/2) Bliss, tie rod.
- I—No. D201Ferracute, 200 tons.
 I—No. 67 Stoll, tie rod, geared.
 I—No. 59 Toledo, dbl geared.
 I—No. 63 V. & O.

TOGGLE PRESSES

- 3-No. 11/2 Bliss, friction clutch. 1-301 A Hend's 'n, 12500 lb. f. c.
 - **AUTO. TRANSFER PRESSES** 2-No. 202 Bliss, 5 plungers.

Over 1200 Presses in Stock.

DOUBLE CRANK PRESSES

- I No. 206C Toledo, overh g. grd. I No. 202A Toledo, overh g. fly. I No. 92B Toledo, geared. I No. 40A Williams & W., new,
- grd., bed 40x33,wt. 30000 lbs. 3-No. SG 52 Ferracute, geared, 40" between uprights.
- I—Zeh & Hahnemann, overhang, fly, bed 41½ x 16". 1—Henderson, bed 44*x16*, wt. 5000 lbs., flywheel.

ADJUSTABLE BED PRESSES

- 1-No.147 Toledo, grd. bed30x20
- 7-No. 83 Consolidated. I-No. 3A Bliss.

Write for New Catalogue.

YMAN & Sons

Richmond St. and Erie Ave.,

Philadelphia, Pa.

New & Guaranteed Rebuilt Machine Tools

At Prices to Net You a Worth While Saving

BORING MILLS

2—Bullard 24° & 36°, n. e. type. 1—Giddings & Lewis No. 0 horiz. 1—Universal 3½° bar horiz.

DRILLS-Upright and Radial

15—Allen I, 2 and 6-spindle. 1—Colburn No. 4. 1—P. & W. No. 1 gun barrel. 2—New Turner No. 3, vert. tur.

2-Baker No. 310.

-Baush 6' Radial.

I—Baush o' Radiai.
I—N.-B.-P. 96° Ridgeway, motor drive, plain Radial.
DRILLS—Multiple Spindle
I—Natco No. 14, rect. head.
2—New Baush No. 3, 21 spdl.
I—New Baush No. 4, 56 spdl.

2—Baush No. 2 multiple spindle. 1—New Fox No. 3, tapping att. 1—New Avey No. 2½,4-sp. hi. sp. 3—Pratt & W. No. 11, round hd.

I - Moline, 4-spindle.
I - Foote-Burt No. 17, 6-spdl.
SCREW MACHINES - Automatic 16-B. & S. Nos. 0, 2 & 6 full auto.

I-New Britain 1x5 bar. 10-New Britain Nos. 23, 24, 33. MILLING MACHINES

9-Van Norman No. 1/2 Duplex. 1-Newton Duplex

1-Cincinnati 48" Duplex. 1-Brown & Sharpe No. 3 univ.

2-Hendey No. 1 universal. 2-Rockford Nos. 1½ & No. 2. 4-Cincinnati Nos. 2, 3 and 4 pl.,

cone drive, s. p. d.
4-B & S Nos. 2, 2B, 3B and 4 pl.
1-B. & S. No. 13-B Plain.
1-Cincinnati No. 3 vertical.

I-Milwaukee No. 11/2-B vert. 2-Taylor & Fenn vertical. 12-Becker Nos. 3H, 4B, AB, 5C,

C vertical. 2-P. & W. 4½x12 Thread. 8-P. & W. 6x14, 6x48, 6x80

MILLING MACHINES-Cont. 4-Lees-Bradner Nos. 6, 8.

25-P. & W. No. 5 auto. 30-P. & W. No. 4, Spline.

LATHES

1-Lodge & S. 30*x16', grd. hd. 3-Putnam 42*x44', grd. hd., dbl. carriage, arr. motor drive.

3-Bridgeford 48x50, grd. head, dbl. carriage, arr. motor drive. I-Niles-B.-P. 72x74 forge turn-

ing and boring lathe, 2 carriages, arrange motor drive.

15-Barber-Colman Nos. 3 & 12.

4-Hercules 81 7—Brown & S. 3x36; 3x26; 4x36. 1—B. & S. No. 5, 48° capacity. 1—Cincinnati No. 4-A, 4x48.

l—Cincinnati No. 4-A, 4x48.
3-G. & E. No. 18-H.
2-G. & E. No. 18-H.
3 and 4-spindle Gear Roughers.
1-G. & E. 34* Combined Spur and Bevel Gear Cutter.
20-Fellows Nos. 61, 6 & 615.
20-Gleason bevel, 6*, 11* & 18*.
1—Lees - Bradner No. 5A genr

PLANERS

—Putnam 26x26x8', 2 heads. —W. & P. 24x24x10', —Gray 38x38x20, 3 hds., mtr.dr. —Putnam 48x48x12', 2 heads. GRINDERS.

-Brown & Sharpe No. 3 univ. -Landis No. 2 universal.

1—Queen City 14x72 plain. 1—Landis 10x20 plain. 7—Norton 6x32, 10x36, 16x36. 1—Springfield 12x12x48 vert.

4-Cincinnati No. 2, 12x36. I-Diamond 84" Guide Bar.

-Landia 18x68 crank. 1-Fitchburg 12x54.

12—Bryant Nos. 20 & 6 chucking. 2—Bryant No. 15 double spindle. 28—Heald Nos. 65, 60 and 70. 1—Heald No. 210.

I-Van Norman No. 34.

TURRET and SCREW MCHS. 50-New Pratt & Whitney 1/16". % wire feed.

Also 500 other tools, such as Shapers, Presses, Bolt Cutters, Breaching Machines, Hot and Cold Saws, Punches and Shears, etc.

408 Broome St., MOREY AND CO. INC. 408 Broome St., NEW YORK, N. Y.

Expiration of warehouse lease compels us to offer these very good tools cheap!

Betts 110 Vertical Boring Mill	\$5800.
Niles 72" Vertical Boring Mill	4500.
Bullard 61" Vertical Boring Mill	1950.
Cincinnati 48"x36"x201 Planer, 4 heads,	3850.
Detrick-Harvey open side 36"x10' Planer,	2400.
Cincinnati 30"x101 Planer, 3 heads	1500.
Ohio 27"x8! Planer, 2 heads	1050.
Ohio 24"x61 Planer	900.
McCabe Double Spindle Lathe, 24-48*	
swing, 14' bed	2850.
Fifield 38*x28' Lathe	2400.
Whitcomb 30"x12' Lathe	1175.
Becker type C Vertical Miller	1500.
Becker type AB Vertical Miller	950.
Becker type B Vertical Miller	1200.
Cincinnati No. 4 hi-duty Plain Miller	2000.
Brown & S. No. 4B Hvy. Plain Miller_	1975.
Baker No. 310 Drill	585.
Fordick 41 arm Radial, gear box	1950.
Cincinnati-Bickford 4' Radial, gear box,	2250.
Dreses 41 Radial, gear box	1650.
American 51 Universal Radial	2400.
Cincinnati-Bickford 51 Radial	1900.

Monarch Machinery Company 300 North Third Street, Philadelphia, Penna.

Lowest Prices!

and The World's Greatest Stock!

LATHES

48°x50° Amal, h. d. gun boring. 48°x40' Pond triple geared. 48°x16' Putnam h d. production. 36°x32' Bridgeford grd. hd., q. c. g. 30°x16' LeBlond h. d., q. c. g. 24°x12' American, q. c. g. 24°x 8' LeBlond, q. c. g. 20°x 10' Davis, q. c. g.

PLANERS

60°x60°x18' Poad 2-heads. 48°x48°x20' N. B. P. 2-heads. 48°x48°x 8' Sellers 1-head. 36°x36°x21' Gray 2-heads. 30°x30x°20' Wood. & Powell 2-hds. 22"x22"x 5' Gray, 1-head.

SHAPERS

30º Norton. 30° Norton. 24° Steptoe. 20° Smith & Mills. 16° Stockbridge.

MILLERS

24°x24°x12' Ingersoll horiz, slab. No. 3 Brown & Sharpe vertical. No. 2 Brown & Sharpe universal. No. 5-C Becker vertical. No. 7-H Becker Lincoln type. No. 21/2 Hendey Lincoln type.

RADIAL DRILLS

30ª American, t. a. 36" Gang. 61 Dreses.

41 Dreses. GRINDERS

20"x54" Diamond wet surface. 16"x68" Landis crankshaft. 16"x66" Landis universal. 16"x36" Landis universal. 10"x48" Landis universal. 12"x36" Fitchburg plain.

STEAM SHOVELS

95-Ton Bucyrus R. R. type. 70-Ton Bucyrus R. R. type.

SLOTTERS

10° Putnam. 16" Betts. 20" Niles.

PUNCHES and SHEARS

48" Throat Cleveland 1" cap. 40° Whiting 1° cap. arch. jaws. 36° Thrt. Cleveland 1° cap. arch. jaws. 18° Thrt. Cleveland ½° cap. arch. jaws.

PUNCH PRESSES

No. 55 D. G., G. Ferr. dbl. grd., 16" Str. No. E-57 Ferr. dbl. grd., 2½" Str. No. 75½ Bliss straight aide, 6" Str. No. 6 American Can Co. style-N, o.b.i. No. 256 Toledo dbl. crank, s. s., 48 str. No. 58 Toledo s. s. trimming. No. 5 Crosby Stiles type, 2½ str.

MISCELLANEOUS 12' L. & A. style-A Forming Press. 750-1000-1500 ton Mesta Presses. 365-Ton Cassiden Jogaling Press. 5-Ton Whiting El. Crane, 35' span. 10-Ton Morgan El. Crane, 73' span. 19x24 American Mogul type, 63-ton. Standard Gauge Locomotive. 16x24 Vulcan 50-ton Saddle Tank. 6000 Lb. Chamb. D. F. Stm. Hammer. 2500 Lb. Chamb. D. F. Stm. Hammer. 2500 Lb. Bliss Board Drop Hammer. No. 4-B Wms. & White Bulldozer. 2 **Curtis Pipe Thread. Machine. 6 **Bignall & Keeler Pipe Th. Mche. Bauh 8-Spindle Multiple Drill. Nos. 2, 3, 4 Wood Tilt. Tur. Lathes. 7500 to 30000 gal. Oil Stor. Tanks. 19x24 American Mogul type, 63-ton.

Machinery Bulletin No. 209, describing our complete stock, mailed free on request.

HARRIS BROTHERS COMPANY 35th & Iron Sts., CHICAGO

PLANERS

Niles - Bement - Pond latest electric reversing drive, four heads, box type tables, some with all steel gearing, rapid traverse, some brand new. All guaranteed. Complete in every way.

36" x 36" x 141	42" x 42" x 30"
36" x 36" x 16"	48" x 48" x 16"
36" x 36" x 261	50" x 36" x 221
42" x 42" x 261	$54^{\circ} \times 54^{\circ} \times 22^{\circ}$

NEW LATHES: Niles-Bernent-Pond, 36"x16' heavy duty, quick change, screw cutting, triple geared, belt drive, at big reduction.

MILLING MACHINES: No. 3-B Heavy Brown & Sharpe plain, all geared head, motor drive, with motor.

No. 2-B Heavy Brown & Sharpe plain, all geared head, motor drive, with motor.

GEAR CUTTERS: (2) No. 4 Brown & Sharpe Automatic Gear Cutters, for spur gears.

BORING MILL: 60" Baush, heavy quick change, geared feeds, table 54" diam., 8" thick, D. C. motor drive, with push button starter.

LOCOMOTIVE CRANE: 15-ton Brown Hoist, 50' boom, with 42" magnet and generator.

For prices and detailed description, write either

A. F. STRAFER or N. C. FAILOR, Inc. 30 Church Street, NEW YORK 30 Church Street, NEW YORK

Open Side Planer

30"x30"x18' Cleveland 2 Rail Heads 1 Side Head Belted Motor Drive

Price - - \$3000.

Marshall & Huschart Machinery Co. 17 So. Jefferson St., Chicago, Ill.

Special Bargains in Used Machine Tools

1-No. 0-G Brown & Sharpe Automatic Screw Machine with

- slotting attachment and attachment driving stand. \$875.
 2-No. 3-26" Brown & S. Automatic Gear Cutting Machines
 with pump, c. s., change gears, feed gears and wrenches ea.
 10-No. 3 Heavy Brown & Sharpe Automatic Gear Cutting
 Machine, capacity 24"x8" (Practically New).
 1800.
 1-No. 11 Brown & Sharpe Grinder with countershaft, pump,
 center grinding attachment, one steady rest, three universal
 back rests and one plain back rest.
 -12"x48" Modern Plain Cylindrical Grinder, carrying wheel
 18" dia, 2" wide, 5" hole, and with self contained countershaft for belt drive.
 650.

THE E. A. KINSEY CO., 535 West CINCINNATI, O.

BRANCHES: INDIANAPOLIS, IND., HAMILTON, OHIO, DAYTON, OHIO, LOUISVILLE, KY., COLUMBUS, OHIO

SIMMONS New and Used MACHINE TOOLS

ATTRACTIVE PRICES

MONEY BACK GUARANTEE

Planers -24x 6 Powell Hi Speed.

1-30x18 Cincinnati, Tu-Speed. 2-36x36x10 N. - B. - P., reversing -36x36x10 A. B. - B. - P., reversing motor drive, with control panel. |
-36x12 N. B. - P., 4 heads. |
-36x16 N. B. - P., 4 heads. |
-36x18 N. B. - P., 4 heads. |
-36x36x12 Cincinnati. 4 hds., m. d.

1-36x12 Detrick Harvey. 1-36x14 Niles, gear box. 1-36x36x20 Woodward-Powell 4 heads reversing motor drive with

1-42x42x26 Pond, reversing motor

1-60x60x22 Pond, reversing motor drive, with control panel.

drive, with control panel. -60x12 Gleason, 1 head. 1-60x14 Powell extra heavy.

1-60x60x24 Detrick Harvey. Turret Lathes -18" Libby Hi-Power. -\$"x4\$" P. & W. -7/16x2\$ P. & W.

1-No. 22 Garvin Monitor, 1-No. 22 Garvin, G. F. H. 2-No. 4 Warner Swasey, 1-No. 3 Forster, G. F. H. 1-No. 3 Warner Swasey,

-24x 6 Rockford, 1 head. -24x 8 Cincinnati, gear box. -24x 8 Whitcomb, second belt. -24x10 Whitcomb second belt.

-24x12 American, 2 heads. 1-24x12 American, 2 heads.
1-26x 6 Gray, spur geared.
5-30x30x12 N. - B. - P., reversing motor drive, with control panel.

TESTED BEFORE SHIPMENT

Automatics

No. 00 B. & S. turret forming.

1-No. 00G B. & S. screw. 1-No. 0 B. & S. Cut-off. 3-No. 0 B. & S. screw.

5-4" Gridley multiple. 5-2" Gridley, single. 4-32" Gridley, single.

4-7g* Gridley, single,
3-4g* Gridley, single,
1-1 Cleveland, single,
2-2" Cleveland, Model A.
1-21" Cleveland, Model A.
1-11"x?" New Britain, bar.

-6 hole Detroit Drill.

Shapers

1-6" P. & W., vertical. 1-14" P. & W., crank. 1-15" Hendey, pillar. 1-16" Smth Mills, d. b. g. 1-16" Whipp, 4-step cone.

1-16" American, motor drive. 1-20" Kelly, 4-step cone. 1-20" Smith Mills, 4-step cone.

1-20" Ohio heavy duty. 2-24" G. & E., extension base.

2-24" G. & E., extension base. 3-24" Cincinnati, b. g. 1-28" Queen City, cone drive, 1-32" Smith Mills, gear box. 1-36" Bement, traveling head.

Radial Drilla

1-24" Mueller, rd. column.

1-24" Muener, rd. Cotumn.
1-28" American high speed.
1-42" C. O., wall type.
1-49" Columbia, rd. column.
1-60" Niles semi universal.
1-60" American, motor drive.
1-72" Cincinnati, Bickford.
1-72" Bickford, Universal.
1-72" Niles. Universal.

1-72" Niles, Universal. 1-72" American, rd. column. 1-72" Bickford, Plain. 1-84" Reed Prentice, Plain.

1-No. 3 Warner Swasey 2-No. 4 Millholland, 9-2"x28" P & W. 2-24"x11" Acme. 1-54 Bardons & Oliver. 2-24"x26" P. & W. 1-24" Gisholt, big bore,

control panel.

6-3x36 J. & L. 1-32"x24' Gisholt, M. D.

Simmons Machine Tool Corp.

NEW YORK 149 Broadway ALBANY

BUFFALO

1212 Troy Road

88 Exchange St.

SPECIALS

Claco Lathes—One 18"'8" o. c. 3-step; one 18"'x8', 4-step.

New Britain Automatic, 5 spindle, 18"\text{xi''}

Barber Colman Gear Hobber No. 12,

Norton Grinder, 18"\text{xi''}

Gray Planers—30"\text{xi''}

Schumacher & Boye Lathe, 24"\text{xi''}

Schumacher & Boye Lathe, 24"\text{xi''}

Norton Cyl, Grinder, 18"\text{xi''}

Norton Cyl, Grinder, 18"\text{xi''}

Niles triple geared Lathe, 24"\text{xi''}

Niles triple geared Lathe, 48"\text{xi''}

Niles triple geared Lathe, 48"\text{xi''}

Niles Universal Radial, 6" with motor.

1, 190.

No. 5 Toledo Inclinable Press.

450.

No. 20 Bliss Incl. Press... \$295.

14" Smith & Mills Shaper.

14" Kelly Shaper.

More than 300 other Machines in Stock. Low Prices.

Norton-Broadway Machinery Co., Cincinnati, Ohio

They've got to be good before we buy 'em

HAMMER, No. 12 Beaudry.

HAMMER, 200 lb. Bradley Helve.

LATHE-Crankshaft, 27ⁿ x 10¹ American Heavy Duty.

MILLER-Vertical, No. 3 Cincinnati, single pulley drive.

PRESS-Plain, Solid back, P-1 Ferracute.

PRESS-Plain, O. B. I., No. 19 Bliss.

PRESS-Geared, O. B. I., No. 4 R. & K.

PUNCH, S. E., 48" throat, Rock River, cap. 13/16"x1".

THE E. L. ESSLEY . MACHINERY . Cº

551 W. Washington Blvd., Chicago. 78-80 W. Water St., Milwankee

What Price Bargain?

A good purchase is just as good before it's bought as it is after it's paid for. The bargain lasts long after the purchase price is forgotten. And you won't forget the price either because the next time vou're interested in used machinery, you'll see J. J. McCABE first.

HERE ARE SOME OF THE BARGAINS:

15" swing x 6' Sebastian Lathe.

18" swing x 8' High Duty Lathe, Quick Change.

26" swing x 14' Niles-Bement-Pond Lathe.

36" swing x 16' High Duty Lathe, Quick Change.

48" swing x 24' bed Bement-Miles Triple Geared Lathe.

54" awing x 20' bed Pond Lathe.

110" swing x 42' Bement-Miles Lathe.

26"x 6' Niles Planer. 48"x14' Pond Planer. 72"x24' Niles Planer.

24" Gould & Eberhardt Shaper.

18º Ohio Shaper.

96" Niles Boring Mill.

42ª Long & Allstatter Punch & S. 800 lb. Bement - Miles Steam Hammer.

10'-8" Pyramid Type Bending Rolls.

Kolls.

6' Bending Rolls.

6' Bending Rolls.

4' cap, McCabe Flanging Mch.

No. 3 Baker Keyseater.

4'' bar Niles Horiz. Boring Mill.

6' arm Pond Radial Drill.

12" Peerless Hack Saw.
5" No. 5D Saunders Pipe Mche.
capacity 1½" to 5" pipe.

14º Smith & Mills Shaper.

Used factory rebuilt McCABE 2-in-1 Double Spindle Lathes:

14' bed Standard Pattern 26-48" swing raised to 32-54" swing, Internal geared Face Plate, Belt Drive.

12' bed Standard Pattern 26-48" awing: Plain Plate Belt Drive.

30' belt Standard Pattern 26-48" swing raised to 38-60" swing. Internal geared Face Plate; Belt Drive.

Two Machines in the South West:

In TEXAS-8' McCabe Bending Rolls. In ARIZONA-McCabe "2-in-1" Double Spindle Lathe.

J. J. McCabe Lathe & Machinery Corp'n SINGER BUILDING **NEW YORK CITY**

GOOD USED TOOLS

PLANERS: 24x24x24* Cincinnati crank.
30x30x 6' Pond Mche. Tool Co.
30x30x 8' Pease.
36x36x 10' Wilson, 2 heads.
72x56x14' Gray, 2 heads.
No. 34 Ohio heavy duty, plain.
No. 3 Kempsmith plain.
No. 2 Cincinnati universal.
No. 2 Cincinnati vertical.
No. 3 Cincinnati vertical.
No. 3 Cincinnati vertical.
No. 3 Cincinnati vertical.
No. 1½ Knglight vertical.
Model C Becker vertical.
No. 1½ Knglight vertical.
Universal 2½' bar.
No. 2 Rockford horizontal.
2½' American, swinging table.
5' Foedick universal.
BROACHING MACHINES:
No. 1 J. N. LaPointe.
No. 3 American.

Stocker-Rumely-Wachs Co. 117 N. Jefferson St., Chicago, Ill.

Planer Bargain

72"x54"x24' POND PLANER.

Two heads on cross rail, two side heads. In excellent condition.

Price for Immediate Sale \$3,000.

H.A. Smith Machinery Co. Syracuse, New York

NEW 3 PHASE MOTORS CHEAP. 3 H. P. \$57.50; 5 H. P. \$67.50

14" Niles, traveling head. 14" Steptoe, crank. 16" American, tool room.

** 5° Cleveland, geared head, 14° x 8° Carroll-Jamieson, new, q. c. 14° x 8° Hamilton, grd. bd., motor dr. 14° x 8° Monarch, quick change, 14° x 8° Rockfurd, c. d., a., plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, q. c. d., a. plain, 14° x 8° Schestian, 14° x 9° Schestian, 15° x 9° S

SHAPERS

16" Cincinnati b. g., motor drive. 16" O. & S. b. g. crank, new. 24" O. & S. back geared crank

The Entire Plant of the Columbus Machine Company. Ask for List.

PRESSES

Nos. 3-A & 5-A Willard inclinable. Nos. 5 and 6 Toledo inclinable. Nos. 12, 2, 22 & 4 Robinson, new.

3' W. E. Gang plain. Silver, sgl. pulley, gear box dr. Universal Radial Drill Co. plain. Electric drills, Black & Decker

No. 1 Kempsmith universal, new. No. 2 Kempsmith plain, new. No. 3 Kempsmith univ. and plain. No. 3 Cincinnati universal. No. 25 Becker plain, power feed

Nos. 1 & 78 W. & M. surface. No. 2 W. & P. 10"x30" universal. 6"x15" Fischburg plain. 12"x36" Cincinnati universal. 16"x42" Landis universal. 36" and 66" Yates plate.

No. 70 Heald internal.

MISCELLANEOUS Band saw, Clark, compound. Band saws, Napier 4"x4", 10"x10". Bending rolls, 7' for 3" plate. Boring mill, Colburn No. 3, tur. hd. Boring mill, 54" Colburn, 2 hds., c. j. Brake, 10', 18-gauge metal. Broaching mchs, I and 3 LaPointe. Positive pres, blower, No. 5 Conner. Compressors, 6x8, 8x8 and 9x8. Drawing tables, adjust., 42"x6' top. Gear cutter, No. 3—26 B. & S. Gear miller, Bilton No. 1. Hammer, 40 lb. Bradley, helve. Hammer, 150 lb. Standard drop.

Emco, bench, for radio parts. No. 35 Niagara straight side. Perkins, dbl. housing, wt. 4,000 lbs.

DRILLS and RADIALS 22", 24", 26", 28" and 32", sliding hd. 26" Barnes, sliding head, all geared. 4-spindle Reed sensitive. Electric drills, Thor, all sizes.

MILLING MACHINES No. 3 LeBlond, with vertical attach, No. 2 H Brown & Sharpe plain. Oesterlein 2474x18 plain.
Briggs "A" high duty, 24x8" table.
No 7 Becker, Lincoln type.

GRINDERS No. 60 Heald cylinder. Schmitt cylinder grinder. No. 3 Ohio universal, tool and cut, No. 4 Gardner 20" double disc. No. 19 Besly 18" double disc. No. 20 Bryant, chucking. Capital internal, new, 2"x2" cap.

Oil separator, Springfield.
Pipe machines, 2", 4" & 6".
Pumps, Gould triplex, 65x8".
Punch & shear, \$x\$x10" throat. Riveting hammers, High Speed Nos. 2, 3, 4 & 5-A.

Scale, 1500 lb. Toledo, dial type. Sceleroscope, Shore type (Shear, 60" Peck, Stow & W., 18 ga. Shear, No. 362 Robinson. Shear, No. 20 Quickwork, 30" throat. Shear, circular, Pettingell, 60" thrt. Tapping machine, Acme 6-spindle. Threading mche., W. & P. 2-spindle

Dept. H.

119

Let Us Quote On These Bargains

No. 00 Brown & Sharpe Automatics.
No. 2 Brown & Sharpe Automatics.
No. 0 Brown & Sharpe Hand Turret.
No. 1 Brown & Sharpe Hand Turret.
No. 1 Brown & Sharpe Hand Turret.
No. 2 Campbell Nibbler, Motor Drive.
20*8 American Geared Head Lathe.
14x6 American Geared Head Lathe.
20*2 Gould & Eberhardt Shaper.
14* Gould & Eberhardt Shaper.
14* Gould & Eberhardt Shaper.
No. 2½ Bath Grinder.
No. 25 Ash Grinder.
No. 2 & 3 Wilmarth & Morman Grinders.
No. 2 & 3 Wilmarth & Morman Grinders.
No. 1-A High Speed Hammer.
No. 4 High Speed Hammer.
No. 4 High Speed Hammer.
No. 2 Migh Stephandt Gear Cutter.
36* Gould & Eberhardt Gear Cutter.
36* Gould & Eberhardt Gear Cutter.
36* Gould & Eberhardt Gear Cutter.

Ogden R. Adams Company, Inc.

Forging Machinery

14", 2", 24", 3" Ajax Upsetters.

1" 4" 'Acme Upsetters.

Nos. 3, 5, 7, Williams-White Bulldozers.

30, 56, 75, 169, 260 lbs. Bradley Upright Hammers.

30, 56, 75, 169, 260 lbs. Bradley Upright Hammers.

L. & A. No. 1 S. E. Punch. 18" thr., 3" stroke, arch. jaw, cap. 14"x1".

Lettsch Plate Shear, 8"x1" cap., rebuilt, condition equal to new.

Robinson & Rea Alligator Shear, capacity 5" round.

2—Toledo No. 554 Trimming Presses, geared, belt drive.

2—Toledo No. 554 Trimming Presses, geared, belt drive.

2—Toledo No. 554 Trimming Presses, geared, belt drive.

1" 14", 2", 3" single apridic Threading Machines.

1" 3-spindle Threadin Machine.

No. 40 Waterbury Thread Roller.

4" 4" 5" National Bent Tappers.

4" 5-spindle Acme vertical semi-automatic Tapper.

1" 5-spindle National Vertical semi-automatic Tapper.

1" 5-spindle National Vertical semi-automatic Tapper.

No. 2 Kempsmith Universal Milling Machine.

—Brinell Hardness Testing Machines.

No. 19, 52" Besly Vertical Spindle Disc Grinder.

No. 3 Williams-White Rotary Riveting Hammer.

3—Racine Power Hack Saws, capacity 6x6", 3-speed gear box. Clincinstit Tu-Speed heavy duty Planer, 30"x30"x14".

Donahue Steel Products Co.

Opportunity Knocks Again For the Conservative Buyer

Real Values in Machine Tools-

Planers

72°x54°x24' Pond, 4 heads. 72"x72"x18" Heads.
72"x2"x18" Heads.
36"x36"x24" Pond, 4 heads.
36"x36"x12" Woodward & P., 3 hds.
36"x36"x 8" Dietrick & H., openside.
26"x26"x 8" Pease.

Boring Mills

96" Niles, 2 heads. 2—54" Bullard Maxi. 2—42" King. 2—Blomquist & E., horiz., 31/4" bars.

Hammers

5000 lb. Chambersburg. 4000 lb. Chambersburg. 4000 lb. Massillon. 3500 lb. Massillon. 2500 lb. Massillon.

2-800 lb. Waterbury Farrell board. 2-600 lb. Waterbury.

Grinders

10x50 Norton plain. 8x36 Fitchburg. 16x48 Landis crankshaft. No. 2 Brown & Sharpe universal. No. 2 Taft Pierce universal. Heim's Centerless, motor drive. No. 4 Detroit Centerless, motor drive. 10x30 Webster & Perks universal.

Screw Machines

31/4" Gridley. No. 55 National Acme. No. 53 National Acme. No. 52 National Acme. No. 00 Brown & Sharpe, No. 0 Brown & Sharpe, 2" Cleveland Model B, New. 2" Cleveland Model B.

3¾ Cleveland Model A. 2¼ Cleveland Model A.

2/4" Ctevetand vroget A.
No. 20, % "- 7/8" Cleveland Model B.
No. 6 Warner & Swaaey.
No. 6 Foster.
24" Gisholt, complete equipment.
18" Gisholt, complete equipment.

Lathes

48"x21' Pond, triple grd, motor drive, 44"x45' Putnam, triple grd, motor dr. 44"x45' Putnam, triple grd, motor dr. 43"x12' No. 3 Pitub sh, q.c., h.d., c.dr. 30"x16' Reed, cone drive, 30"x26' Pond, triple grd, motor drive, 24"x16' Whitcomb-Blaindell, cone dr.

24*x10* Whitcome Biainen, cone dr. 20*x14* Reed, plain change, cone dr. 21*x10* Boye & E., qk. ch., cone dr. 20*x10* Hendey Yoke Head. 14*x 6* Hendey, t. a., qk. ch. collets. 14*x 6* Hendey, t. a., draw-in attach-

ment, reliev. attachment.

61 Niles Radial. 51 Bickford, t. a., motor drive. 36* Aurora, g. f. 4-spindle Leland-Gifford, ball bearing. 3-spindle Leland-Gifford, ball bearing. 12-spindle Baush Drill. No. 25 Foote-Burt. No. 5 Taper. No. 2 Colbum, h. p., (New). No. 25 Foote-Burt. No. 4 Mueller Radial, s. p.

Milling Machines

No. 4 LeBlond plain. No. 3 Brown & Sharpe plain. No. 2 Brown & Sharpe plain. Gooley & Edlund slab. 12^a Cincinnati mfg. type. 84 Pratt & Whitney Thread Miller. No. 3 U. S. Hand Millers. No. 2—13B Brown & S., plain. 2 No. 2 Garvin Duplex. 2M-Potter & Johnston. 2A-Milwaukee, s. p. drive, plain.

Miscellaneous

50-ton 60^t Span Alliance Crane. 4½th Acme Bolt Cutter. Hendey Centering. 36" Fellow's Gear Shaper. 18" Gleason Bevel Gear Generator. 4-Spindle Moline No. 1 Hole Hog. 60" Gould & Eberhardt Gear Cutter. 30" Schuchardt & S. Gear Hobber, 3" National Bolt Cutter. No. 20 Bliss Punch Press.

The EMPIRE MACHINERY EXCHANGE CO., Inc. Offices and Warehouses: 2261 E. 14th St., Cleveland, Ohio

Every Tool a Bargain

This is an exceptionally fine lot of tools, 90% being nearly new or in excellent condition

Shapers and Planers

24" Kelly heavy duty, bk. grd., 99%. 24" Smith & Mills, belt driven. 18" Hollingworth h. d., bk. grd., 98%.

18" Flather, pr. down feed, 95% 2-14x36 Pratt & W. vert. sur., 85%.

2-12x36 Diamond surface, 90%.

2-6x32 Nortons, 85%.

36" Fellows Gear, 90 to 98#, (5). 32x32x14 Gray Planer, 2 hds., m. dr. 24x24x 6' Pratt & Whitney. 24x24x 6' Putnam, good cond., \$150.

Grinding Machines Nos. 70 & 75 Heald internals, 90%.

No. 14—12x48 B. & S. plain. Nos. 4 & 6 Gardner disk, b. b., 95%. 2-No.11 B.&S. pl., s. sp.dr., late, 95%. Nos. 4 & 6 Gardner dis A Large Assortment of Tool and Cutter Grinders

Drilling Machines

3-sp. Henry & W., h. s., b. b., 85%. 4-spindle Allen, ball bearing, 96%. 4-spindle 22½" Barnes 80%. 12-spindle Fox multiple.

34' Dreses Radial, cone dr., t. att. 36" Reed-Prentiss, s. h., t. a., 95%. 28" Superior, s. h., b. g., good cond. 25" Snyder, s. h., 95%, (4). Milling Machines No. 2 Cincinnati Automatic, 90%. No. 1 Becker universal, (2).

No. 3 LeBlond pl., h.d., d.b.g., 90%. No. 3 B. & S. plain, cone drive, 90%, No. 2 B. & S. univ., cone driven, full equipment, with c. s. & vert. att. No. 1-Y Brown & Sharpe plain. No. 2 Clevel'd pl., s. s. dr., 95%, (4). No. 2 Oesterlein plain, 85%.

No. 2 B. & S. cone drive, 90%. No. 2 Cincinnati plain.

5-B Becker vertical, 85% No. 6 Becker vertical, 80%. No. 3 Cincinnati vert., s sp.dr., 90%. No. 2 Cincinnati vertical, cone drive, 984

No. 13 B. & S. mfg., 95%. Whitney and U. S. Hand Mill., (8).

Presses

No. 21 Bliss o. b. i., 90%.
No. 29 Bliss o. b. i., 95%, (3).
No. 19 Bliss o. b. i., 95%, (2).
No. 41 Toledo, 90%, (2).
No. 4† Nisgara o. b. i., 95%.
A Large Assortment of Smaller Presses No. 73 Bliss st. s., 20" bet. housings. No. 534 Max Ams, st. side. Cleveland straight side, 31-ton Double crank Cleveland, 30" be-

> 16x8 Bradford, q. c. g., d. b. g., 95%. 14x8 LeBlond, q. c. g. 14x6 Hendey, taper attach., 70%. No. 6 Warner & Swasey, 85%.

Lathes

32x22 Draper, l. c. g., triple grd. 25x8 Le Blond, q.c.g., s.p.d., grd hd. 24x12 Boye & Emmes, q.c.g., d.b.g.,

75%, raising blocks. 21x10 Le Blond heavy duty, 95%. 16x6 LeBlond, q. c. g

Screw Machines and Turret Lathes 4-spindle 24" Gridley Automatic. 4-spindle 14" Gridley Automatic. 4-spindle 14" Gridley Automatic.

34x36 Cin'ti Acme, like new. (2).

Air Compressor, 8x8, with tank.

for circular saws. Cleve. Punch & Shear, 12" throat,

No 24 New Brit'n Auto., ex.cond. (3).

Universal Saw Grinding Machine,

3x36 2-sp. J. & L., late No., 95%. No. 7 Bardons & O., late No., (2). No. 4 Warner & Swasey, (5). No. 1 Garvins, like new, (4). No.2 Hd.Sc. Mchs., various makes, 12

Over 100 Other Lathes.

Miscellaneous No. 31 Atlas and Greenerd Arbor Presses, (6).

Beaudry Power Hammer. Large assortment Bolt Cutters.

Write for List of Machinery on Hand

A. R. Marsh Machinery Co., West 73rd St., Cleveland, O.



Machines of Quality

Several hundred used machines are stocked in our Cleveland ware-house.

Connected with this is a model machine shop devoted exclusively to rebuilding these machines.

Let us send you one of our circulars describing our methods, listing our stock and picturing our plant.

Upon receipt of your address we will forward these circulars periodically.

Do You Use Adjustable Hand Reamers In Your Shop?

Read this list of BRAND NEW Taft-Peirce Style No. 720 Martell Patent Adjustable Hand Reamers

SIZE	STANDARD LIST PRICE
116*	\$28.50
1 %16"	30.00
156	31.50
1 11/14"	33.00
13/4	34.50
1 13/16*	36.00
1%*	37.50
1 15/16"	39.00
28	40.00


Now note our Special Discount of 40/50%

Brownell Machinery Co. 150 Pine St., Providence, R. I.

POWELL BLOW GUN

Designed to dispense AIR with utmost economy

Used for cleaning machines, machine tools and work benches





Made with different tips for special requirements.

Circular on request

The Wm. Powell Co.

2525 Spring Grove Ave., Cin

Cincinnati, O.


Must Vacate Our Warehouse— Attractive Prices To Move Stock

BORING MILLS:	30" Bullard Vertical
LATHES:	46°x 6' Blaisdell \$125. 21°x1'2' Johnson, hollow spindle, taper attach. 200. 44°x12' Schumacher-Boye. 475. 24°x14' Rahn-Mayer-Carpenter 650. 24'x16'y' Johnson, solid spindle 275. 26°x10'y' Walcott Hvy. Duty Q.C.G., 3, ea. 650. 27°x12' Pittsburgh 550. 24°x0' Ginbolt Turret, 6'y4' hol. spidl. 800. 3°x36' Jones & Lamson Flat Turret 800. 24'x2'4' Jones & Lamson Flat Turret 650.
MILLING MCHE.:	No. 3 Cincinnati Plain, table 12*x3111*, as is \$250.
PRESSES:	Double Cam Action, 4 ^{stroke} \$100. Double Acting Drawing, 3½ stroke 125.
SHEARS:	Waterbury-Farrell Rotary Shear, about 16 ga \$ 40. Doelger-Kirsten High Knife Alligator, 3% cap. 1250. Canton No. 5 High Knife Alligator, 38 cap 1250.
HAMMERS:	25 lb. Bradley Cushioned Helve \$125. 40 lb. Bradley Cushioned Helve 150. 800 lb. Bement Single Frame Steam Forging 475. 2000 lb. Bement Steam Drop 475.
SHAPERS:	20
MISCELLANEOUS:	Belt Lacer, No. 3 Clipper, 6* cap., fine condition \$ 10. Chain, 2 Sets Best from Hand Made Double Sling Chains, each leg 12*. Good as new. Each set 10 July 12*. Good as new. Each set 10 July 12*. Good as new. Each set 10 July 12*. Good as new 25. Drills, 12* Twist, from ½* dia. to 1*½**, high speed and carbon, 9 drill sockets, all taper shank except about 20 for drill chuck straight shank. Lot 15. July 12*. Each 20*. Each

RUSSELL MACHINE COMPANY

1447 Oliver Building,

Lowest Cost Screw Driving



Magazine Feed of the Reynolds Automatic Screw Driver

THE MAGAZINE FEED does all the handling of screws. All the operator has to do is to pour a gross or more of screws into the hopper, handle work with both hands, and press a foot lever. RESULT:—a boy or girl easily drives 800 to 1,200 screws an hour and an experienced operator up to 2,000.

There's a "Reynolds" for your work. Tell us, please, its dimensions over all, with length and gauge of screws used, and let us place our proposition before you.

The Reynolds Machine Company Dept. H. H., Massillon, Ohio

Air Compressors, Electric Petrick Bros., 2226 Balmont Ave., Chicago

Air Guns Fowell Co., Wm., Cincinnati

Angle Plates Germanow-Simon Meh. Co., Bechester, N.Y.

Arbers, Solid Nicholson & Co., W. H., Wilkes-Barre, Pa.

Auto-Gages For Dies
Denly Machine Specialties, Inc., 4913 Lincoln
Ave., Chicago

Automatics
National Acme Company, Cleveland, O.
New Britain Machine Co., New Britain, Conn.

Balancing Ways Anderson Bros. Mfg. Co., Rockford, III. Bowsher Co., N. P., South Bend, Ind.

Balls, Bearing and Burnishing Abbott Ball Co., Hartford, Conn.

Band Saw Machines, for Metal Armstrong-Hum Mfg. Co., 341 N. Francisco Av., Chicage Porter-Cable Machine Co., Syracuse, N. Y.

Barrels, Tumbling abbott Hall Co., Hartford, Conn. cully-Jones & Co., 2012 W. 18th, Chicago

Belt Shifters Resnor Mfg. Co., Mercer, Pa.

Bench Legs, Steel New Britain Mche. Co., New Britain, Conn.

Bending Machines, Hand and Power Armstrong-Blum Mig. Co., 381 N. Francisco Ave., Chicago Hendler & Whittemere Co., Beloit, Wia Lewthwaite Mche. Co. T. H. 471E. 3int., N.Y. Lourie Hydraulic Co., Springfield, Ill. Pedrick Tool, & Nachine Co., Philadelphia

Hending Rolls Hendley & Whittemore Co., Beloft, Wis.

Bolt and Nut Machinery Willoughby, O. Economy Engineering Co., W. Foote-Burt Co., Cleveland, O.

Boring Bars Pedrick Tool & Machine Co., Philadelphia

Boring Bars, Cylinder Pedrick Tool & Machine Co., Philadelphia

Bering, Drilling & Milling Machines Landis Tool Co., Waynesboro, Pa.

Boring Machines, Horizontal Avey Drilling Machine Co., Cincinnati Pedrick Tool & Machine Co., Philadelphia

Boring Tools Maxwell Products Co., Cleveland, Ohio. Ribbe & Grey, La Porte, Ind.

Boring and Turning Machines, Vertical Cincinnati Planer Co., Cincinnati, Ohio

Bulldozers, Hydraulic Lourie Hydraulic Co., Springfield, III.

Burnishing Equipment, Ball Abbott Ball Co., Elmwood, Conn

Case-Hardening Compound Kasenit Company, 2 & 4 Stone St., New York

Chucking Machines
National Acme Company, Cleveland, O.
Naw Britain Mehe. Co., New Heitain, Conn.
Springfield Machine Tool Co., Springfield, O.

Chucks, Cellet
Ames Co., B. C., Waltham, Mass.
Hardings Brothers, Inc., 1770 Berteau Ave.
Chicago

Chucks, Drill
Eastern Tube & Tool Co., Inc., 590 Johnso
Ave., Brooklyn, N. Y
Jacobs Mfg. Co., Hartford, Conn.
Scully-Jones & Co., 2012 W. 13th, Chicago
Titan Tool Co., Erie, Pa.

Chucks, Drill and Tap Scully-Jones & Co., 2012 W. 13th, Chicago

Chucks, Keyway Cutting Scully-Jones & Co., Ry. Exch. Bidg., Chicago

Chucks, Magnetic J. & H. Electric Co., Providence, R. 1.

Clamps, Die Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Clutches, Friction Conway Clutch Co., Cincinnati, O. Edgemont Machine Co., Dayton, O.

Cold Saws Burke Machine Tool Co., Conneant, Ohio

Ames Co., H. C., Waltham, Mass. Hardinge Brothers, Inc., 1770 Bertsau Ave., Chicago

Comparators Active Machine & Tool Co., Cleveland, O. Contract Work Wanted

Burke Machine Tool Co., Conneaut, O. Counterbores and Spot Facers Gienzer Co., J. C., Detroit, Mich.

Couplings, Friction Clutch mway Clutch Co., Cincinnati, O.

Cranes, Portable Canedy-Otto Mfg. Co., Chicago Heights, Ili. Canton Foundry & Mche. Co. Canton, Ohlo

Crank Pin Turning Machine Pedrick Tool & Machine Co., Philadelphia Cutters, Keyseating

Davis Keyseater Co., Rochester, N. Y. Scully-Jones & Co., 2012 W. 18th, Chicago Cutters, Milling Genesse Mfg. Co., Bochester, N. Y.

Cylinder Boring Machines, Portable Pedrick Tool & Machine Co., Philadelphia

Demagnetizers
J. & H. Electric Co., Providence, R. I.

Dial Indicators Federal Products Corp'n, Providence, R. I. Die Heads, Threading, Self Opening National Acme Company, Cleveland, O.

Die Sets Danly Machine Specialties, Inc., 4913 Lincoln Ave., Chicago

Drill Racks Peeriess Machine Co., Racine, Wis.

Drilling Machine Heads, Multiple Gaterman Mfg. Co., W., Manitowoc, W. United States Drill Head Co., Cincinnati

Drilling Machines, Beach
Ames Co., H. C., Wattham, Macs.
Ames Co., H. C., Wattham, Macs.
Burks Machine Tool Co., Chicago Heights, H.
Canedr-Otto Mig. Co., Chicago Heights, H.
Canedr-Otto Mig. Co., Chicago Heights, H.
Sigourney Tool Co., Hartferd, Conn.
Winterhoff Tool & Machine Co., Elikhart, Ind.
Taylor & Fenn Co., Hartford, Conn.

Drilling Machines, Horizonta I Gaterman Mig. Co., W., Manitowoc, Wis.

Drilling Machines, Multiple Spindle Aver Drilling Machine Co., Cincinnati Foots-Burt Co., Cleveland, U. Fondick Machine Tool Co., Cincinnati, O. Gaterman Mig. Co., W. Manitowoc, Wis. Sigourney Tool Co., Hartford, Conn. Taylor & Fenn Co., Hartford, Conn.

Drilling Machines, Pertable Electric Cincinnati Electrical Tool Co., Clincinnati, On Independent Penumatir Tool Co., 600 W. Stow Flexible Shaft Co., Philadelphia, Pa. Strand Co., N. A., 600 N. I. Lincoln St., Chigo Winterhoff Tool & Machine Co., Elikhart, ind. Wisconsin Electric Co., Escine, Wio.

Drilling Machines, Post Canody-Otto Mfg. Co., Chicago Heights, Ill.

Drilling Machines, Radial
Canedy-Otto Mfg. Co., Chicago Heights, Ill.
Foodlek Machine Tool Co., Chicanati, O.
Taylor & Fenn Co., Hartford, Cons.

Taylor & Fenn Ce., Hartford, Cena.
Drilling Machines, Sensitive Ce., Cincinnative Ce

Drilling Machines, Vertical
Avey Drilling Machine Co., Cincinnati
Canedy-Otto Mig. Co., Chicago Heights, Ill.
Foots-Burt Co., Cleveland, Incinnati, Wis.
Foots-Burt Co., Cleveland, Incinnati, Wis.
Leiand-Gifford Co., Worcester, Mass.
Sigourney Tool Co., Hartford, Conn.
Taylor & Fenn Co., Hartford, Conn.

Drills, Twist Cleveland Twist Drill Co., Cleveland, O.

Dust Handling Equipment Knickerbocker Co., Jackson, Mich.

Emery Wheel Dressers and Cutters Precision Truing Machine & Tool Co., Cincin Taylor & Fenn Co., Hartford, Conn. Western Tool & Mfg. Co., Springfield, O.

Feeders, Oil and Soda Water New Britain Machine Co., New Britain, Conn

Filing Machines, Die Ames Co., B. C., Waltham, Mass.

Filing Room Equipment Wardwell Mfg. Co., Cleveland, O.

Flexible Shafts Strand Co., N.A., 5001 N. Liucoln St., Chigo

Forges Canedy-Otto Mfg. Co., Chicage Heights, Ill.

Forgings, Hollow Bored American Hollow Boring Co., Erle, Pa. Furniture, Machine Shop New Britain Machine Co., New Britain, Conn. Western Tool & Mfg. Co., Springfield, O.

Ganges, Dial Ames Co., B. C., Waltham, Mass. Federal Products Corp'n, Providence, B. 1.

Gauges, Pisten and Pisten Ring Federal Products Corp'n, Providence, R. I.

Gauges, Thread Federal Products Corp'n, Providence, R. I.

Gears

Boston Gear Works Sales Company, Norfolk
Downs, Mass.

Grinding Machines, Belt Gallmeyer & Livingston Co., Grand Rapids, Mick. Peerless Surfacing Machine Co., Troy, N. Y.

Grinding Machines, Bench Badha Electric Co., 2256 W. Ohio St., Chgo. Gallmeyer & Livingston Co., Grand Rands, Mich.

Grinding Mackines, Cutter, Reamer and Tool Galimeyer & Livingston Co., Grand Rapids, Jarecki Miche, & T. Co., Grand Rapids, Mich. Landin Tool Co., Waynesboro, Pa. LeBlond Mich. Tool Co., R. K., Cincinnati, O. Thompson Grinder Co., Springfield, Oblo

Grinding Machines, Cylindrical larecki Mche. & T. Co., Grand Rapids, Mich. andls Tool Co., Waynesboro, Fa. fhompson Grinder Co., Springfield, Ohlo

Grinding Machines, Die Gailmeyer & Livingston Co., Grand Rapids, Mich. Jarecki Mche, & T. Co., Grand Rapids, Mich. Thompson Grinder Co., Springfield, Ohio.

Grinding Machines, Disc Gallmeyer & Livingston Co., Grand Rapids, Mich. Perter Cable Machine Co., Syracuse, N. Y.

Grinding Machines, Drill Gallmerer & Livingaton Co., Grand Rapido, Mich. La Salle Tool Co., La Salle, Ill.

Grinding Machines, Face Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Internal Landin Tool Co., Waynesboro, Pa. Taylor & Fenn Co., Hartford, Conn. Thompson Grinder Co., Springfield, Ohto

Grinding Machines, Portable Electric Rodine Electric Co., 286 W. Ohio Rt., Chen. Chennata Electrical Toot Co., Chennath, O., Chennath Electrical Toot Co., Chennath, O., Portabodhir B. Lackson Blvd., Chicage Petrac Cable Machine Co., Syracuse, N. Y. Service Tool, Die & Mir. G. Street, Chicago. Stow Flexible Shaft Co., Philadelphia, Fa. Strand Co., N. A., 5001 N. Lincoln St., Chige Wheenonia Electric Co., Racine, Wis.

Grinding Machines, Snagging Gallmeyer & Livingston Co., Grand Rapida. Mirk. Jaracki Mche. & T. Co., Grand Rapido, Mich.

Grinding Machines, Surface Gallmeyer & Livingston Co., Grand Rapids, Mich. La Salle Tool Co., La Salle, Ill. Thompson Grinder Co., Springfield, Ohio

Grinding Machines, Tap alimeyer & Livingston Co., Grand Rapids, Mich.

Grinding Machines, Tool Taylor & Fenn Co., Hartford, Conn.

Grinding Machines, Universal Gallmeyer & Livingston Co., Grand Rapida Mich

Landis Tool Co., Waynesboro, Pa. Thompson Grinder Co., Springfield, Ohio

Hack Saw Blades Peerless Machine Co., Racine, Wis,

Hack Saw Machines

Armstrong-illum Mfg. Co., 341 N. Francisco Armstrong-illum Mfg. Co., 241 N. Francisco Av., Chicago Peerless Machine Co., Racine, Wis. Racine Tool & Machine Co., Racine, Wis.

Hammers, Air
Independent Pneumatic Teol Co., 800 W.
Jackson Bivd., Chicage Hammers, Riveting Independent Pneumatic Tool Co., 600 W. Jackson Bivd., Chicago

Hoists Ford Chain Block Co., Philadelphia, Pa.

Hoists, Portable Canton Foundry & Machine Co., Canton, Ohie

Hydraulic Machinery Lourie Hydraulic Co., Springfield, Ill.

Keyseating Machines
Burr & Son, John T., Brooklyn, N. Y.
Chattanooga Mchy. Co., Chattanooga Tens
Davis Keyseater Co., Rochester, N. Y.
National Machine Tool Co., Cincinnati

Lathe Accessories and Attachments Cisco Machine Tool Co., Cincinnati, O. Maxwell Products Co., Cieveland, Ohio. Sidney Machine Tool Co., Sidney, O.

Lathe Turrets Maxwell Products Co., Cleveland, Ohio.

Lathes, Automatic Turret
National Acme Company, Cleveland, O.

Lathes, Beach Ames Co., B. C., Waltham, Mass. Hardinge Brothers, Inc., 1770 Berteau Ave. Monarch Machine Tool Co., Sidney, O.

Lathes, Engine Lathes, Lagine
Carroli Mch. Tool Co., A V., Cincinnati, O.
Cincinnati Lathe & Tool Co., Cincinnati, O.
Cisco Machine Tool Co., Cincinnati, O.
Hardinge Brothere, Inc., 1770 Bettagu Ave.
Chicag Le Blond Mch. Tool Ce., R.K., Cincinnati, O. Monarch Machine Tool Co., Sidney, O. Porter-Cable Machine Ce., Syracuse, N. Y. Sidney Machine Tool Ce., Sidney, O. Springfield Machine Tool Co., Springfield, O.

Lathes, Extension Bed Gap hn-Larmen Co., Cincinnati, O.

Lathes, Fox Monitor Barker Co., Wm., Covington, Ky.

Lathes, Gap Carroll Mch. Tool Co., A. V., Cincinnati, O.

Lathes, Short Bed Monarch Machine Tool Co., Sidney, O., Porter-Cable Machine Co., Syracuse, N. Y., Sidney Machine Tool Co., Sidney, O.

Lathes, Turret Menarch Machine Tool Co., Sidney, O.

Mandrels, Expanding Nicholson & Co., W. H., Wilkes-Barre, P Western Tool & Mfg. Co., Springfield, O.

Mandrels, Selid W. H., Wilkes-Barre, Pa

Milling Attachments
Rurke Machine Tool Co., Conneaut, Ohie
Kearney & Treeker Corp., Milwankee, Wis
Le Blond Mch Tool Co., R. K., Cincinnati, O
Porter-Cable Machine Co., Syracusa, N. Y.
Taylor & Fenn Co., Hartford, Com.

Milling Machine Spacing Washers

Milling Machines, Bench Ames Co., R. C., Waltham, Mass. Burke Machine Tool Co., Conneaut, Ohie

Milling Machines, Hand Burke Machine Tool Co., Conneaut, Ohio U. S. Machine Tool Co., Cincinnati, O.

Milling Machines, Manufacturing

Milling Machines, Plain Burke Machine Tool Co., Conneaut, Ohio Gallmeyer & Livingston Co., Grand Rapids Mich Kearney & Trecker Corp., Milwaukee, Win LeBlond Mch. Tool Co., R.K., Cincinnati, O

Milling Machines, Portable Pedrick Tool & Machine Co., Philadelphia

Milling Machines, Spline Taylor & Fenn Co., Hartford, Com

Milling Machines, Universal Kearney & Trecker Corp., Milwaukee, Win LeBlond Mch. Tool Co., R K., Cincinnati, O

Milling Machines, Vertical
Burke Machine Tool Co., Conneaut, Obio
Kosmey & Trecker Corp., Milwaukee, Wis.
LeBlond Mch. Tool Co., R.K., Cincinnati, O.
Taylor & Fenn Co., Hartford, Conn.

Mills, Adjustable Hollow Genesee Mig. Co., Rochester, N. Y.

Motors, Electric Reliance Electric & Eng. Co., Cleveland Wisconsin Electric Co., Racine, Wis

Nuts, Plain or Castellated National Acme Company, Cleveland, O. Oil Cups

Gits Bros. Mfg. Co., 1940 S. Kilbourn Av., Chicago Oil Extractors

Barrett Co., Leon J., Worcester, Mass. Tolhurat Machine Works, Troy, N. Y. Pattern Shop Machinery Towsley Mfg. Co., John T., Cincinnati

Pins, Leader And Dewel
Danly Machine Specialties, Inc., 4913 Lincoln
Ave., Chicago

Pipe Bending Machines
Padrick Tool & Machine Co., Philadelphia Pipe Cutting and Threading Machines Chicago Pipethread Co., Nacine, Wis.

Piston Machines National Acme Company, Cleveland, O.

Piston Ring Machines National Acme Company, Cleveland, O.

Planing Machines Cincinnati Planer Co., Cincinnati, O. Cleveland Planer Co., Cleveland, O.

Planers, Valve Seat, Portable Pedrick Tool & Machine Co., Philadelphia

Polishing and Buffing Machines Cincinnati Electrical Tool Co., Cincinnati, O. Cisco Machine Tool Co., Cincinnati, O. Cisco Machine Tool Co., Cincinnati, O. Jackson Bivd., Chicago New Britain Machine Co., New Britain, Cons., Wisconsin Electric Co., Escine, Wis. [Micb.

Presses, Arbor Atlas Press Co., Kalamases, Mich., Lourie Hydraulic Co., Springfield, III. Nicholson & Co., W. H., Wilkes-Barre, Pa.

Presses, Broaching Springfield, III.

Presses, Drawing purio Hydraulic Co., Springfield, III.

Presses, Flanging Lourie Hydraulic Co., Springfield, Ill.

Presses, Foot

Rockford Iron Works, Rockford, Ill. Taylor & Fenn Co., Hartford, Conn. Presses, Forcing

Lourie Hydraulic Co., Springfield, Ill. Presses, Forming Lourie Hydraulte Co., Springfield, III.

Presses, Pawer
Hendley & Whittemore Co., Beloit, W
Lourie Hydraulic Co., Springfield, Ill.
Rockford Iron Works, Rockford, Ill.

Presses, Punch Lafalle Mackine Works, Still S. Lafalle St. Chicai Lewthwalte Mche.Co., T.H., 417E.31st., N. 1 Rockford Iron Works, Backford, IB.

Presses, Screw Jarecki Mche. & T. Co., Grand Rapids, Mich. Towsley Mfg. Co., John T., Cincinneti

Presses, Wheel
Lourie Hydraulic Co., Springfield, III. Pulley Machinery

Avey Drilling Machine Co., Cincinnati Pulleys, Iron, Solid and Split Conway Clutch Co., Cincinnati, O.

Pumps, Exhaust Petrick Bros., 2226 Belmont Ave., Chicago

Pumps, Hydraulic Lourie Hydraulic Co., Springfield, III.

Pumps, Lubricant Ruthman Machinery Co., Cincinnati, O.

Punch Press Feeds Rockford Iron Works, Rockford, III.

Punch, Shear and Bender, Hand Armstrong Blum Mfg. Co., 241 N. Francisco Ave., Chicago

Punches, Hand Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago Armstrong-Huam MIG. Co., 381 N. Francisco Handley & Whittemore Co., Beloit, Wis. Lewthwaite Miche. Co., T. H., 417 E. 318 St., Whitney Hetai Tool Co., Rockford, III.

Punches, Power Hendley & Whittemore Co., Beloit, Wis.

Funches and Dies Hendley & Whittemore Co., Belott, Wis. Lewthwaite Mche.Co., T.H., 417E 31st., N.Y. Rockford Iron Works, Resillerd, III.

Racks, Bar Stock New Britain Machine Co., New Britain, Conn Yoke Supply Co., Wm. S., Canton, O.

Cleveland Twist Drill Co., Cleveland, O.

Reamers, Adjustable

Reamer Holders Micholson & Co...

Reels, Extension Cincinnati Specialty Mfg. Co., Cincinnati, O.

Riveting Machines

Grant Mfg. & Mche. Co., Bridgeport, Conn.

Red Cutters Armstrong-Hum Mfg. Co., 341 N. Francisco Armstrong-Hum Mfg. Co., 241 N. Francisco Bench Machine Tool Co., Philadelphia, Pa. Hendley & Whittemore Co., Helolt, Wis. Lewthwaits Miche. Co., T. H., 417E. 31st., N. Y.

Saw Sharpening Machines Wardwell Mfg. Co., Cleveland, O.

Scraping Machines, Hand & Pneumatic Anderson Brothers Mfg. Co., Bockford, 10.

Screw Driving Machines, Automatic Reynolds Machine Co., Massillon, Obio

Screw Machine Products National Acme Company, Cleveland, O.

Screw Machines, Automatic National Acme Company, Cleveland, O. New Britain Mche. Co., New Britain, Conn

Screws onal Acme Company, Cleveland, O.

Second-Hand Machinery
Adams Co., Option B., Rochester, N. Y.
Baker, J. G., Columbus, O.
Bath & Co., Cyril J., Geveland, O.
Bath & Co., Cyril J., Geveland, O.
Bath & Co., Cyril J., Geveland, O.
Berown Machinery Co., St., Louis, No., I.
Brown Machinery Co., St., Louis, No., I.
Cincinnati Lathe & Tool Co., Cincinnati, O.
Cincinnati Machinery & Supply Co., Cincinnati, O.
Cincinnati Machinery & Supply Co., Cincinnati, O. Cincinnate Machinery Co., Cleveland, O., Clark Machinery Co., Cleveland, O., Clinton Mchy. Co., 128 S. Clinton, Chicago Donahue Steel Products Co., 204 N. Jeffer-son St., Chicago

Harris Bros. Co., 35th & Iron, Chicago Hill, Clarke & Co., 649 W. Washington Harris Ros. C., 649 W. Washington Hill, Clarke & Co., 649 W. Washington Hill, Clarke & Co., Inc., Ecston, Mans. Hyman & Sons, Joseph, Philadelphia Industrial Planta Corporation, 25 Church St., New York Johnson & Sons Hachinery Co., Wm. C., St. Louis, Mo. Jones Machine Teel Co., Cincinnati, O.

Jones Machine Teel Co., Cincinasti, O., Kemp Machinery Co., Buttimore, Md. Kemp Machinery Co., Buttimore, Md. Lines Co., H. S., Chemand, O. Lines Co., H. S., Chemand, O. Lines Co., H. S., Chemand, O. Laces & Son, J. L., Inc., Bridgeport, Conn. McCabe Lathe & Machinery Corp., J. J., McCabe Lathe & Machinery Corp., J. J., Williams, McCap Brandt McNy, Co., Pittaburgh, Fa.

Second-Hand Machinery—Continued
McDonald Machinery Co., 3h. Louis
McBullet Metry. McCond. Mich.
McMarsh. A. R. Cleveland, D. Marshall & Huchart Machinery Co., 17 S.
Jefferson St., Chicago
Molitor Machy, Co., Chas., 118 S. Clinton St.,
Co. Philadelphia, Fa.

Monarch Machinery Co. Philadelphia, Pa. Morey and Co., Inc., 408 Broome St., N. Y. Morris Machine Tool Co. Cincinnati, O. Motch & Merryweather Machinery Company, Cleveland, O.

Motch & Serrywasher Machinery company, Motch & Serrywasher Machinery Company, On Hamilton, Cleveland, O. Niles Teol Works Co., Hamilton, G., and H. O. O' Fitien Machinery Co., Philadelphia Osborne & Sexton Machy, Co., Columbus, Orwatt & Co., D. C., Cleveland, O. M. Orwatt & Co., D. C., Cleveland, C. M. Mch. Reeve-Fritts Co., 27 S. Desplaines, Chicage Relance Motty, Saiss Co., Pittburgh, F. Bentschler & Co., J. F., 6722 Ave., Chicage Rowlingson, D. E., Ulles, N. F. P., Simmon Machine Tool Corp., Albany, N. Y. Stocker-Rumsty-Wacha Co., 117 N. Jedferson, C. M. A. W. Stocker-Rumsty-Wacha Co., 117 N. Jedferson, C. A. M., 650 W. Adams St., C. A. M., 650 W. Adams St.,

Strafer, A. F., 30 Church St., New York Strong, Carlisle & Hammond Co., Cleveland Syracuse Supply Co., Syracuse, N. Y. Taylor-Hall Welding Corp., Worcester, Mass. Tubor, Velick & Co., Inc., Lake & Despialness Sts., Chicago Tubor, Velick & Cov., Sts., Chicago Wertman, M. A., Cleveland, O. White Machy, Co., A. D., 108 N. Jefferson St., Chicago

Winterer, Herman L., Philadelphia

Shafts, Flexible Stow Flexible Shaft Co., Philadelphia, Pa.

Shafts, Steel American Hollow Bering Co., Erie, Pa.

Shaping Machines Osborne & Sexton Machy. Co., Columbus, O. Rhoden Mig. Co., Hartford, Conn. Smith & Mills Co., Cincinnati Springfield Machine Tool Co., Springfield, O.

Shears, Hand Armstrong-Blum Mig. Co. 341 N. Francisco Hendley & Whittemore Co., Belolt. Wis. Lewthwaite Machine Co., T.H., 417 E. 31st N., New York Whitney Metal Tool Co., Rockford, M.

Shears, Pewer Bendley & Whittemore Co., Baloit, Wis.

Slotting Machines Rhodes Mig. Co., Hartford, Conn.

Spacing Washers Detroit Stamping Co., Detroit, Mich.

Stools and Chairs, Factory Chicago Wire Chair Co., 619 N. La Salle St., Chicago

Straightening Machines Springfield Machine Tool Co., Springfie Townsley Mig. Co., John T., Cincinnati Whitney Metal Tool Co., Reckford, Ili. Springfield, O.

Tap Extractors Walton Co., Hartford, Conn.

Tapping Machines and Attachments
Alto Mir. Go., 1647 Wolfram St., Chicage
Avey Drilling Machine Go., Chicainnati
Bench Machine Tool Co., Conneaut, Ohio
Bertle Machine Tool Co., Conneaut, Ohio
Beatlern Tube & Tool
Ave., Brooklyn, N. Y.
Gaterman Mir., Go., W., Manitowoc, Wis.
Leland-Lifford Co., Worcester, Mane.
Wilting Metal Tool Co., Rockford, Ill.

Taps, Threading, Collapsing Gaterman Mrg. Co., W., Manitowoc, W. National Acme Company, Cleveland, O.

Thread Dials Colven, J. M., Yonkern, N. Y.

Thread Milling Attachments Cluco Machine Tool Co., Cincinnati, O.

Threading Tools

Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago Hart Mfg. Co., Cleveland, O.

Tool Holders Armstrong Bres. Tool Co., 308 N. Francisco Av., Chicago Western Tool & Mfg. Co., Springfield, O.

Tool Racks Chicago Wire Chair Co., 619 N. La Salle St.

Tools, Boring Armstrong Bros. Tool Co., 303 N. Francisco Av., Chicago

Tools, Lathe and Planer Armstrong Bros. Tool Co., 308 N. Francisco Av., Chicago

Tools, Machinists'
Armstrong Bros. Tool Co., 308 N. Francisco Av., Chleago

Tools, Spot Facing Genesee Mfg. Co., Rochaster, N. Y.

Travellers, I-Beam Ford Chain Block Co., Philadelphia, Pa.

Trucks, Machine Shop New Britain Machine Co., New Britain, Coon. Townley Mfg. Co., John T., Cincimusti

Turntables on Foundry & Machine Co., Canten, O.

Universal Joints Universal Joints
American Tool Works, Inc., Hartford, Conn.
Borgeson Mfg. Co., Inc., Torrington, Conn.
Bouton Gear Works Sales Company, Norfolk
Bowns, Mass.

Valve Grinders Independent Pneumatic Tool Co., 600 W. Jackson Blvd., Chicage

Powell Co., Wm., Cincinnati

Vises, Drilling Machine Armstrong-Blum Mfg. Co., 341 N. Francisco Av., Chicago Armstrong-Hum Mig. Co., 341 N. Francheco Av., Chicago Armstrong Bros. Tool Co., 308 N. Francisco Germanow-Simon Mch. Co., Rochester, N. Y.

Vises, Machinists' New Britain Machine Co., New Britain, Conn. Western Tool & Mfg. Co., Springfield, O.

Vises, Milling Machine Germanow-Simon Mch. Co., Rochester, N. Y.

Wood Working Machinery wood Working Machinery Hendley & Whittemore Co., Beloit, Wis. New Britain Machine Co., New Britain, Co Porter-Cable Machine Co., Syracuse, N. Towoley Mfg. Co., John T., Cincinnati

Index of Advertisers

A	
Abbott Ball Co 61	E
Active Machine & Tool Co 41	Eastern Machinery Co 108-109 Eastern Tube & Tool Co., Inc 14-58
Adams Co., Orden R., Inc. 120	Fastern Tube & Tool Co., Inc. 14-58
Allegheny Gear Co	Economy Engineering Co
Alto Manufacturing Co. 58	Edgemont Machine Co. 66
Alto Manufacturing Co	Empire Mchy. Exchange Co 121
American Tool Works, Inc 78	Essley Machinery Co., E. L 116
Ames Co., B. C	Essey Machinery Co., E. L 110
Anderson Bros. Mfg. Co	P
	ET NOT
Armstrong-Blum Mfg. Co	Failor, N. C., Inc
Armstrong Bros. Tool Co	Federal Products Corporation 42
Atlas Press Co 71	Fitzsimmons & Cole Mehy. Co 102
Avey Drilling Machine Co 10	Foote-Burt Co 11
	Ford Chain Block Co. 45
	Fordick Machine Tool Co. 9
B	Foster Machinery Co 85
0 1 . C W 35	a construction of the contract
Barker & Co., Wm	G
Barrett Co., Leon J	Gallmeyer & Livingston Co 16
Barrett Co., Leon J	Gaterman Mfg. Co., W
Beaudry Company, Inc 100	Genesee Manufacturing Co 57
Bench Machine Tool Co 79	
Bennett Machinery Co	Germanow-Simon Machine Co 53
Bodine Electric Co	Gits Bros. Mfg. Co
Bodine Electric Co	Glenzer Co., J. C 70
Boston Gear Works Sales Co 66	Glenzer Co., J. C
Botwinik Brothers 61	
Bowsher Co., N. P. 73	н
Bowsher Co., N. P	Haetten & Co., J. E., Inc 101
Brown Machinery Co	Hardinge Brothers, Inc
Brownell Machinery Co 100-124	Harris Bros. Co. 112
Burke Machine Tool Co 75	Harris Bros. Co
Burr & Son, John T 36	Hendley & Whittemore Co 19
	Hill, Clarke & Co., Boston 87
C	Hill, Clarke & Co., of Chicago 107
Canedy-Otto Mfg. Co	Hyman & Sons, Joseph 109
Canton Foundry & Mene. Co. 44	
Carroll Machine Tool Co., A. V. 38	Independent Pneumatic Tool Co. 48
Challanooga Machinery Co 39	Industrial Plants Corporation 104
Chicago Pipethread Machine Co. 51	
Chicago Wire Chair Co 60	J
Cincinnati Electrical Tool Co 28	J. & H. Electric Co., Inc 30
Cincinnati Lathe & Tool Co 26	Jacobs Manufacturing Co 68-69
Cincinnati Mchy. & Supply Co 88	Jarecki Machine & Tool Co 27
Cincinnati Planer Co 4	Johnson & Sons Mchy.Co., Wm.C. 94
Cincinnati Specialty Mfg. Co 76	
Cisco Machine Tool Co	Jones Machine Tool Co
Clark Machinery Co	R.
	Kasenit Company
Cleveland Twist Drill Co	Kearney & Trecker Corporation 105
Clinton Machinery Co 103	Keller Mechanical Eng. Corp 102
Colven, James M. 56	Kemp Machinery Co 92
Conway Clutch Co 67	Kinsey Co., E. A 114
	Klauber, Edward L 81
D	Knickerbocker Co
_	L
Danly Machine Specialties, Inc 25	1 1 7 10 19
Davis Keyseater Co	Landis Tool Co
Detroit Machine Tool Co68-69	LaSalle Machine Works
Detroit Stamming Co. 77	
Detroit Stamping Co //	LaSalle Tool Co
Detroit Stamping Co	LaSaile Machine Works. 63 LaSaile Tool Co. 133 LeBlond Mehe. Tool Co., R. K. 8

La Salle Grinders

For Precision and Production



No. 1 Plain and Surface Grinder

(Micrometer Adjustment)

Grinding wheels	8"x1"
Between wheels	15"
Height to spindle center .	40*
Table surface	8"×14"

Has vertical travel of 12" on guides, 34" by micrometer, and may be raised to within 2" of spindle center. Wheel grinds to center of a surface 9" wide.

Spindle speed	.2450 r.p.m.
Countershaft speed	800 r.p.m.
Floor space	18"x24"
Net weight	300 lbs.
PRICE	\$115.00

Nothing better within its capacity than the La Salle No. I for general use in the tool room or machine shop. If you need a larger, heavier Plain and Surface Grinder, write us for description of the La Salle No. 3, which sells for \$365.00.

The La Salle No. 1 has every provision for accuracy and ease of handling.

The adjustments are simple, easy to make, and positive. The micrometer adjustment on the horizontal hand-wheel is graduated in 1000ths of an inch, with ample room between division marks for finer adjustments.

La Salle Grinders include our Nos. I and 3 Plain and Surface Grinders; No. 2 Automatic Surface Grinder at \$550.00, and American Wet and Dry Drill Grinders in various sizes—prices on application—each a real leader in its class.

You can't go wrong if you let us take care of your grinding needs. Will you tell us what they are?

LaSalle Tool Company

LaSalle, Illinois, U. S. A.

Index of Advertisers-Continued

Leland-Gifford Co	Ribbe & Grey 52 Rockford Iron Works 63 Rowlingson, D. E. 85 Russell Machine Co. 125 Ruthman Machinery Co. 54
M	s
McCabe Lathe & Machinery Corporation, J	Schellenbach-Hunt Tool Co
N	Strong, Carlisle & Hammond Co 89
National Acme Company	Surolin Material & Mehy, Co
0	Thompson Grinder Co
O'Brien Machinery Co	Tolhurst Machine Works
P	U
Pedrick Tool & Machine Co	United States Drill Head Co 60 United States Machine Tool Co 48
Peerless Surfacing Mche. Co., Inc. 33	v
Peninsular Machinery Co	Vandyck Churchill Co 100
Company	Walton Co
R	Western Tool & Mfg. Co
Racine Tool & Machine Co 76	
Rahn-Larmon Co 6	White Machinery Co., A. D 93 Whitney Metal Too Co
Reeve-Fritts Company	Winterer, Herman L 96
Reliance Elect. & Engineering Co. Reliance Machinery Sales Co	Winterhoff Tool & Machine Co. 70 Wincomin Electric Co
Reynolds Machine Company 126	Y
Reznor Manufacturing Co 22-23 Rhodes Manufacturing Co 21	Yohe Supply Co., Wm. S 64
1.34	

Don't Forget This

Precision Truing Tools

will cut down your cost of truing grinding wheels.

THE SAVING IS ALL PROFIT TO YOU

We also make small grinding wheels, 6-inch diameter and less,

The Precision Truing Machine & Tool Co. CINCINNATI, OHIO

"Service That Saves" Pressed Steel

Bench Legs



not only the original unit of the "Service That Saves" line of Factory Equipment, but the original pressed steel bench legs offered in place of more expensive wooden legs.

Bench Legs as made by us are

As its name implies, the New Britain General Purpose Pressed Steel Bench Leg can be used for a large variety of work. Gives rigidity to benches and prevents end sway—and lasts forever.

Bulletin of complete line of "Service that Saves" Factory Equipmen. Yours for the asking. New Britain Pressed Steel Bench Legs are made in three weights; i. e. – Light Duty, General Purpose and Heavy Duty, which cover every bench requirement.

The New Britain Machine Co.

New Britain



Connecticut

